


## TREE PLANTING REQUIREMENTS

1. HOLES TO BE DUG 50mm LARGER IN ALL DIRECTIONS THAN THE ROOT BALL OF TREE BEING PLANTED.
2. HOLES TO BE BACK FILLED WITH FRESH GARDEN MIX SOIL. SOIL SHALL BE SUPPLIED FREE OF WEEDS AND SEEDS.
3. FRESH SOIL LEVEL TO BE 30mm LOWER THAN RESIDENT SOIL LEVEL TO ALLOW FOR A RESERVOIR FOR WATERING.
4. TREES TO BE UNDER PRUNED FOR SIGHT LINES AND MOWING ACCESS.
5. TWO 50mm X 50mm X 2150mm STAKES TO BE PLACED 500mm FROM TRUNK AND ANGLED OUTWARDS TO 600mm FROM TRUNK. POSITIONED TO OFFER MAXIMUM PROTECTION FROM VEHICLES AND PEDESTRIANS.
6. RUBBER TREE TIE TO BE TIED  $\frac{1}{3}$  OF THE HEIGHT OF TREE UP THE TRUNK. RUBBER TIE WIDTH TO BE GREATER THAN 10mm.
7. APPLY A QUARTER CUP OF NATIVE FERTILIZER UNDER TREE AND A QUARTER CUP ON TOP OF ROOT BALL. WATER IMMEDIATELY AFTER PLANTING.
8. TREES ARE RECOMMENDED TO BE 30L TO 35L IN SIZE AS SMALLER TREES ESTABLISH AND GROW BETTER IN THE LONGER TERM.
9. ALL STREET TREES ARE TO BE PLANTED WITH A ROOT BARRIER.
10. TREES SHALL BE SUPPORTED BY MAINTENANCE AND WATERING FOR 2 SUMMER PERIODS TO ENSURE FULL ESTABLISHMENT.



## TREE PLANTING DISTANCES/LOCATION

N.T.S.

1. TREES TO BE PLANTED AS CENTRALLY AS PRACTICABLE TO THE SPACE OFFERED ON THE VERGE, TAKING INTO ACCOUNT THE EFFECT TO DRIVEWAYS, GATES AND THE FOLLOWING REQUIREMENTS.
2. 2.7m ALIGNMENT FROM THE PROPERTY BOUNDARY (BUT CAN BE A RANGE OF 2.4m TO 3.0m) IN ACCORDANCE WITH THE UTILITY PROVIDERS' CODE OF PRACTICE FOR WA.
3. IDEALLY 2.5m FROM THE KERB FACE. FOR SMALLER VERGES, MINIMUM OF 1.5m FROM KERB FACE.
4. MINIMUM OF 2.5m FROM STRUCTURAL ELEMENTS (I.E. WALLS AND FOUNDATIONS).
5. MINIMUM OF 12.0m FROM INTERSECTING KERB ALIGNMENTS ON CORNER PROPERTIES.
6. IDEALLY 2.5m FROM CROSSOVERS, FOOTPATHS, SOAKWELLS AND DRAINAGE/SERVICE INSPECTION PITS, MINIMUM OF 1.5m FOR SMALLER VERGES.
7. MINIMUM OF 6.0m FROM A STREET LIGHT, UNLESS OTHERWISE APPROVED BY THE CITY.
8. TREE PLANTING IN ROADS CONTROLLED BY THE MRWA SHALL COMPLY WITH MRWA STANDARDS.

REV	DESCRIPTION	APPROVED	DATE
0	APPROVED		



102 NORTH ROAD, YAKAMIA WA 6330  
 PO BOX 484 ALBANY WA 6331  
 Tel: (08) 9841 9333  
 Fax: (08) 9841 4099  
 Email: cityassets@albany.wa.gov.au  
 Website: www.albany.wa.gov.au

**CONSTRUCTION ISSUE**

AUTHORISED	DESIGNED	DRAWN
		JLP

THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION UNLESS SIGNED AS APPROVED

PROJECT					
CITY OF ALBANY ENGINEERING SERVICES STANDARD CONSTRUCTION DRAWINGS					
DRAWING NAME					
TREE PLANTING DETAILS					
DRAWING No	FILE REF	JOB No	SCALE	SHEET No	REV
-	-	-	AS SHOWN	STD-06-01	0