

**Lot 3348 and 4120  
Marbelup North Road,  
Marbelup WA 6330**

# **Environmental Assessment Report and Operations Plan**



Bio Diverse Solutions

Final v. 1

25/05/2020

## DOCUMENT CONTROL

### TITLE

Lot 3348 and 4120 Marbelup North Road, Marbelup Environmental Assessment Report and Operations Plan

Author (s): Kathryn Kinnear and Bianca Theyer

Reviewer (s): Kathryn Kinnear, Helen O'Neill

Job No.: MSC0282

Client: A.D. Contractors Pty Ltd

### REVISION RECORD

Revision	Summary	Prepared By	Reviewed By	Date
Draft ID v 1	Internal QA review	B. Theyer	K. Kinnear	6/05/2020
Draft ID v.2	Updates as per QA review. Submitted to Client and secondary internal QA review	B. Theyer	H. O'Neill R. Smith	6/05/2020
Draft ID v 3	Updated as per internal and Client review and submitted to Client for finalisation	B. Theyer	C. van der Mescht	18/05/2020
Draft ID v 3	Submitted to CoA for review	B. Theyer	J. Anderson	21/05/2020
Final ID v 1	Submitted to client as final	B. Theyer		25/05/2020



Bio Diverse Solutions  
29 Hercules Crescent  
Albany WA 6330  
08 9842 1575  
[www.biodiversesolutions.com.au](http://www.biodiversesolutions.com.au)  
ABN 48 138 824 272

(C) Copyright: This document has been prepared by Bio Diverse Solutions for use by the client only, in accordance with the terms of engagement, and only for the purpose for which it was prepared.

**CONTENTS**

1.	Introduction.....	1
1.1.	Alignment to Legislation, Policy and Guidelines .....	1
2.	Background .....	1
2.1.	Site Details .....	1
2.2.	Existing Land Uses.....	2
2.3.	Adjacent Land uses and Tenure .....	2
3.	Desktop Assessment.....	2
3.1.	Climate .....	3
3.2.	Topography .....	3
3.3.	Geology and Soils .....	3
3.4.	Water .....	3
3.5.	Acid Sulfate Soils .....	3
3.6.	Remnant Vegetation.....	3
3.7.	Aboriginal Heritage.....	4
4.	Site Assessment.....	5
4.1.	Vegetation Types .....	5
5.	Proposed Development.....	9
5.1.	Extraction process, staging and haulage routes .....	9
5.2.	Vegetation and Topsoil Removal .....	9
5.3.	Operation Times.....	9
5.4.	Vehicles and Machinery .....	9
6.	Environmental Considerations .....	11
6.1.	Noise .....	11
6.2.	Dust and Erosion.....	11
6.3.	Light.....	11
6.4.	Discharges to land.....	11
6.5.	Wetlands and Public Drinking Water Source Areas (PDWSA).....	12
6.6.	Discharges to water.....	12
6.7.	Flora and Vegetation .....	12
6.8.	Fauna .....	12
7.	Management Plans .....	13
7.1.	Dust management .....	13
7.2.	Noise Management .....	13
7.3.	Stormwater Management .....	14
7.4.	Weed Management.....	14
7.4.1.	Aims of Weed Management Plan.....	14
7.4.2.	Program for weed control .....	15
7.5.	Dieback and General Hygiene Management .....	17
7.6.	Bushfire Risks and Management .....	17
7.7.	Rehabilitation Management.....	19
7.8.	Control of Environmental Incidents .....	20
7.9.	Corrective and Preventative actions .....	20
7.10.	Contingency Procedures .....	21
7.11.	Spill Management Procedures .....	21
7.12.	Monitoring and contingency planning.....	23
8.	Consultation process.....	24
9.	Implementation Process.....	25
10.	References .....	26
11.	Appendices.....	28

#### LIST OF TABLES

Table 1: Condition Rating Scale

Table 2: Mineral Processing compatibility and conditions within Public Drinking Water Source Areas.

Table 3: Generalised Weed Management Program for Common Species

Table 4: Bushfire protection criteria applicable to the site

Table 5: Vehicular Access Technical Requirements (WAPC, 2017)

Table 6: Environmental Monitoring Activities During Construction

Table 7: Implementation Program

#### LIST OF FIGURES

Figure 1: Property Locality

Figure 2: Photographs of the Managed Grassland vegetation type.

Figure 3: Photographs taken in stands of paddock trees within the proposed extraction area.

Figure 4: Photographs of the Melaleuca preissiana and Homalospermum firmum heath vegetation type.

Figure 5: Photographs of the Jarrah/Marri/Sheak Laterite Forest vegetation type.

Figure 6: State Bushfire Prone Mapping (OBRM, 2019).

Figure 7: Private driveway design requirements (WAPC, 2017)

#### LIST OF APPENDICES

Appendix A –Site Facility Mapping

Appendix B – Water Features Mapping

Appendix C – Vegetation Mapping

Appendix D – Bushfire Mapping

Appendix E – Database Searches

## 1. Introduction

Bio Diverse Solutions (Environmental Consultants) was commissioned by A.D. Contractors (“The Client”) as Environmental Consultants to prepare an Environmental Assessment Report and Extraction Operations Plan for the proposed extraction project at Lots 3348 and 4120 Marbelup North Road, Marbelup within the City of Albany. The purpose of this document is to assess the environmental values for the site, assess the proposed facility and provide supporting documentation for a Development Application with the City of Albany. The document provides and outlines details of emissions associated with the project and associated mitigation measures.

### 1.1. Alignment to Legislation, Policy and Guidelines


In assessing the proposed gravel extraction facility, Bio Diverse Solutions has prepared this report aligned to the following legislation:

- *Biosecurity and Agriculture Management Act 2007 (BAM Act)*;
- *Environmental Protection Act 1986*;
- *Environmental and Protection and Biodiversity Conservation Act 1999 (EPBC Act)*;
- Environmental Protection Authority (EPA) (2015) *Draft Environmental Assessment Guideline for Separation Distances between Industrial and Sensitive Land Uses*;
- Environmental Weeds Strategy for Western Australia 1999;
- *Wildlife Conservation Act 1950*;
- *Biodiversity and Conservation Act 2016*;
- *Conservation and Land Management Act 1980 (CALM Act)*;
- Environmental Code of Practise – Extractive Industries (1990) – DEP (now EPA);
- Water Quality Protection Guidelines No.25 (2016) – DoW (now DWER); and
- City of Albany Policy Extractive Industries and Mining.

## 2. Background

### 2.1. Site Details

The “property” is defined as Lots 3348 and 4120 Marbelup North Road and is located 20km north west of the Albany CBD along Marbelup North Road in the municipality of the City of Albany. The property is 155.368 hectares in total and is zoned as “General Agriculture” under the City of Albany Local Planning Scheme No. 1. The “extraction area” is defined as the 34.8ha area in which extraction will occur with 7 stages defined as by the existing fencing within the property. There are multiple pits within each stage. The “crushing and screening extents” are defined as the area in which crushing and screening operations will occur. Please refer to Figure 1 below and Appendix A - Site Facility Mapping.



**Figure 1: Property Locality**

## 2.2. Existing Land Uses

Currently the property is being utilised for cattle grazing / general agriculture and there are no residential dwellings located within the property. The adjacent surrounding properties are also zoned as “General Agriculture”. After extraction activities are complete (anticipated within 7-8 years) the property will return to agricultural grazing pursuits. The remnant bushland vegetation in the eastern portion of the property is fenced off and is part of the voluntary “Land for Wildlife” (No. 2230).

## 2.3. Adjacent Land uses and Tenure

The subject site is located within an agricultural area, with residential agricultural properties to west, east and south. There are also several Blue Gum plantations located along Marbelup North Road. There is another gravel extraction project located to the east of the property (adjacent to the railway tracks). The Down Road Nature Reserve (R20948) is located to the east of the railway line adjacent to the property.

## 3. Desktop Assessment

Desktop assessment was undertaken of government databases to ascertain environmental aspects both within the property and the surrounding area. This assessment was conducted to various levels, ranging from state-wide to area specific information and includes information on climate, geology and soils, environmentally sensitive areas, acid sulfate soils, public drinking water areas, water bodies and Aboriginal heritage. Desktop inventory of potential Threatened and Priority flora and fauna species likely to occur within 10km of the property was undertaken using the following databases:

- 10km NatureMap Database Search (combined data from DBCA, WA Museum and WA Herbarium);
- Protected matters search tool (DAWE 2020); and
- WA Herbarium records accessed through Flora Base (Western Australian Herbarium, DBCA).

Based on results from the above databases there are 23 conservation significant flora species and 52 conservation significant fauna species potentially present within the 10km property. The full species list compiled from all available data (Appendix E) is based on

observations from a 10km study area and is likely to include species that would not occur in the property due to a lack of suitable habitat. The data also includes very old records and in some cases the species in question may have become locally or regionally extinct.

The conservation significance of flora and fauna species has been assessed using data from the following sources:

- *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act). Administered by the Australian Government Department of Agriculture, Water and Environment (DAWE);
- *Biodiversity Conservation Act 2016* (BC Act). Administered by the Western Australian Department of Biodiversity Conservation and Attractions (DBCA); and
- DBCA Priority Flora list. A non-legislative list maintained by DBCA for management purposes.

### 3.1. Climate

The nearest Bureau of Meteorology (BoM) operational station is Albany (Site No. 009500). The average maximum temperature is 19.5°C whilst the average minimum temperature is 11.8°C. The average annual rainfall for the station is 925.1mm, with the majority of rainfall occurring between May and September (BoM, 2020).

### 3.2. Topography

The property is located in an undulating landscape in the Marbelup area. The property has eastern and south western aspects with slopes from the eastern boundary ranging from 25m AHD to 60m AHD. The south western corner of the property slopes from 45m AHD to 60m AHD. The paddocks within the northern portion of the property is relatively flat with the majority of the area located within the 60-65m AHD contour line.

### 3.3. Geology and Soils

Database searches using the NRInfo Portal (Department of Primary Industries and Regional Development, 2020) shows the property lies within the King System (242Kg). The system is described as “*Dissected siltstone and sandstone terrain, on the southern edge of the Albany Sandplain Zone, with shallow gravel, sandy gravel, grey sandy duplex and pale deep sand. Jarrah-marri-sheoak woodland and mallee-heath.*” (DPIRD, 2020). The Albany Sandplain Zone is described as having “*Gently undulating plain dissected by a number of short rivers flowing south. Eocene marine sediments overlying Proterozoic granitic and metamorphic rocks. Soils are sandy duplex soils, often alkaline and sodic, with some sands and gravels.*” (DPIRD, 2020).

### 3.4. Water

The property lies within the Denmark Coast Catchment area and the Albany Sandplain Hydrological Zone (HZ20\_AS) which is describes as “*Gently undulating plain dissected by a number of short rivers flowing south. Eocene marine sediments overlying Proterozoic granitic and metamorphic rocks. Soils are sandy duplex soils, often alkaline and sodic, with some sands and gravels*” (DPIRD, 2020b). There is a major tributary that runs through the adjacent private properties to the north of the survey area that extends south across South Western Highway. It does not intersect the “extraction area”. No other wetland areas were identified as being present within the extraction area during the desktop assessment.

The property slopes to the east from 60m AHD to 25m AHD, with the steepest section lying within the remnant vegetation in the east. The Marbelup Brook runs along the eastern boundary of the property boundaries, where the Marbelup Flats is located which is a Conservation class category wetland. The property is located in a Priority 2 Public Drinking Water Source Area and within the RIWI Act Proclaimed “Albany Groundwater Area” and the “Marbelup Groundwater Subarea” (WALGA 2020a and b). There is a groundwater bore located in the northern paddock area and is constructed to 35m. The drill log (refer to Appendix B) states the static water level was 27m when constructed in 2010. Refer to Appendix B – Water Features Mapping.

### 3.5. Acid Sulfate Soils

There are no areas within the property mapped as containing Acid Sulfate Soils.

### 3.6. Remnant Vegetation

The property lies within the Southern Jarrah Forest JAF02 IBRA subregion. Hearn et al (2002) describes the IBRA region as “*Duricrusted plateau of Yilgarn Craton characterised by Jarrah-Marri forest on laterite gravels and, in the eastern part, by Wandoo -*

Marri woodlands on clayey soils. Eluvial and alluvial deposits support Agonis shrublands. In areas of Mesozoic sediments, Jarrah forests occur in a mosaic with a variety of species-rich shrublands.”

The vegetation has been mapped on a broad scale by J.S. Beard (Shepherd *et al.* 2002) in the 1970's, where a system was devised for state-wide mapping and vegetation classification based on geographic, geological, soil, climate structure, life form and vegetation characteristics (Sandiford and Barrett, 2010). Vegetation units were regarded as associations and were grouped into Vegetation Systems representing a particular pattern of association distribution within a given area. A GIS search of J.S. Beards (Beard *et al.* 2013) vegetation classification places the subject site within two System and Vegetation Association (Source Pre-European dataset, DPIRD-006):

- **System Association Name:** Albany
- **Vegetation Association Number:** 978.
- **Structure Description:** Low forest, woodland or low woodland with scattered trees
- **Floristic Description:** Jarrah, banksia or casuarina *Eucalyptus marginata*, *Banksia spp.*, *Allocasuarina spp.*
- **Remnant Vegetation by Beard Association Rarity in LGA:** 25.23% remaining (GoWA, 2019).
- **Remnant Vegetation by Beard Association Rarity in IBRA Region:** 24.85% (GoWA, 2019).
  
- **System Association Name:** Albany
- **Vegetation Association Number:** 51.
- **Structure Description:** Sedgeland; reed swamps, occasionally with heath.
- **Floristic Description:** Cyperaceae, Restionaceae, Juncaceae (mainly in the South-West).
- **Remnant Vegetation by Beard Association Rarity in LGA:** 38.35% remaining (GoWA, 2019).
- **Remnant Vegetation by Beard Association Rarity in IBRA Region:** 38.35% remaining (GoWA, 2019).

The surrounding native remnant vegetation (within 1km) has previously been mapped during the Albany Regional Vegetation Survey (Sandiford and Barrett 2010). The area is quite diverse with seven different units / complexes described. The most prominent vegetation type is the Jarrah/Marri/Sheoak Laterite Forest. Refer to Appendix C – Native Vegetation Mapping.

- **Vegetation Name:** Jarrah/Marri/Sheoak Laterite Forest
- **Map Code:** 12
  
- **Vegetation Name:** *Homalospermum firmum/Callistemon glaucus* Peat Thicket
- **Map Code:** 47
  
- **Vegetation Name:** *Taxandria juniperina* Closed Forest
- **Map Code:** 59
  
- **Vegetation Name:** *Melaleuca preissiana* Low Woodland
- **Map Code:** 49

### 3.7. Aboriginal Heritage

Database records show the property lies within the Marbelup Brook (ID29673) which is listed as a mythological, natural feature site (DPLH-001 dataset).



## 4. Site Assessment

Site assessment of the property and extraction area was undertaken on 24<sup>th</sup> April 2020 by Kathryn Kinnear and Bianca Theyer (Bio Diverse Solutions). This assessment included ground truthing of desktop findings including bushfire risks to 150m. No detailed flora, vegetation and fauna surveys were undertaken as the large areas of intact remnant vegetation within the eastern portion of property will not be cleared during this extraction project. Broad vegetation assessment and general comments on condition of remnant vegetation and stands of paddock trees in the northern area of the property are provided below. Albany Regional Vegetation Survey vegetation units have been used to assist in the mapping of vegetation types within the site. Refer to Appendix B for Native Vegetation Mapping and Site Vegetation Mapping.

### 4.1. Vegetation Types

#### Managed Grassland

This vegetation type occurs across the entire subject site as the land is used for grazing/agricultural purposes. All native vegetation has been cleared (except for several stands and individual mature trees to the north and east) and now consists of introduced pasture species such as *Cenchrus clandestinus*\* (kikuyu), and some other introduced weed species such as *Conyza sp.*, \* *Hypochaeris sp.*, \* *Phalaris sp.*, \* *Phytolacca octandra*\* (inkweed). The vegetation has been classified as “completely degraded”. Please refer to Figure 2 and Table 1 for condition ratings.



Figure 2: Photographs of the Managed Grassland vegetation type.

#### Existing Paddock Trees

There are two areas of remnant jarrah and sheoak paddock trees located within the northern area of the property / extraction area. The majority of these trees are in poor health, with dead trees scattered on the ground throughout the areas. The vegetation structure is completely absent with an overstorey of jarrah and occasional sheoak and an understorey of pasture grasses. The areas are

classified as “Completely Degraded” (Keighery, 1994). Please refer to Figure 3 and Table 1 for condition ratings. It is proposed these trees will be cleared as part of the extraction project. Refer to Section 6.7 for further information.



**Figure 3: Photographs taken in stands of paddock trees within the proposed extraction area.**

*Melaleuca preissiana* and *Homalospermum firmum* heath

This vegetation type lies within the low-lying wet areas of the subject site and has also been impacted by bushfire. The vegetation type consists of an overstorey of *Melaleuca preissiana* with a midstorey of regenerating *Homalospermum firmum*, *Callistemon glaucus*, *Taxandria parviceps*, *Astartea* sp. and *Psoralea pinnata*\* (taylorina). The understorey consists of regenerating native shrubs and sedges, as well as a variety of pasture related weed species such *Cenchrus clandestinus*\* (kikuyu), *Conyza* sp.,\* *Hypochaeris* sp.,\* *Phalaris* sp.,\* *Phytolacca octandra*\* (inkweed), and bracken fern. Although impacts of fire and weed species are evident within the vegetation, this vegetation type has been classified as being in “Very Good” condition. Please refer to Figure 4 and Table 1 for condition ratings.



Figure 4: Photographs of the *Melaleuca preissiana* and *Homalospermum firmum* heath vegetation type.

#### Jarrah/Marri/Sheoak Laterite Forest

This vegetation type is located within the remnant vegetation within the eastern portion of the property and within the remnant roadside vegetation. Vegetation in the east of the property has been burnt in recent years and regeneration of the midstorey is still occurring. During the site assessment overstorey species identified were *Eucalyptus marginata*, *Allocasuarina fraseriana* and *Corymbia calophylla*. Regenerating midstorey species include *Banksia grandis*, juvenile *E. marginata* and *C. calophylla*, *Acacia sp.*, *Taxandria parviceps*, *Leucopogon verticillatus*, *Beaufortia decussata* and *Melaleuca sp.* Understorey species consisted of *Leucopogon sp.*, *Xanthosia rotundifolia*, *Patersonia sp.*, *Anigozanthos flavidus*, *Lepidosperma sp.*, *Conyza sp.*,\* *Hypochaeris sp.*,\* *Phalaris sp.*,\* *Phytolacca octandra*\* (inkweed) and other pasture weed species. Due to the obvious signs of disturbance (weeds species and fire) the vegetation has been classified as “Very Good”. Please refer to Figure 5 and Table 1 for condition ratings.





Figure 5: Photographs of the Jarrah/Marri/Sheaok Laterite Forest vegetation type.

Table 1: Condition Rating Scale

Vegetation Condition Rating	Description
Pristine	Pristine or nearly so, no obvious signs of disturbance.
Excellent	Vegetation structure intact, disturbance affecting individual species and weeds are non-aggressive species.
Very good	Vegetation structure altered, obvious signs of disturbance.
Good	Vegetation structure significantly altered by very obvious signs of multiple disturbances. Retains basic vegetation structure or ability to regenerate to it.
Degraded	Basic vegetation structure severely impacted by disturbance. Scope for regeneration but not to a state approaching good condition without intensive management.
Completely Degraded	Vegetation structure not intact; the area completely or almost completely without native species.

## 5. Proposed Development

### 5.1. Extraction process, staging and haulage routes

The location and extent of the proposed gravel extraction area is shown in Appendix A – Location and Site Facility Mapping covering an area of 34.8 hectares in total of cleared agricultural land. It is assumed that the average amount of 30,000 tonnes per year will be extracted over the life of the extraction project. In times of high demand, it is expected a maximum of 50,000 tonnes per year would be extracted (*Pers. Comms. H. O'Neill 2020*). Ultimately the amount of extracted materials will be reliant upon industry demand. It is proposed that the entire life of the project will be approximately 7-8 years. A.D. Contractors expect that in high demand periods, one stage within the proposed project will be exhausted every 12 months. Extraction is planned to commence as soon as possible after all required approvals are obtained. The extraction facility will be gated and locked, with no unauthorised persons able to enter. Refer to Implementation Plan Section 8.

The extraction of gravel including crushing and screening will take place on site by A.D. Contractors Pty Ltd. Extracted products will then be transported to various construction sites within the City of Albany and adjoining areas. Mobile plant is utilised to push up and stockpile topsoil as well as to extract, push up and stockpile gravel. Unprocessed gravel is fed into the crushing and screening plant, and then stockpiled prior to being loaded onto trucks. No blasting will be required, whilst portable crushing and screening equipment will be utilised. The crushing of large gravel “boulders” will only occur when required and it is therefore expected that most of the extracted resource will not require crushing. Crushing and screening is to occur within a defined area within the pits and is restricted as shown on the Site Buffers Mapping in Appendix A.

It is proposed that extraction will be staged with the stages depicted on the Site Plan Mapping. Within these paddocks one of the pits (no greater than 1.2ha in size) will be exposed/operated at any given time. This area will then be rehabilitated / closed up (covered with topsoil) and the remaining area of the stage will be opened. Gravel will be stockpiled within the stage / pit area adjacent to the next pit, for use as demand requires. It is estimated that the maximum amount of time gravel will be stockpiled is 6-12months. Stockpiles will be no higher than 4.5 metres. Trucks will access the property via the existing site entry along Marbelup North Road. This access route allows for trucks to head south to South Coast Highway or north to Redmond West Road.

### 5.2. Vegetation and Topsoil Removal

This proposal requires no clearing of native vegetation as the subject site consists of approximately 61.343 ha of agricultural land. Topsoil will be removed to a depth of 150 – 200mm with the maximum depth of excavations to 1500mm below ground level. All topsoil removed will be stockpiled in windrows 5-8m wide and stored parallel to the borders of the extraction area. Topsoil will be stockpiled in piles no higher than 4.5m which will then be respread over the pit area once excavation activities have ceased, the ground has been ripped and all stockpiled materials removed. This will be done as the client wishes to continue agricultural practices once the extractive proposal has ceased.

### 5.3. Operation Times

Extraction and plant operation times will be restricted to the hours between 7:00am and 5:00pm Mondays to Fridays only, not including Public Holidays. Actual operation times will vary as a result of product demand, if demand is low due to no construction projects being carried out then the facility will not be operational. A.D. Contractors use two types of trucks where capacity is approximately 9m<sup>3</sup> for 6-wheeler trucks and 14m<sup>3</sup> for a semi-trailer, however volumes vary depending on moisture and density of the gravel extracted. Truck movements will be dependent on demand of materials. When demand is high it is expected 3 to 4 trucks would make approximately 6 to 7 trips per day. This is unlikely to occur more than 3 to 4 times a year. When demand is low it is expected 1 truck would enter and exit the site per day. Truck signs are to be installed prior to operations commencing on the day before the access point along Marbelup North Road and South Coast Highway, warning of truck movements.

### 5.4. Vehicles and Machinery

No hydrocarbons, chemicals, fuels, coolants etc. will be stored onsite. These will be transported onsite as required by a contained mobile service vehicle which will be appropriately equipped with spill kits in the unlikely event there is a spillage. Furthermore, no trucks will be stored on site outside of operation hours (Mon-Fri 7:00am to 5:00pm), only screening and crushing equipment will be stored on site. If major servicing of these machines is required, they will be removed from site. In the unlikely event of a major breakdown on site

all necessary precautions to ensure no hydrocarbons or other liquids enter the environment, and any contaminated soil will be removed and disposed of at an appropriate location.

## 6. Environmental Considerations

### 6.1. Noise

A.D. Contractors will ensure all extraction, crushing and screening operations are to be carried out only between 7:00am and 5:00pm Mondays to Fridays. The surrounding properties are also zoned as “General Agriculture” and it is expected that operational noise will not be louder than the surrounding agricultural and forestry operations within the immediate vicinity.

Noise will be the largest consideration to the project from crushing and screening operations. Crushing and screening operations will be only undertaken in the designated crushing and screen extents within the pits to create further buffers to residents and sensitive receptors. There are four residential properties within the vicinity of the extraction project. The dwelling to the south is located 739m to the nearest stage / pit and 801m to the crushing and screening extent. The dwelling to the south west is located 385m from the nearest stage / pit and 434m to the crushing and screening extent. The dwelling to the west is located 444m to the nearest stage / pit and 458m to the crushing and screening extent. The dwelling located near the north west corner is 279m from the nearest stage / pit and 322m from the crushing and screening extent. Refer to Site Buffers Mapping in Appendix A. The building to the north of the property in Lot 4119 are agricultural storage sheds.

Extraction areas are situated 40m from Marbelup North Road, 20m off the adjacent property boundaries and internal native vegetation, and 50m from dams. To create noise (and visual) buffers, the client will utilise the topsoil mounds around the perimeters of the extraction stages / pits as they are established. Traffic routes internal to the site will be planned out in such a way as to minimise vehicle reversing requirements and thus minimise reversing alarm noise (particularly for the nearest residences). Replacing standard “beeping” reversing alarms with a mixed frequency alarm (which does not carry as far) should also be considered to further reduce noise issues.

In conjunction with these activities, regular maintenance of onsite plant and machinery will help to reduce unnecessary noise pollution. Any equipment identified as noisy will either be removed from site or its use terminated until repairs are made.

All employees and contractors will be educated through site inductions raising awareness and outlining company practices to be employed to help mitigate noise pollution whilst on site and when entering and exiting the property. It will be the site manager’s responsibility to ensure all personnel adhere to noise reduction measures.

Finally, a noise complaint system should be implemented. A notice should be placed at the front gate providing the contact details of the site manager. Any noise related complaints will be recorded by the site manager and acted on immediately. Any complaints made should be kept in a register. Refer to Section 7.5 for Noise Management to be implemented during all operations.

### 6.2. Dust and Erosion

Dust emissions are anticipated during topsoil removal, resource excavation, crushing and screening, loading, haulage and wind erosion of exposed surfaces in adverse weather conditions. However, dust management can be implemented in order to mitigate dust emissions, ensuring dust levels cannot reach levels that adversely impact health, welfare, surrounding amenities and the environment.

All topsoil stockpiles and stockpiled gravel will be no greater than 4.5 metres in height. Long-term stockpiling should be avoided where possible and will be dependent on demand, it is expected stockpiling will range between 6-12months. Stockpiles will not be located in areas subject to adverse environmental conditions (e.g. prevailing winds) such as prominent ridges, and will be located within the stage or extraction pit currently in operation. Operations generally cease during times of high winds, and water trucks and water shall be available to suppress dust. At the sign of any erosion, measures shall be put in place to mitigate any erosion. All post development runoff is contained onsite with drain basins, table drains and well-draining soils.

### 6.3. Light

Extraction activities will not be conducted outside of daylight hours, therefore there will be no light emissions.

### 6.4. Discharges to land

There will be no discharges to land.

## 6.5. Wetlands and Public Drinking Water Source Areas (PDWSA)

The extraction and crushing and screening areas are over 96m from the conservation category wetland located in the eastern portion of the property. There will be no impacts to this wetland. As the extraction and crushing and screening areas are located in a P2 PDWSA the below are to apply as per the Water Quality Protection Notice (WQPN) 25.

**Table 2: Mineral Processing compatibility and conditions within Public Drinking Water Source Areas.**

Land use or activity	P2 areas	Conditions
Mineral processing – crushing and screening	Compatible with conditions (9, 13)	<p><i>Condition 9</i> A licence under the Rights in Water and Irrigation Act 1914 may be required to abstract groundwater or surface water. Please contact the nearest Department of Water regional office for more information <a href="http://www.water.wa.gov.au">www.water.wa.gov.au</a>.</p> <p><i>Condition 13</i> These facilities/land uses should be located outside of WHPZs and RPZs unless the operator demonstrates that the risk of water contamination is effectively controlled under all circumstances. Under the Metropolitan Water Supply, Sewerage and Drainage By-laws 1981, ground level or underground chemical storage tanks (equal to or greater than 250 L) are prohibited in P1 and P2 areas of an UWPCA; and elevated chemical storage tanks (equal to or greater than 250 L capacity) are prohibited in P1 and P2 WHPZs of an UWPCA. Hydrocarbons, chemicals and other toxic or hazardous substances should be stored so there is no discernible contamination of groundwater or surface water. This should include effective secondary barriers to contain the system. Refer to WQPN no. 56: <i>Tanks for elevated chemical storage</i>, WQPN no. 58: <i>Tanks for temporary elevated chemical storage</i>, WQPN no. 60: <i>Tanks for mobile fuel storage in PDWSAs</i>, WQPN no. 61: <i>Tanks for ground level chemical storage</i>, WQPN no. 62: <i>Tanks for underground chemical storage</i> and WQPN no. 65: <i>Toxic and hazardous substances for further information</i>. A contingency plan should be in place to ensure adequate response to contamination incidents (refer to WQPN no. 10: <i>Contaminant spills – emergency response</i>).</p>

## 6.6. Discharges to water

There will be no discharge to surface or ground water. Surface water will be managed according to Section 7.3.

## 6.7. Flora and Vegetation

Areas of remnant vegetation within the eastern portion of the property have been excluded from extraction stages. The stand of paddocks trees that are in completely degraded condition are proposed to be cleared. No other native vegetation is proposed to be cleared as part of this project. There will be no discharges to land or water and this further reduces any risk to surrounding flora and vegetation. Weed management will be undertaken to ensure no invasive weeds identified will not spread into the surrounding remnant vegetation. A native vegetation clearing permit may be required to remove the degraded paddock trees, no clearing of these two areas will occur until the relevant approvals are obtained. Recommend condition of DA.

## 6.8. Fauna

As the subject site is located in an area that has already been cleared and highly modified for agricultural practices, there will be no further impacts to fauna than are already present.



## 7. Management Plans

### 7.1. Dust management

Dust has potential to impact on the surrounding social and natural environment through decreases in visibility, air quality, vegetation health and general amenity.

Crushing and screening operations have the potential to generate dust through:

- Land clearing, vegetation and topsoil removal.
- Excavation, crushing and screening, transfer and loading of product for haulage.
- Wind erosion from topsoil stockpiles and other exposed surfaces.
- Use of access tracks.
- Topsoil spreading during rehabilitation.

Dust emissions are anticipated during topsoil removal, resource excavation, crushing and screening, loading, haulage and wind erosion of exposed surfaces in adverse weather conditions. However, dust management can be implemented in order to mitigate dust emissions, ensuring dust levels cannot reach levels that adversely impact health, welfare, surrounding amenities and the environment.

All topsoil stockpiles and stockpiled gravel will be no greater than 4.5 metres in height. Long-term stockpiling will be avoided but will be dependent on demand. Stockpiles will not be located in areas subject to adverse environmental conditions (e.g. prevailing winds) such as prominent ridges, and will be located within the stage or extraction pit currently in operation. Operations will cease during times of high winds (i.e. if visible dust seen leaving the property), and water trucks and water shall be available to suppress dust via a tanker on site. At the sign of any wind erosion, measures shall be put in place to mitigate any erosion. Measures to mitigate erosion include (but are not limited to) contouring of soils, surface water management (i.e. directing surface water away from the area if necessary) and bunding.

The aims of the dust management plan are to:

- Ensure dust is not prevailing over adjacent residences and properties;
- Maintain a dust free working environment for all employees on site;
- Ensure all employees and sub-contractors are educated to minimise dust from all operations; and
- Ensure dust is controlled and minimised at all times.

The following is to be implemented by A.D. Contractors during crushing and screening operations:

- All crushing and screening to occur within the designated boundary of the crushing and screening extents.
- Topsoil mounds to be no greater than 4.5 metres in height.
- Stockpiles to be located in pit areas and along the edge of pits to assist in noise and dust reduction to the properties and will consist of a volume no greater than 5000m<sup>3</sup> and no greater than a height of 4.5m.
- Stockpiles to be configured to accommodate easy access for watering/dust minimisation.
- The access road, immediate extraction area and fixed plant (screen) to be watered as required to minimise dust emissions.
- Education to employees and sub-contractors to raise awareness of dust management issues.
- Minimise area impacted on and the time between extraction and rehabilitation, with one location / pit open at any one time.
- Manage operations to minimise work in windy conditions to minimise dust emissions. Works only to occur in low velocity winds (i.e. operations to cease if visible dust seen leaving the property).
- Visually monitor emissions of dust from the works.
- Trucks to be fully covered by tarpaulins when fully loaded, prior to leaving extraction area.
- Dust complaint register in place to record any issues from neighbours. A contractor sign at the front gate to be erected clearly showing A.D. Contractors contact details.

### 7.2. Noise Management

Crushing and screening operations generate noise through the operation of machinery, crushing and screening plant and vehicles. This noise has potential to impact on nearby sensitive receptors and is required to comply with the *Environmental Protection (Noise) Regulations 1997*.

A.D. Contractors will ensure all extraction, crushing and screening operations are to be carried out only between 7:00am and 5:00pm Mondays to Fridays only, not including Sundays or Public Holidays (unless required). If works are required outside of normal operating times the noise management measures are to apply.

Noise will be the largest consideration to the project from crushing and screening operations. Crushing and screening operations will only be undertaken in the designated crushing and screen extents within the pits to create further buffers to sensitive receptors.

The aims of the Noise Management measures are to:

- Ensure compliance with *Environmental Protection (Noise) Regulations 1997*.
- Ensure noise does not significantly impact adjacent residences and properties by ensuring crushing and screening plant remains more than 200m from the closest residence;
- Ensure all A.D. Contractors employees and sub-contractors are educated to minimise noise from all operations; and
- Ensure noise is controlled and minimised at all times.

The following is to implemented by the contractor during excavation operations:

- All crushing and screening to occur within the designated boundary of the “Crushing/screening” area as defined in Appendix A.
- All plant movements, extraction, crushing and screening operations are to be carried out between 0700 and 1700-hours Monday to Friday only, not including Sundays or Public Holidays (unless required). If works are required outside of normal operating times then the prescribed noise management measures are to apply.
- Mounding of topsoil along the edge of pits to act as noise bunds to further reduce noise at nearby properties.
- Regular inspections of all plant and machines on site to ensure all are working and functioning correctly, without excess noise.
- Turning off equipment when not in use.
- Education to A.D. Contractors employees and sub-contractors to raise awareness of noise management issues.
- Noise complaint register in place to record any issues from neighbours. A contractor sign at the front gate to be erected clearly showing A.D. Contractors contact details.

### **7.3. Stormwater Management**

Crushing and screening will occur within the prescribed premises; the overall extraction area will be designed, constructed and operated to avoid disruption to surface water flows, minimise erosion and ensure that potential contaminants are not released into the environment. Stormwater management measures are:

- The site will be graded along contours to ensure that all stormwater, wash-down and spillage water run-off is either directed to a low point within the prescribed premises, or a collection and settling basin from where it can be recycled for dust suppression purposes;
- Perimeter bunding will be installed if required to minimize stormwater entering the site;
- Runoff from stockpiles diverted to low point within the prescribed premises;
- Contouring of pit edges to contain surface water;
- Encourage point source infiltration across the existing rural areas (future stages) and in rehabilitated areas; and
- Ensure all surface water is contained and treated on site.

### **7.4. Weed Management**

Weed management is to be used in conjunction with dieback hygiene management (See Section 7.5). The following Weed Management Plan is to apply to all aspects of site operations. All operations shall conform to this Weed Management Plan, and monitoring to occur post construction for any infestations. Weed management will primarily be undertaken through avoiding introducing new weeds to the site, whilst also controlling weeds already present.

#### **7.4.1. Aims of Weed Management Plan**

The aims of the weed management program will be:

- Eradicate Declared plants (BAM Act) from the property;
- Maintain a weed free environment;
- Ensure all vehicles are clean on entry prior to any soil or vegetation movement;
- Site is to be secured to prevent trespassers illegally accessing, dumping rubbish and green waste;
- All weeds on site removed promptly on discovery;

- Remove weeds from least affected areas to the most affected areas (Bradley Method);
- Do not use weed affected soils for rehabilitation, but remove infected soils to waste disposal; and
- Regularly monitor the site for invasive species.

If weeds are discovered on site, they will be treated using the following methodology:

- Large woody weeds will be burned, poisoned or removed from site and disposed to approved green waste;
- Small weeds will be sprayed by a licensed contractor or landholder; and
- Initial follow up spraying will be undertaken at 6 months and 18 months and repeated as necessary.

#### **7.4.2. Program for weed control**

The following program for weed management will be implemented prior to commencement of extractive activities, during extractive activities, and post extraction monitoring activities. Table 3 (over the page) is a guide for aggressive common species (adapted from Department of Agriculture and Food and Department of Biodiversity Conservation and Attractions (FloraBase) recommended technique) and should be used as a guide to treat relevant species within the proposal area. Further information for any species and recommended treatment not listed in Table 3 should be gained from the Department of Agriculture and Food.

**Table 3: Generalised Weed Management Program for Common Species**

Species	Treatment
<b>Grasses</b>	
Kikuyu <i>Cenchrus clandestinus</i>	Control with herbicides whilst growing.
African Love Grass <i>Eragrostis curvula</i>	Removal of small plants/infestations Annual Spray during winter, small infestations all year round as required.
Flat weed <i>Hypochaeris sp.</i>	Annual Spray during winter, small infestations all year round as required.
Hare's-tail Grass <i>Lagurus ovatus</i>	Prevent seed set for 2-3 years by the removal of the topsoil through civil works. Hand removal of small infestations. Annual spray during winter
Perennial Grasses <i>Phalaris sp.</i>	Selective control can be achieved with 800mL/ha Verdict®520 plus 1% spray oil. Or use 10mL Verdict®520 plus 100mL of spray oil per 10L water for hand sprays.
<b>Woody Weeds</b>	
Golden wattle <i>Acacia longifolia</i>	Hand pull seedlings. Fell mature plants, apply herbicides and diesel to trunk, or cut and paste or inject with Glyphosate
Tayloriana <i>Psoralea pinnata</i>	Treat seedlings early summer with Glyphosate, juveniles can be hand pulled. Fire not recommended. Slash or doze large trees.
Blackberry <i>Rubus ulmifolius</i>	Mechanical control difficult. Annual summer applications of Grazon, 3 applications required, use Glyphosate in sensitive areas (i.e. creek lines).
Ink weed <i>Phytolacca octandra</i>	Uproot heavy infestations and cut remaining plants 5cm below ground. Spraying is effective.
Kangaroo Apple <i>Solanum laciniatum</i>	Herbicide treatment of 150mL Access® in 10L diesel to the lower 50cm of the trunk of the plant. Young growing seedlings can be sprayed with 1L/ha Starane® or hand pulled. Control spread for a radius of 5km. Plant perennial species to provide a good mulch on the soil.
<b>Herbs</b>	
Spear thistle <i>Cirsium vulgare</i>	Spray control effective for seedlings and adults. Manual control by eliminating seed production by close mowing/cutting twice per season
## Arum Lily <i>Zantedeschia aethiopica</i> P1 and P4	Mechanical control only effective if all root fragments removed. Multiple rotary hoeing over a few years provides control. Herbicides are most effective use 1g chlorsulfuron(750g/kg) plus 10mL 2,4-D amine(500g/L) plus 25mL Pulse® per 10L of water. Or use 1g metsulfuron(600g/L) plus 25mL Pulse® per 10L of water.
Curled Dock <i>Rumex crispus</i>	Remove isolated plants by cutting their roots at least 20cm below ground level. Small infestations 0.5g chlorsulfuron(600g/kg) plus 100mL Tordon®75-D in 10L of water in winter will control existing plants and seedlings for about a year.
Cape Weed <i>Arctotheca calendula</i>	Manual removal before flowering effective. For large infestations apply Lontrel® 6 ml/10 L (300 ml/ha) in early growth stages. Glyphosate at 0.2% will provide some selective control if the plants are young or at the budding stage, otherwise spot spraying glyphosate at 10 ml/L. Introduction of native species which provide shade.
## Paterson's Curse <i>Echium plantagineum</i> P1 and P4	Isolated plants can be manually removed and burnt if flowering or seeding. Graze heavily with wethers (castrated ram) over spring to reduce seed production. Spray graze pasture with 500mL/ha Tigrex® in early winter before the weed has reached the 6-leaf stage and repeat if necessary.
**Penny Royal <i>Mentha pulegium</i>	Improve drainage, spray with 40 g/ha metsulfuron before flowering, establish a vigorous perennial pasture such as kikuyu then spray graze annually in early winter with 750 mL/ha 2,4-D amine.
Smooth Cats-ear <i>Hypochaeris glabra</i>	Mowing and grazing ineffective. Hand remove small infestations and/or isolated plants, ensuring the taproot is removed. For dense infestations, apply Lontrel® and wetting agent. Introduction of native species which provide shade.

Western Australian Herbarium (1998-); Wheeler (2002), \*\*HerbiGuide (2014).

## Denotes Declared weeds

## 7.5. Dieback and General Hygiene Management

The aims of the dieback and hygiene management are to:

- To ensure there is zero spread of *Phytophthora* and other diseases into and out of the area; and
- Implement measures for successful completion of the project in terms of education to personnel, decontaminating equipment, and defining access measures.

The following will apply to all aspects of operations and will form part of the hygiene management briefing to all site workers:

- Visual inspections on vehicles, plant, equipment and footwear are clean when entering the site;
- Earth moving vehicles and equipment are to be cleaned prior to entering site with attention to:
  - Tyres: tread, trim, hub, wheel arches wheels;
  - Body: external areas, crevices, chassis, bumpers, side steps etc.
  - Internal: footwells of vehicles, engine bay, grill, radiator etc.
- Access to the site during excavation will be controlled (fenced and gated and locked when unattended);
- Completed areas will be rehabilitated as soon as practicable;
- The rehabilitated surface will be free draining and not contain wet or waterlogged soils;
- Materials used in rehabilitation will be from on-site stockpiled material; and
- Road and transport vehicles are to be restricted to defined road reserve, loading and turn around areas.

### **Clean down specification:**

A visual inspection is necessary of in-coming and out-going vehicles to determine whether or not vehicles, machinery or equipment is free of a build-up of:

- Clods of soil and plant material and / or slurry consisting of a mixture of soil, plant and water;
- Dust and grime adhering to the sides of vehicles need not be removed before entering the site; and
- Records of inspections and clean downs are to be maintained.

## 7.6. Bushfire Risks and Management

Vegetation Classification to AS3959-2018 was undertaken by Kathryn Kinnear (level 2 BPAD Practitioner, BPAD 30794). Refer to the Vegetation Classes Map in Appendix D. As per the requirements of State Planning Policy (SPP) 3.7 (WAPC, 2015) a Bushfire Hazard Level (BHL) map was produced as per the defined methodology of the Guideline for Planning in Bushfire Prone Areas Version 1.3 (WAPC, 2017).

Areas of moderate BHLs occur on and adjacent to the site, generated off Forest Type A, Woodland Type B and Grassland Type G (AS3959). Vegetation that has a low hazard level but is within 100 metres of vegetation classified as a moderate or extreme hazard, is to adopt a moderate hazard level (e.g. low fuel areas).

### **Bushfire Management Statement**

Planning in Bushfire Prone Areas Version 1.3 (WAPC, 2017) requires assessment to the bushfire protection criteria – a process where land is assessed for compliance to the criteria. The bushfire protection criteria (Appendix 4, WAPC, 2017) are performance-based criteria in assessing bushfire risk management.

The bushfire protection criteria (Appendix 4, WAPC, 2017) outline four elements, being:

- Element A1: Location;
- Element A2: Siting and Design of Development;
- Element A3: Vehicle Access; and
- Element A4: Water.

The Subject site is located in a Bushfire Prone Area (OBRM, 2019), refer to Figure 6 over the page.

The proposal is required to meet the “Acceptable Solutions” of each Element of the bushfire mitigation measures (WAPC, 2017). The proposal will be assessed against the bushfire protection criteria Acceptable Solutions for Elements A1, A2, A3 and A4. A summary of the assessment is provided below in Table 2. Please refer to the summary table over the page, Table 4.



Figure 6: State Bushfire Prone Mapping (OBRM, 2019). <https://maps.slip.wa.gov.au/landgate/bushfireprone/>

Table 4: Bushfire protection criteria applicable to the site

Element	Acceptable Solution	Applicable or not Yes/No	Meets Acceptable Solution
Element 1 – Location	A1.1 Development Location	Yes	Compliant. As per SPP.3.7 and the Guidelines for Panning in Bushfire Prone Areas, the development will not be subject to a higher BHL than moderate. There are no proposed habitable buildings for this development (site office or dwellings) on the extraction site. Proposal deemed to meet Acceptable Solution A.1.1
Element 2 – Siting and Design	A2.1 Asset Protection Zone	Yes	Compliant. The Crushing and screening equipment will be in low fuel areas as defined by AS3959 Exc 2.2.3.2 whereby bare areas will exist. No habitable buildings are proposed for this development. Proposal deemed to meet Acceptable Solution 2.1
Element 3 – Vehicular Access	A3.1 Two Access Routes	Yes	Compliant. Site personnel will have access in alternative directions north and south along Marbelup North Road. Marbelup North Road connects to Redmond West Road to the north and to South Coast Highway to the south. Proposal deemed to meet Acceptable Solution A3.1.
	A3.2 Public Road	No	No public roads are proposed for this proposal. Not assessed to Acceptable Solution A3.2.
	A3.3 Cul-de-sacs	No	No cul-de-sacs are proposed. Not assessed to Acceptable Solutions A3.3.
	A3.4 Battle axes	No	No battle axes are proposed (Lot B has 20m road frontage). Not assessed to Acceptable Solution A3.4.
	A3.5 Private driveways	Yes	Compliant. Internal access driveways and pen pit areas will have adequate turn around areas as per the minimum requirements as per Figure 7 below. Proposal deemed to meet Acceptable Solution A3.5.
	A3.6 Emergency Access Ways	No	No EAWs proposed as the public road network will be utilised. Not assessed to Acceptable Solution A3.6.
	A3.7 Fire Service Access Ways	No	No FSA's proposed as the public road network will be utilised. Not assessed to Acceptable Solution A3.7.
	A3.8 Firebreaks	Yes	Compliant. Firebreaks are currently in place around the subject site and should remain in perpetuity as per the CoA Fire Management Notice. Low fuel loads as per the CoA Fire Management Notice. Development deemed to meet Acceptable Solution 3.8.
Element 4 – Water	A4.1 Reticulated areas	No	Not assessed to A4.1.
	A4.2 Non-reticulated areas	Yes	Water will be required for bushfire safety and dust control. Reticulated water will not be available. A minimum 10,000L standalone tank will be required solely dedicated for firefighting supply. Appropriate storz fittings are to be installed for fire services to access supply. The proposal will meet Acceptable Solutions A4.3.
	A4.3 Individual lots in non-reticulated areas	No	Not assessed to A4.3.




Figure 7: Private driveway design requirements (WAPC, 2017)

Table 5: Vehicular Access Technical Requirements (WAPC, 2017)

Technical requirements	Private Driveways & Battle Axes
Minimum trafficable surface (m)	4
Horizontal clearance (m)	6
Vertical clearance (m)	4.5
Maximum grades	1 in 10
Minimum weight capacity (t)	15
Maximum crossfall	1 in 33
Curves minimum inner radius (m)	8.5
Maximum Length	50m

### Other bushfire mitigation measures

There is a potential bushfire risk from operations on “Extreme” “Fire Danger Index” (FDI) rated days. The predominant bushfire risk associated with the site is the adjacent native vegetation (east and west) where heavily vegetated areas (Extreme Risks) under hot conditions can give rise to hot and intense fires. The following fire control methods should be enforced at all times during summer periods.

#### Summary of bushfire control methods to apply to this development:

- Driveway construction standards as outlined in this document (responsibility of the contractor);
- Abide by CoA imposed Vehicle Movement and/or Harvest ban due to dangerous fire weather conditions or if there are bush fires already burning during the Restricted and Prohibited Burning Times (i.e. High-Very High Fire Danger days) (responsibility of the contractor);
- 10,000L dedicated water supply; and
- A mobile firefighting appliance dedicated to firefighting operations is located on the property at all times during bushfire season operations (November - April) (responsibility of the contractor).

### 7.7. Rehabilitation Management

Rehabilitation will be to constructed soils and a return to pasture paddocks. The following aims will apply to all rehabilitation works:

- To re-instate pastures for ongoing agricultural pursuits;
- To establish pasture vegetation through seeding and compaction through use of preserved topsoil; and
- To reduce weed invasions and competition of weeds with native species.

#### Rehabilitation methods

- Ripping of ground once extraction processes have occurred (prior to replacing topsoil);
- The method of revegetation is to use the seed from existing topsoil and seeding pasture paddocks (if required);
- Any weeds likely to significantly impact on the rehabilitation will be sprayed with Roundup or similar herbicide, or grubbed out, depending on the species involved. Refer to Weed Management Plan Section 7.4; and
- Rehabilitation will be carried out promptly after soil disturbance (within two weeks of exhaustion of pit and stockpiles removed).

#### Seed Stock

Species shall be sourced from stockpiled topsoil from clearing operations. If regeneration is slow then pasture seed shall be collected at the first spring period and spread at the first Autumn rains (usually after three continuous rain days is recommended). It is anticipated that most species will regenerate from site topsoil.

## Methodology

The rehabilitation methodology is proposed to be undertaken using the following steps:

1. Remove topsoil and place on regeneration area or store adjacent to the site (no more than 10m from removal area).
2. Store topsoil in piles no higher than 4.5m.
3. Spread topsoil over batters and regeneration areas of the pits.
4. Ensure batters do not exceed 1:5m slopes.
5. Seeding of paddocks / closed stage pits and compaction of soil.
6. Inspect site after first large rainfall event, ensure erosion has not occurred over any slopes and remediate as necessary.
7. Inspect site after 6 months to determine success rate of seeding and any weed establishment. Remove weeds either through selective spraying or hand removal.
8. Instigate any seeding to assist regenerating areas.

## Topsoil Management

Where topsoil removal is required, topsoil and overburden will be directly transferred from an area being cleared to an area to be rehabilitated. Where this is not possible the topsoil and overburden will be stored in low dumps (overburden and 4.5m for topsoil) for future use in rehabilitation. No topsoil soil rehabilitation/movement is to occur during high winds to avoid erosion and slumping.

## Bank stability works / erosion control

The predominant soil type is deep sands and gravels over clay. Loose sands during revegetation works can be subject to prevailing winds and water erosion. Mounding of the rehabilitation areas will assist with any runoff and brushing will reduce the effects of wind erosion. The mounding and contouring of soil will also assist in trapping water for seedling germination and growth and will be employed where applicable. Mounding should occur along contours or in flat areas perpendicular to surface flow direction. Stabilisation techniques may need to be applied during and post construction activities (i.e. use of sediment traps). Mulching of pit faces or use of geo-fabrics should be used wherever possible to ensure there is minimal erosion to the site.

It is recommended as the site is predominantly sandy (topsoil) in nature, best practise is carried out when site is developed and sediment traps are installed during development activities with any bare ground areas stabilised (i.e. mulching).

### 7.8. Control of Environmental Incidents

An important aspect in the environmental program is management of non-conformance or incidents. An environmental incident is an event which could result in pollution to the local environment. The planning of site works and methodology as outlined within this management plan limits the risk and harm of construction works impacting on-site or off-site.

If an incident or event occurs during operations and excavation, it should be emphasised to all personnel working on site that all incidents are documented. Investigations should be conducted and action plans established in order to ensure the event does not happen again. The Site Operations Manager will be responsible for maintaining records of environmental incidents and reporting.

Examples of an "incident" for this project may include:

- Hygiene protocols not adhered to;
- Topsoil has not been appropriately placed;
- Unplanned vegetation clearing has occurred;
- Mechanical breakdown occurring along a waterway and hydraulic oil spill occurs;
- Refuelling occurs within the creek area;
- Complaints from "stakeholders" or neighbours; and
- Any event which causes non-compliance with the Operations Management Plan.

Should an incident occur which leads to a non-conformance, the Site Manager shall inform the owner of the property of any non-compliance or potential non-compliance within seven days of that non-compliance being known, and if further action is required then the CoA will be informed.

### 7.9. Corrective and Preventative actions

An environmental investigation should include the following basic elements:



- Identify the cause of the incident;
- Identifying and implementing the necessary corrective action;
- Identifying the personnel responsible for carrying out corrective action;
- Implementing or modifying controls necessary to avoid repetition;
- Recording changes in written procedures required; and
- Reporting to the appropriate government agencies if required.

### 7.10. Contingency Procedures

Contingency measures are included within this management plan. These protocols are designed to reduce adverse environmental impacts and provide an early detection of non-conformance and subsequent corrective action. Any modifications to the outlined strategies and methodologies to meet unexpected conditions shall be agreed to by the Site Manager. Monitoring shall be used to confirm the effectiveness of any changes.

Should it be identified by any personnel involved in the project there is a non-conformance to the acceptable methodology or there is reason to cause environmental harm, in consultation with the Site Manager and owner of the property, activities should cease during resolution of the required change in methodology.

The Site Manager should be notified of any environmental non-conformances and undertake site investigation. It will be the responsibility of the Site Manager to report any environmental incidents to the appropriate government agencies (e.g. Department of Water and Environmental Regulation – contamination, spills etc., Parks and Wildlife Service (PAWS) - impacts to flora or fauna).

### 7.11. Spill Management Procedures

The following information is from the PaWS Spill Management Brochure (DEC 2011). This should be the methodology employed should a spill from fuel or chemical occur.

#### Dealing with minor spills

A small spill is considered to be a spill of 5 litres or less providing the product is not concentrated. For concentrated products of any quantity the spill must be treated as a large spill.

- 1. Assess safety.** Make sure that people are kept clear, and that you have the right training and equipment to deal with the spill.
- 2. Stop the source.** Providing it is safe to do so, stop the spill at its source. This may involve righting an overturned container or sealing holes or cracks in containers.
- 3. Contain and clean up the spill.** The spill should be mopped up immediately.
- 4. Record the spill.** Record when, what, how and where the spill occurred, clean up measures undertaken and the names of any witnesses. Also, make note of what changes can be made when handling, transporting or storing chemicals to ensure a similar incident does not happen again.

#### Dealing with large spills

A large spill is considered to be anything over 5 litres or concentrated chemicals of any volume.

- 1. Assess safety.** Make sure that people are kept clear, and that you have the right training and equipment to deal with the spill.
- 2. Consult the Material Safety Data Sheet (MSDS).** The MSDS will have instructions on how to deal with specific chemical spills.
- 3. Put on protective clothing.** If necessary, put on gloves and goggles, a mask and an apron.
- 4. Stop the source.** Providing it is safe to do so, stop the spill at its source. This may involve righting an overturned container or sealing holes or cracks in containers.
- 5. Contain and control the flow.** The spill should be prevented from filtrating into the ground or entering the stormwater system. The outer edge of the spill should be dammed with rags, blankets, sand, sands bags, mops and/or absorbent booms.
- 6. Clean up the spill.** Promptly cover the spill using absorbent materials such as the correct absorbent granules for the product (Note that some strong acids will react with some types of granules and sawdust), sand and rags, being mindful not to splash the spill. Using

a dustpan or spade, the absorbent granules or sand must then be scooped up and placed into a container. This waste material is not to be buried or thrown into the environment. The method of disposing this waste will depend on the amount and the type of chemical that was spilt. The Department of Environment Controlled Waste Section will advise on the appropriate disposal of hazardous substances. There are several contractors that will dispose of contaminated substances and soils. All contact phone numbers can be found below

**7. Notify the appropriate authority.** If the spill does enter a stormwater drain or open ground, the Department of Environment and your local council must be notified. Please refer to the phone numbers listed below. If there is a hazard to health or property, call Fire and Rescue on 000 immediately.

**8. Record the incident.** Record what, how and where the spill occurred and the names of any witnesses. Also, make note of what changes can be made when handling, transporting or storing chemicals to ensure a similar incident does not happen again.

## Who to call in an emergency

### All hours' phone numbers

Life / property emergencies: Ambulance, Fire or Police	000
Pollution emergencies - Department of Water and Environment Regulation	1300 784 782
Poisons Information Centre	13 11 26
Water Corporation – Emergencies and water service difficulties	13 13 75

## 7.12. Monitoring and contingency planning

Environmental controls during construction will be checked at frequent intervals as outlined in Table 4 below. This will be the responsibility of the Site Supervisor and the Environmental Officer to ensure all the below activities are carried out.

**Table 6: Environmental Monitoring Activities During Construction**

<b>Frequency &amp; Compliance Number</b>	<b>Activity</b>
<b>Daily</b>	Check all sediment controls
	Check waste materials collected from site are correctly sorted and stored (i.e. green waste, refuelling in designated areas only).
	Check personal safety equipment before each use.
	Check dust filters on equipment.
	Visually check vehicles and equipment for leaks or potential oil spills.
	Check signage, gates and demarcation tapes (trees and dieback) in place
	Check noise suppression devices on equipment prior to working.
	Check no disturbance to Soils in wetlands/creek areas for disturbance of ASS.
	Check vehicle/hygiene requirements have been met.
	Check topsoil has been appropriately placed.
	Check no unplanned vegetation clearing has occurred.
	Incident reports have been completed if required.
	Check containers of hazardous materials are properly stored and not damaged (away from site)
<b>Twice weekly</b>	Ensure dust suppression controls in place
	Visually check vehicles and equipment for leaks or potential oil spills
<b>Weekly</b>	Inspect all sediment control structures
<b>After rain (i.e. &gt;10mm)</b>	Check all drains are free from debris or chemicals (i.e. hydrocarbons)
	Stormwater structures are checked and/or are cleaned out
	Check for erosion after wet periods and winter months
	Ensure drainage structures are working as required
<b>Monthly</b>	Ensure sediment controls are working appropriately
	Ensure rehabilitation areas are healthy and free of weeds
	Apply stabilisation on any bare regenerating areas
	Remove weeds as per Weed Management Plan
	Ensure public access is restricted and signage in place

## 8. Consultation process

To ensure that all aspects of the project encompass current best practise, legislative requirements and guidelines, the following consultation plan shall be implemented.

Consultation shall occur with government agencies:

- At approval of the CoA Planning Approval and prior to implementation, for CoA feedback and comment regarding the document;
- A site meeting/walk over with government agency representatives (if requested) prior to commencement of any site works to confirm refuelling area, demarcation, turnarounds, areas of concern etc.; and
- Post construction periods.

Recommended government agencies to consult are:

- Department of Water and Environmental Regulation – regarding all storm water and water quality issues;
- Department Biodiversity, Conservation and Attraction (Parks and Wildlife Service) – vegetation and flora, fauna, wetlands weeds, disease, flora and fauna issues;
- City of Albany – regarding site construction activities, areas of environmental concern, pit and track design, control measures implemented and ongoing management.

Regular consultation can occur during operations with other stakeholders as required and may include but not be limited to:

- Neighbours;
- Community groups;
- City of Albany representatives;
- Parks and Wildlife Service (DBCAs); and
- Interest groups as identified.

The client and site supervisor shall have overall responsibility of conveying information to relevant government agencies regarding any environmental or operational issue or concern.

## 9. Implementation Process

A generalised implementation program for the proposal is shown below in Table 7. Carting of gravel products will occur during times of high demand such as through the construction period of November to May. Each stage / pit is to be rehabilitated prior to the next stage being opened, which should take no more than 1 week to complete. It is expected this project will run for approximately 7-8 years depending on demand. The implementation program outlined below is a generalised plan and may be subject to change.

**Table 7: Implementation Program**

Year	2020	2021	2022	2023	2024	2025	2026	2027
<b>Stage</b>								
<b>Stage 1 extraction</b>								
Rehabilitation								
<b>Stage 2 extraction</b>								
Rehabilitation								
<b>Stage 3 extraction</b>								
Rehabilitation								
<b>Stage 4 extraction</b>								
Rehabilitation								
<b>Stage 5 extraction</b>								
Rehabilitation								
<b>Stage 6 extraction</b>								
Rehabilitation								
<b>Stage 7 extraction</b>								
Rehabilitation								

It is recommended that this management plan is reviewed post initial excavation stages to ensure site management is occurring to the plan and any modifications are undertaken to the document consistent with operational duties and environmental requirements. Any factors which need to be considered for long term management should be documented into an updated post completion report or long-term maintenance schedule. At each stage/activity the management goals/objectives should be met prior to commencement of the next stage of works.

## 10. References

- AS 3959-2018 Australian Standard, Construction of buildings in bushfire-prone areas, Building Code of Australia, Primary Referenced Standard, Australian Building Codes Board and Standards Australia.
- Beard's Vegetation Classification dataset, 1:3,000,000 digital representation of Beard's vegetation map of the state of Western Australia (DPIRD-006).
- Beard, J. S., Beeston, G.R., Harvey, J.M., Hopkins, A. J. M. and Shepherd, D. P. (2013). The vegetation of Western Australia at the 1:3,000,000 scale. Explanatory memoir. Second edition. *Conservation Science Western Australia* 9: 1-152.
- BoM, Bureau of Meteorology Australia (2020) Climate Statistics for Australian Locations – Albany (Station # 009500). Accessed: March 2020 [www.bom.gov.au](http://www.bom.gov.au)
- City of Albany Fire Management Notice 2019/2020, accessed from: [www.albany.wa.gov.au](http://www.albany.wa.gov.au)
- DBCA (2007 –) *NatureMap: Mapping Western Australia's Biodiversity*. Department of Parks and Wildlife. URL: <https://naturemap.dbca.wa.gov.au/>
- Department of Environment and Conservation (DEC) (2005) digital dataset “Pre-European Vegetation – Western Australia (NVIS Compliant Version)”.
- Department of Fire and Emergency Services Website accessed from: [www.dfes.wa.gov.au](http://www.dfes.wa.gov.au)
- Department of Primary Industries and Regional Development (2020a). *Shared Land Information Portal – Natural Resource Management: Soil – Landscape Mapping dataset*. Accessed April 2020. <https://maps.agric.wa.gov.au/nrm-info>
- Department of Primary Industries and Regional Development (2020b). *Shared Land Information Portal – Natural Resource Management: Hydrological Zones dataset*. Accessed April 2020. <https://maps.agric.wa.gov.au/nrm-info>
- Department of Water Public Drinking Water Supply Act (2001) Mapping dataset, Government of Western Australia.
- Department of Agriculture, Water and Environment (DAWE) (2020). EPBC Act Protected Matters Search Tool. URL: <http://www.environment.gov.au/webgis-framework/apps/pmst/pmst.jsff>
- Department of Water (2016). *Land use compatibility tables for public drinking water source areas*. Water Quality Protection Note No. 25. Government of Western Australia.
- Environmental Protection Authority Western Australia (2015) *Draft Environmental Assessment Guideline for Separation Distances between Industrial and Sensitive Land Uses*. Government of western Australia.
- GoWA (2019). 2018 Statewide Vegetation Statistics incorporating the CAR Reserve Analysis (Full Report). Current as of March 2019. WA Department of Biodiversity, Conservation and Attractions, Perth.
- Hearn, R., Williams, K., S. Comer and B. Beecham (2002). *Jarrah Forest 2 (JF2 – Southern Jarrah Forest subregion)*. Department of Conservation and Land Management.
- Keighery, B. (1994) *Bushland Plant Survey, A Guide to Community Survey for the Community*, Wildflower Society of WA.
- Moore, J, and Wheeler, J. *Southern Weeds and Their Control*, Department of Agriculture.
- Personal Communication from Helen O'Neill to Bio Diverse Solutions during site assessment and review period.
- Sandiford, E.M. and Barrett, S. (2010) *Albany Regional Vegetation Survey, Extent Type and Status, A project funded by the Western Australian Planning Commission (EnviroPlanning “Integrating NRM into Land Use Planning” and State NRM Program), South Coast Natural Resource Management Inc. and City of Albany for the Department of Environment and Conservation*. Unpublished report. Department of Environment and Conservation, Western Australia.
- Office of Bushfire Management (OBRM) (2019) Map of Bushfire Prone Areas. Data retrieved from State Information Land Portal (SLIP): <https://maps.slip.wa.gov.au/landgate/bushfireprone/>
- Shepherd, D.P., Beeston, G.R. and Hopkins, A.J.M. (2002) *Native Vegetation in Western Australia, extent Type and Status, Technical Report 249*, Department of Agriculture WA.
- WALGA, (20204), *Environmental Planning Tool – Public Drinking water Source Areas*, viewed April 2020.
- WALGA, (2020b), *Environmental Planning Tool – RIWI Groundwater Areas*, viewed April 2020.
- WALGA (2020). *Environmental Planning Tool – Department of Aboriginal Affairs Aboriginal Site and other Heritage Places Dataset*, viewed April 2020. [http://lbp.asn.au/index\\_public.html](http://lbp.asn.au/index_public.html)

Western Australian Planning Commission (WAPC) (2017) Guidelines for Planning in Bushfire Prone Areas v1.3. Western Australian Planning Commission and Department of Planning WA, Government of Western Australia.

Western Australian Planning Commission (WAPC) (2015) State Planning Policy 3.2 Planning in Bushfire Prone Areas. Department of Planning WA and Western Australian Planning Commission.

## **11. Appendices**

Appendix A – Site Facility Mapping

Appendix B – Water Features Mapping

Appendix C – Native Vegetation Mapping

Appendix D – Bushfire Mapping

Appendix E – Database Searches




# **Appendix A**

## Site Facility Mapping



29 Hercules Crescent  
Albany, WA 6330  
Australia  
Tel: 08 9842 1575  
Fax: 08 9842 1575



Overview Map Scale 1:250,000

**Legend**

- Property Boundary (Lots 3348 & 4120)
- Cadastre
- Extraction Area
- Pits
- Crushing & Screening Extents
- GPS Points
- ↔ Access Routes

**Staging Areas**

- 1
- 2
- 3
- 4
- 5
- 6
- 7



Scale  
1:4,000 @ A3  
GDA MGA 94 Zone 50

**Data Sources**  
Aerial Imagery: SLIP Virtual Mosaic WMS Service, Landgate 2016  
Cadastre and Contours: Landgate 2016  
Overview Map: World Topographic map service, ESRI 2012

**CLIENT**  
A.D. Contractors  
Lot 3348 and Lot 4120 on Deposited Plan No: 202487  
Marbelup, WA 6330

**Staging Plan**

STATUS	FILE	DATE
FINAL	MSC0282	13/05/2020

6130300613040061305006130600613070061308006130900613100061311006131200613130061314006131500613160061317006131800613190061320061321006132200613230061324006132500613260061327006132800613290061330061331006133200613330061334006133500



29 Hercules Crescent  
Albany, WA 6330  
Australia  
Tel: 08 9842 1575  
Fax: 08 9842 1575



Overview Map Scale 1:250,000

**Legend**

- Property Boundary (Lots 3348 & 4120)
- Cadastre
- Existing Dwelling
- Separation Distance
- Extraction Area
- Pits
- Crushing & Screening Extents

**Buffers**

- 10m Windbreak Buffer
- 50m Dam Buffer (CoA)
- 200m Adjacent Residences Buffer (CoA)
- 500m Noise and Dust Buffer (EPA)
- 1000m Noise and Dust Buffer (EPA)

**South Coast Significant Wetlands (DBCA\_018)**

- Conservation Class



Scale  
1:12,000@ A3  
GDA MGA 94 Zone 50

**Data Sources**  
Aerial Imagery: SLIP Virtual Mosaic WMS Service, Landgate 2016  
Cadastre and Contours: Landgate 2016  
Overview Map: World Topographic map service, ESRI 2012

**CLIENT**  
A.D. Contractors  
Lot 3348 and Lot 4120 on Deposited Plan No: 202487  
Marbelup, WA 6330


**Site Buffers Mapping**

STATUS	FILE	DATE
FINAL	MSC0282	13/05/2020


563800 563900 564000 564100 564200 564300 564400 564500 564600 564700 564800 564900 565000 565100 565200 565300 565400 565500 565600 565700 565800 565900 566000 566100 566200 566300 566400 566500 566600 566700 566800 566900 567000 567100 567200

## **Appendix B**

### Water Features Mapping



29 Hercules Crescent  
Albany, WA 6330  
Australia  
Tel: 08 9842 1575  
Fax: 08 9842 1575



Overview Map Scale 1:250,000

**Legend**

- Property Boundary
- Extraction Area
- Cadastre
- 5m Contours
- Bore Location
- South Coast Significant Wetlands (DBCA\_018)**
- Conservation Class
- Public Drinking Water Source Area**
- P2
- RIWI Act, Groundwater Areas (DWER-034)**
- 



Scale  
1:8,000 @ A3  
GDA MGA 94 Zone 50

**Data Sources**  
Aerial Imagery: SLIP Virtual Mosaic WMS Service, Landgate 2016  
Cadastre and Contours: Landgate 2016  
Overview Map: World Topographic map service, ESRI 2012

**CLIENT**  
A.D. Contractors  
Lot 3348 and Lot 4120 on Deposited Plan No: 202487  
Marbelup, WA 6330

**Water Features Mapping**

STATUS	FILE	DATE
FINAL	MSC0282	13/05/2020

## DRILL LOG!

DATE: 14/5/10

Customer Name: Graham Smith

Address: 314 Nth. Marbellup road

Phone No: 9845 3223

<b>BORE DEPTH:</b>	35m
<b>STATIC WATER LEVEL:</b>	27m
<b>SALT CONTENT:</b>	90mspm
<b>DISCHARGE:</b>	80lpm
<b>DRAWDOWN:</b>	2m

0-1m ironstone

1-6 sticky clays

6-9 pasty clays

9-18 sands

18-27 red sandstone and pasty clays


27-36 medium sands into greeny clays. 1 screen.

## **Appendix C**

### Vegetation Mapping



29 Hercules Crescent  
Albany, WA 6330  
Australia  
Tel: 08 9842 1575  
Fax: 08 9842 1575



Overview Map Scale 1:250,000

**Legend**

- Property Boundary
  - Extraction Area
  - Cadastre
  - 5m Contours
  - Native Vegetation Extent (DPIRD\_005)
- ARVS Vegetation Units**
- Homalospermum firmum/Callistemon glaucus Peat Thicket, 47
  - Jarrah/Marri/Sheoak Laterite Forest, 12
  - Melaleuca preissiana Low Woodland, 49
  - Taxandria juniperina Closed Forest, 59



Scale  
1:8,000 @ A3  
GDA MGA 94 Zone 50


**Data Sources**  
Aerial Imagery: SLIP Virtual Mosaic WMS Service, Landgate 2016  
Cadastre and Contours: Landgate 2016  
Overview Map: World Topographic map service, ESRI 2012

**CLIENT**  
A.D. Contractors  
Lot 3348 and Lot 4120 on Deposited Plan No: 202487  
Marbelup, WA 6330


**Native Vegetation Mapping**

STATUS	FILE	DATE
FINAL	MSC0282	13/05/2020





29 Hercules Crescent  
 Albany, WA 6330  
 Australia  
 Tel: 08 9842 1575  
 Fax: 08 9842 1575



Overview Map Scale 1:250,000

**Legend**

- Property Boundary
  - Extraction Area
  - Cadastre
  - 5m Contours
- Vegetation Types**
- Managed Grassland
  - Jarrah/Marri/Sheoak Laterite Forest
  - Melaleuca preissiana and Homalospermum firmum heath
  - Existing Paddock Trees



Scale  
 1:8,000 @ A3  
 GDA MGA 94 Zone 50

**Data Sources**  
 Aerial Imagery: SLIP Virtual Mosaic WMS Service, Landgate 2016  
 Cadastre and Contours: Landgate 2016  
 Overview Map: World Topographic map service, ESRI 2012


**CLIENT**  
 A.D. Contractors  
 Lot 3348 and Lot 4120 on Deposited Plan No: 202487  
 Marbelup, WA 6330

**Site Vegetation Mapping**

STATUS	FILE	DATE
FINAL	MSC0282	13/05/2020

## **Appendix D**

### Bushfire Mapping




Plot No.	Vegetation Type	Slope Category
1	Low fuel or non-vegetated 2.2.3.2 (e)	N/A
2	Low fuel or non-vegetated 2.2.3.2 (f)	N/A
3	Forest Type A	Downslope >0 to 5 degrees
4	Forest Type A	Downslope >5 to 10 degrees
5	Forest Type A	Upslope/Flat
6	Woodland Type B	Upslope/Flat
7	Grassland Type G	Downslope >0 to 5 degrees
8	Grassland Type G	Upslope/Flat

This BAL Plan was prepared by:  
 Kathryn Kinnear, Bio Diverse Solutions  
 Accreditation No: BPAD30794  
 Jurisdiction: Level 2 - WA



29 Hercules Crescent  
 Albany, WA 6330  
 Australia  
 Tel: 08 9842 1575  
 Fax: 08 9842 1575



Overview Map Scale 1:100,000

**Legend**

- Subject Site
  - 100m Assessment Boundary
  - 150m Assessment Boundary
  - Cadastre
  - 5m Contours
  - Separation Distance
  - Slopes Degrees
  - Future Low Fuel
  - Vegetation/Plot Boundary
- Vegetation**
- Forest Type A
  - Woodland Type B
  - Grassland Type G
  - Low fuel or non-vegetated 2.2.3.2

Scale  
 1:5,000 @ A3  
 GDA MGA 94 Zone 50

**Data Sources**  
 Aerial Imagery: WA Now, Landgate Subscription Imagery  
 Cadastre, Relief Contours and Roads: Landgate 2017  
 IRIS Road Network: Main Roads Western Australia 2017  
 Overview Map: World Topographic map service, ESRI 2012

**CLIENT**  
 A.D. Contractors  
 Lot 3348 and Lot 4120 on Deposited Plan No: 202487  
 Marbelup, WA 6330

**Vegetation Classes**


BAL Assessor <b>KK</b>	QA Check <b>BT</b>	Drawn by <b>BT</b>
STATUS <b>FINAL</b>	FILE <b>MSC0282</b>	DATE <b>13/05/2020</b>



This BAL Plan was prepared by:  
 Kathryn Kinnear, Bio Diverse Solutions  
 Accreditation No: SPAD30794  
 Jurisdiction: Level 2 - WA



29 Hercules Crescent  
 Albany, WA 6330  
 Australia  
 Tel: 08 9842 1575  
 Fax: 08 9842 1575



Overview Map Scale 1:100,000

**Legend**

- Subject Site
  - 100m Assessment Boundary
  - 150m Assessment Boundary
  - Cadastre
  - 5m Contours
  - Staging Areas
  - Pits
  - Crushing & Screening Extents
- Bushfire Hazard Level**
- Extreme
  - Moderate
  - Low



Scale  
 1:5,000 @ A3  
 GDA MGA 94 Zone 50

**Data Sources**  
 Aerial Imagery: WA Now, Landgate Subscription Imagery  
 Cadastre, Relief Contours and Roads: Landgate 2017  
 IRIS Road Network: Main Roads Western Australia 2017  
 Overview Map: World Topographic map service, ESRI 2012

**CLIENT**

A.D. Contractors  
 Lot 3348 and Lot 4120 on Deposited Plan No: 202487  
 Marbelup, WA 6330

**BHL Mapping**

BAL Assessor <b>KK</b>	QA Check <b>BT</b>	Drawn by <b>BT</b>
STATUS <b>FINAL</b>	FILE <b>MSC0282</b>	DATE <b>13/05/2020</b>

## **Appendix E**

### Database Searches

# NatureMap 10km Fauna Species Report

Created By Guest user on 21/04/2020

**Kingdom** Animalia  
**Current Names Only** Yes  
**Core Datasets Only** Yes  
**Method** 'By Circle'  
**Centre** 117° 43' 22" E, 34° 57' 19" S  
**Buffer** 10km  
**Group By** Family

Family	Species	Records
Acanthizidae	6	665
Accipitridae	11	252
Actinopodidae	2	2
Aegothelidae	1	8
Amphisopodidae	1	1
Anatidae	12	547
Ancylidae	1	2
Anhingidae	1	12
Apodidae	1	2
Aracanidae	1	1
Araneidae	2	32
Ardeidae	6	169
Argiolestidae	1	2
Artamidae	2	34
Atherinidae	1	1
Baetidae	1	2
Cacatuidae	1	55
Caenidae	1	5
Campephagidae	1	85
Caprimulgidae	1	1
Carangidae	1	1
Casuariidae	1	1
Ceinidae	1	2
Ceratopogonidae	1	5
Charadriidae	5	28
Cheluidae	1	1
Chironomidae	3	43
Coenagrionidae	1	5
Columbidae	4	200
Corduliidae	1	1
Corixidae	1	3
Corvidae	2	234
Cracticidae	3	291
Cuculidae	2	73
Culicidae	1	3
Cyprididae	2	5
Cypridopsidae	1	4
Dasyuridae	2	2
Desidae	1	1
Dicruridae	4	575
Dugesiiidae	1	1
Dytiscidae	1	13
Ecnomidae	1	4
Elapidae	3	5
Empididae	1	1
Estrilidae	1	166
Falconidae	4	35
Galaxiidae	2	9
Gelastocoridae	1	2
Glossiphoniidae	1	3
Gobiidae	1	3
Gomphidae	1	3
Gordiidae	1	1
Gripopterygidae	1	3
Gyrinidae	1	1
Haematopodidae	1	7
Halcyonidae	2	208
Hebridae	1	1
Hemicorduliidae	1	4
Hirundinidae	2	236
Hydrobiosidae	1	1
Hydrometridae	1	2
Hydrophilidae	1	9
Hydropsychidae	1	1
Hydroptilidae	1	2
Hylidae	2	4
Hyriidae	1	1
Iulomorphidae	1	7
Ixodidae	1	1
Lamponidae	2	2
Laridae	4	58
Lepidogalaxiidae	1	1
Leptoceridae	1	12
Leptophlebiidae	1	3
Libellulidae	1	1

Limnodynastidae	2	13
Lycosidae	1	2
Macropodidae	1	2
Maluridae	4	429
Meliphagidae	11	764
Miturgidae	1	1
Muridae	1	6
Myobatrachidae	6	32
Nannoperidae	2	16
Nemesiidae	1	1
Neosittidae	1	10
Notonectidae	1	2
Oligochaeta	1	15
Otididae	1	3
Pachycephalidae	3	200
Palaemonidae	1	7
Paradoxosomatidae	1	2
Parastacidae	1	9
Pardalotidae	3	72
Pelecanidae	1	110
Peramelidae	1	18
Percichthyidae	3	15
Pertidae	1	6
Petroicidae	3	177
Phalacrocoracidae	5	125
Phasianidae	2	22
Phreatoicidae	1	1
Physidae	1	2
Planorbidae	1	2
Podargidae	1	13
Podicipedidae	2	48
Poeciliidae	1	1
Polycentropodidae	1	1
Potoroidae	1	2
Procellariidae	1	1
Pseudocheiridae	1	106
Psittacidae	12	752
Pyralidae	1	1
Rallidae	9	178
Recurvirostridae	3	27
Scincidae	3	16
Sciomyzidae	1	1
Scolopacidae	4	15
Scolopendridae	1	1
Simuliidae	1	8
Sphaeriidae	1	1
Stratiomyidae	1	2
Sulidae	1	1
Sylviidae	2	43
Syngnathidae	1	1
Synthemistidae	1	2
Talitridae	1	1
Tarsipedidae	1	2
Telephlebiidae	1	4
Tetragrathidae	1	1
Threskiornithidae	3	167
Tipulidae	1	6
Trombidiformes	1	9
Turnicidae	2	3
Tytonidae	1	2
Velliidae	1	9
Vespertilionidae	1	1
Zoridae	1	1
Zosteropidae	1	216
<b>TOTAL</b>	<b>268</b>	<b>7874</b>

Name ID	Species Name	Naturalised	Conservation Code	Endemic To Query Area
<b>Acanthizidae</b>				
1.	24260 <i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
2.	24261 <i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
3.	24262 <i>Acanthiza inornata</i> (Western Thornbill)			
4.	25530 <i>Gerygone fusca</i> (Western Gerygone)			
5.	25534 <i>Sericornis frontalis</i> (White-browed Scrubwren)			
6.	30948 <i>Smicronis brevirostris</i> (Weebill)			
<b>Accipitridae</b>				
7.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
8.	25536 <i>Accipiter fasciatus</i> (Brown Goshawk)			
9.	24285 <i>Aquila audax</i> (Wedge-tailed Eagle)			
10.	24288 <i>Circus approximans</i> (Swamp Harrier)			
11.	24289 <i>Circus assimilis</i> (Spotted Harrier)			
12.	<i>Elanus axillaris</i>			
13.	24293 <i>Haliaeetus leucogaster</i> (White-bellied Sea-Eagle)			
14.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
15.	47965 <i>Hieraaetus morphnoides</i> (Little Eagle)			
16.	<i>Lophoictinia isura</i>			
17.	48591 <i>Pandion cristatus</i> (Osprey, Eastern Osprey)		IA	
<b>Actinopodidae</b>				
18.	<i>Missulena granulosa</i>			
19.	<i>Missulena torbayensis</i>			
<b>Aegothelidae</b>				
20.	25544 <i>Aegotheles cristatus</i> (Australian Owlet-nightjar)			
<b>Amphisopodidae</b>				
21.	<i>Amphisopodidae</i> sp.			
<b>Anatidae</b>				
22.	24310 <i>Anas castanea</i> (Chestnut Teal)			
23.	24312 <i>Anas gracilis</i> (Grey Teal)			
24.	24313 <i>Anas platyrhynchos</i> (Mallard)			
25.	24315 <i>Anas rhynchotis</i> (Australasian Shoveler)			
26.	24316 <i>Anas superciliosa</i> (Pacific Black Duck)			
27.	24318 <i>Aythya australis</i> (Hardhead)			
28.	24319 <i>Biziura lobata</i> (Musk Duck)			
29.	24321 <i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
30.	24322 <i>Cygnus atratus</i> (Black Swan)			
31.	24326 <i>Malacorhynchus membranaceus</i> (Pink-eared Duck)			
32.	24328 <i>Oxyura australis</i> (Blue-billed Duck)		P4	
33.	24331 <i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
<b>Ancylidae</b>				
34.	<i>Ancylidae</i> sp.			
<b>Anhingidae</b>				
35.	47414 <i>Anhinga novaehollandiae</i> (Australasian Darter)			
<b>Apodidae</b>				
36.	25554 <i>Apus pacificus</i> (Fork-tailed Swift, Pacific Swift)		IA	
<b>Aracanidae</b>				
37.	<i>Caprichthys gymnura</i>			
<b>Araneidae</b>				
38.	<i>Arachnura higginsi</i>			
39.	<i>Austracantha minax</i>			
<b>Ardeidae</b>				
40.	25558 <i>Ardea ibis</i> (Cattle Egret)			
41.	41324 <i>Ardea modesta</i> (great egret, white egret)			
42.	24341 <i>Ardea pacifica</i> (White-necked Heron)			
43.	24345 <i>Botaurus poiciloptilus</i> (Australasian Bittern)		T	
44.	<i>Egretta novaehollandiae</i>			
45.	25564 <i>Nycticorax caledonicus</i> (Rufous Night Heron)			
<b>Argiolestidae</b>				
46.	<i>Megapodagrionidae</i> sp.			
<b>Artamidae</b>				
47.	25566 <i>Artamus cinereus</i> (Black-faced Woodswallow)			



Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
48.	24353 <i>Artamus cyanopterus</i> (Dusky Woodswallow)			
<b>Atherinidae</b>				
49.	<i>Atherinosoma wallacei</i>			
<b>Baetidae</b>				
50.	<i>Baetidae</i> sp.			
<b>Cacatuidae</b>				
51.	<i>Eolophus roseicapillus</i>			
<b>Caenidae</b>				
52.	<i>Caenidae</i> sp.			
<b>Campephagidae</b>				
53.	25568 <i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
<b>Caprimulgidae</b>				
54.	24368 <i>Eurostopodus argus</i> (Spotted Nightjar)			
<b>Carangidae</b>				
55.	<i>Seriola lalandi</i>			
<b>Casuariidae</b>				
56.	24470 <i>Dromaius novaehollandiae</i> (Emu)			
<b>Ceinidae</b>				
57.	<i>Ceinidae</i> sp.			
<b>Ceratopogonidae</b>				
58.	<i>Ceratopogonidae</i> sp.			
<b>Charadriidae</b>				
59.	24377 <i>Charadrius ruficapillus</i> (Red-capped Plover)			
60.	47937 <i>Elseya melanops</i> (Black-fronted Dotterel)			
61.	24379 <i>Erythrogonys cinctus</i> (Red-kneed Dotterel)			
62.	48135 <i>Thinornis rubricollis</i> (Hooded Plover, Hooded Dotterel)		P4	
63.	24386 <i>Vanellus tricolor</i> (Banded Lapwing)			
<b>Cheluidae</b>				
64.	43380 <i>Chelodina colliei</i> (South-western Snake-necked Turtle)			
<b>Chironomidae</b>				
65.	<i>Chironominae</i> sp.			
66.	<i>Orthoclaadiinae</i> sp.			
67.	<i>Tanypodinae</i> sp.			
<b>Coenagrionidae</b>				
68.	<i>Coenagrionidae</i> sp.			
<b>Columbidae</b>				
69.	24407 <i>Ocyphaps lophotes</i> (Crested Pigeon)			
70.	24409 <i>Phaps chalcoptera</i> (Common Bronzewing)			
71.	25587 <i>Phaps elegans</i> (Brush Bronzewing)			
72.	25590 <i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)		Y	
<b>Corduliidae</b>				
73.	<i>Corduliidae</i> sp.			
<b>Corixidae</b>				
74.	<i>Corixidae</i> sp.			
<b>Corvidae</b>				
75.	25592 <i>Corvus coronoides</i> (Australian Raven)			
76.	24417 <i>Corvus coronoides</i> subsp. <i>perplexus</i> (Australian Raven)			
<b>Cracticidae</b>				
77.	25595 <i>Cracticus tibicen</i> (Australian Magpie)			
78.	25596 <i>Cracticus torquatus</i> (Grey Butcherbird)			
79.	25597 <i>Strepera versicolor</i> (Grey Currawong)			
<b>Cuculidae</b>				
80.	25598 <i>Cacomantis flabelliformis</i> (Fan-tailed Cuckoo)			
81.	42307 <i>Cacomantis pallidus</i> (Pallid Cuckoo)			
<b>Culicidae</b>				
82.	<i>Culicidae</i> sp.			
<b>Cyprididae</b>				
83.	<i>Candonocypris novaehollandiae</i>			
84.	<i>Ilyodromus ellipticus</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
<b>Cypridopsidae</b>				
85.	<i>Sarscypridopsis aculeata</i>			
<b>Dasyuridae</b>				
86.	24088 <i>Antechinus flavipes subsp. leucogaster</i> (Yellow-footed Antechinus, Mardo)			
87.	24092 <i>Dasyurus geoffroii</i> (Chuditch, Western Quoll)		T	
<b>Desidae</b>				
88.	<i>Baiami torbayensis</i>			
<b>Dicruridae</b>				
89.	24443 <i>Grallina cyanoleuca</i> (Magpie-lark)			
90.	25610 <i>Myiagra inquieta</i> (Restless Flycatcher)			
91.	48096 <i>Rhipidura albiscapa</i> (Grey Fantail)			
92.	25614 <i>Rhipidura leucophrys</i> (Willie Wagtail)			
<b>Dugesidae</b>				
93.	<i>Dugesidae sp.</i>			
<b>Dytiscidae</b>				
94.	<i>Dytiscidae sp.</i>			
<b>Ecnomidae</b>				
95.	<i>Ecnomidae sp.</i>			
<b>Elapidae</b>				
96.	25250 <i>Elapognathus coronatus</i> (Crowned Snake)			
97.	25252 <i>Notechis scutatus</i> (Tiger Snake)			
98.	25255 <i>Parasuta nigriceps</i>			
<b>Empididae</b>				
99.	<i>Empididae sp.</i>			
<b>Estrilidae</b>				
100.	24645 <i>Stagonopleura oculata</i> (Red-eared Firetail)			
<b>Falconidae</b>				
101.	25621 <i>Falco berigora</i> (Brown Falcon)			
102.	25622 <i>Falco cenchroides</i> (Australian Kestrel, Nankeen Kestrel)			
103.	25623 <i>Falco longipennis</i> (Australian Hobby)			
104.	25624 <i>Falco peregrinus</i> (Peregrine Falcon)		S	
<b>Galaxiidae</b>				
105.	34026 <i>Galaxiella munda</i> (mud minnow, western dwarf galaxias)		T	
106.	34027 <i>Galaxiella nigrostriata</i> (Black-stripe Minnow, black-striped dwarf galaxias)		T	
<b>Gelastocoridae</b>				
107.	<i>Gelastocoridae sp.</i>			
<b>Glossiphoniidae</b>				
108.	<i>Glossiphoniidae sp.</i>			
<b>Gobiidae</b>				
109.	<i>Pseudogobius olorum</i>			
<b>Gomphidae</b>				
110.	<i>Gomphidae sp.</i>			
<b>Gordiidae</b>				
111.	<i>Gordiidae sp.</i>			
<b>Gripopterygidae</b>				
112.	<i>Gripopterygidae sp.</i>			
<b>Gyrinidae</b>				
113.	<i>Gyrinidae sp.</i>			
<b>Haematopodidae</b>				
114.	25627 <i>Haematopus fuliginosus</i> (Sooty Oystercatcher)			
<b>Halcyonidae</b>				
115.	30901 <i>Dacelo novaeguineae</i> (Laughing Kookaburra)	Y		
116.	25549 <i>Todiramphus sanctus</i> (Sacred Kingfisher)			
<b>Hebridae</b>				
117.	<i>Hebridae sp.</i>			
<b>Hemicorduliidae</b>				
118.	<i>Hemicorduliidae sp.</i>			
<b>Hirundinidae</b>				

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
119.	24491 <i>Hirundo neoxena</i> (Welcome Swallow)			
120.	48061 <i>Petrochelidon nigricans</i> (Tree Martin)			
<b>Hydrobiosidae</b>				
121.	<i>Hydrobiosidae</i> sp.			
<b>Hydrometridae</b>				
122.	<i>Hydrometridae</i> sp.			
<b>Hydrophilidae</b>				
123.	<i>Hydrophilidae</i> sp.			
<b>Hydropsychidae</b>				
124.	<i>Hydropsychidae</i> sp.			
<b>Hydroptilidae</b>				
125.	<i>Hydroptilidae</i> sp.			
<b>Hylidae</b>				
126.	25378 <i>Litoria adelaidensis</i> (Slender Tree Frog)			
127.	25388 <i>Litoria moorei</i> (Motorbike Frog)			
<b>Hyriidae</b>				
128.	<i>Hyriidae</i> sp.			
<b>Iulomorphidae</b>				
129.	<i>Atelomastix mainae</i>			
<b>Ixodidae</b>				
130.	<i>Ixodes australiensis</i>			
<b>Lamponidae</b>				
131.	<i>Lampona cylindrata</i>			
132.	<i>Lampona torbay</i>			Y
<b>Laridae</b>				
133.	<i>Chroicocephalus novaehollandiae</i>			
134.	48587 <i>Hydroprogne caspia</i> (Caspian Tern)		IA	
135.	25638 <i>Larus pacificus</i> (Pacific Gull)			
136.	48597 <i>Thalasseus bergii</i> (Crested Tern)		IA	
<b>Lepidogalaxiidae</b>				
137.	47983 <i>Lepidogalaxias salamandroides</i> (Salamanderfish)		T	
<b>Leptoceridae</b>				
138.	<i>Leptoceridae</i> sp.			
<b>Leptophlebiidae</b>				
139.	<i>Leptophlebiidae</i> sp.			
<b>Libellulidae</b>				
140.	<i>Libellulidae</i> sp.			
<b>Limnodynastidae</b>				
141.	25410 <i>Heleioporus eyrei</i> (Moaning Frog)			
142.	25415 <i>Limnodynastes dorsalis</i> (Western Banjo Frog)			
<b>Lycosidae</b>				
143.	<i>Venatrix pullastra</i>			
<b>Macropodidae</b>				
144.	24132 <i>Macropus fuliginosus</i> (Western Grey Kangaroo)			
<b>Maluridae</b>				
145.	25650 <i>Malurus elegans</i> (Red-winged Fairy-wren)			
146.	25654 <i>Malurus splendens</i> (Splendid Fairy-wren)			
147.	25655 <i>Stipiturus malachurus</i> (Southern Emu-wren)			
148.	24554 <i>Stipiturus malachurus</i> subsp. <i>westernensis</i> (Southern Emu-wren)			
<b>Meliphagidae</b>				
149.	24560 <i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
150.	24561 <i>Anthochaera carunculata</i> (Red Wattlebird)			
151.	24562 <i>Anthochaera lunulata</i> (Western Little Wattlebird)			
152.	24567 <i>Epthianura albifrons</i> (White-fronted Chat)			
153.	47962 <i>Glyciphila melanops</i> (Tawny-crowned Honeyeater)			
154.	25661 <i>Lichmera indistincta</i> (Brown Honeyeater)			
155.	24583 <i>Manorina flavigula</i> (Yellow-throated Miner)			
156.	25663 <i>Melithreptus brevirostris</i> (Brown-headed Honeyeater)			
157.	24587 <i>Melithreptus chloropsis</i> (Western White-naped Honeyeater)			
158.	48071 <i>Phylidonyris niger</i> (White-cheeked Honeyeater)			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
159.	24596 <i>Phylidonyris novaehollandiae</i> (New Holland Honeyeater)			
<b>Miturgidae</b>				
160.	<i>Mituliodon tarantulinus</i>			
<b>Muridae</b>				
161.	24215 <i>Hydromys chrysogaster</i> (Water-rat, Rakali)		P4	
<b>Myobatrachidae</b>				
162.	25398 <i>Crinia georgiana</i> (Quacking Frog)			
163.	25399 <i>Crinia glauerti</i> (Clicking Frog)			
164.	25401 <i>Crinia pseudinsignifera</i> (Bleating Froglet)			
165.	25402 <i>Crinia subinsignifera</i> (South Coast Froglet)			
166.	25404 <i>Geocrinia leai</i> (Ticking Frog)			
167.	25433 <i>Pseudophryne guentheri</i> (Crawling Toadlet)			
<b>Nannopercidae</b>				
168.	<i>Edelia vittata</i>			
169.	34033 <i>Nannatherina balstoni</i> (Balston's Pygmy Perch)		T	
<b>Nemesiidae</b>				
170.	<i>Aname tepperi</i>			
<b>Neosittidae</b>				
171.	25673 <i>Daphoenositta chrysoptera</i> (Varied Sittella)			
<b>Notonectidae</b>				
172.	<i>Notonectidae</i> sp.			
<b>Oligochaeta</b>				
173.	<i>Oligochaeta</i> sp.			
<b>Otididae</b>				
174.	24610 <i>Ardeotis australis</i> (Australian Bustard)			
<b>Pachycephalidae</b>				
175.	25675 <i>Colluricincla harmonica</i> (Grey Shrike-thrush)			
176.	25677 <i>Falcunculus frontatus</i> (Crested Shrike-tit)			
177.	25680 <i>Pachycephala rufiventris</i> (Rufous Whistler)			
<b>Palaemonidae</b>				
178.	<i>Palaemonidae</i> sp.			
<b>Paradoxosomatidae</b>				
179.	<i>Akamptogonus novarae</i>			
<b>Parastacidae</b>				
180.	<i>Parastacidae</i> sp.			
<b>Pardalotidae</b>				
181.	25681 <i>Pardalotus punctatus</i> (Spotted Pardalote)			
182.	24626 <i>Pardalotus punctatus</i> subsp. <i>xanthopyge</i> (Yellow-rumped Pardalote)			
183.	25682 <i>Pardalotus striatus</i> (Striated Pardalote)			
<b>Pelecanidae</b>				
184.	24648 <i>Pelecanus conspicillatus</i> (Australian Pelican)			
<b>Peramelidae</b>				
185.	48588 <i>Isodon fusciventer</i> (Quenda, southwestern brown bandicoot)		P4	
<b>Percichthyidae</b>				
186.	<i>Bostockia porosa</i>			
187.	<i>Maccullochella peelii</i>			Y
188.	<i>Nannoperca vittata</i>			
<b>Perthidae</b>				
189.	<i>Perthidae</i> sp.			
<b>Petroicidae</b>				
190.	24651 <i>Eopsaltria australis</i> subsp. <i>griseogularis</i> (Western Yellow Robin)			
191.	24652 <i>Eopsaltria georgiana</i> (White-breasted Robin)			
192.	48066 <i>Petroica boodang</i> (Scarlet Robin)			
<b>Phalacrocoracidae</b>				
193.	<i>Microcarbo melanoleucos</i>			
194.	25697 <i>Phalacrocorax carbo</i> (Great Cormorant)			
195.	24666 <i>Phalacrocorax melanoleucos</i> subsp. <i>melanoleucos</i> (Little Pied Cormorant)			
196.	24667 <i>Phalacrocorax sulcirostris</i> (Little Black Cormorant)			
197.	25699 <i>Phalacrocorax varius</i> (Pied Cormorant)			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
<b>Phasianidae</b>				
198.	24671 <i>Coturnix pectoralis</i> (Stubble Quail)			
199.	25701 <i>Coturnix ypsilophora</i> (Brown Quail)			
<b>Phreatoicidae</b>				
200.	<i>Phreatoicidae</i> sp.			
<b>Physidae</b>				
201.	<i>Physidae</i> sp.			
<b>Planorbidae</b>				
202.	<i>Planorbidae</i> sp.			
<b>Podargidae</b>				
203.	25703 <i>Podargus strigoides</i> (Tawny Frogmouth)			
<b>Podicipedidae</b>				
204.	24681 <i>Polyocephalus polyocephalus</i> (Hoary-headed Grebe)			
205.	25705 <i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
<b>Poeciliidae</b>				
206.	<i>Gambusia affinis</i>			
<b>Polycentropodidae</b>				
207.	<i>Polycentropodidae</i> sp.			
<b>Potoroidae</b>				
208.	24162 <i>Bettongia penicillata</i> subsp. <i>ogilbyi</i> (Woylie, Brush-tailed Bettong)		T	
<b>Procellariidae</b>				
209.	24690 <i>Macronectes giganteus</i> (Southern Giant Petrel)		IA	
<b>Pseudocheiridae</b>				
210.	24166 <i>Pseudocheirus occidentalis</i> (Western Ringtail Possum, ngwayir)		T	
<b>Psittacidae</b>				
211.	<i>Barnardius zonarius</i>			
212.	25713 <i>Cacatua galerita</i> (Sulphur-crested Cockatoo)			
213.	25717 <i>Calyptorhynchus banksii</i> (Red-tailed Black-Cockatoo)			
214.	24731 <i>Calyptorhynchus banksii</i> subsp. <i>naso</i> (Forest Red-tailed Black Cockatoo)		T	
215.	24733 <i>Calyptorhynchus baudinii</i> (Baudin's Cockatoo, White-tailed Long-billed Black Cockatoo)		T	
216.	24734 <i>Calyptorhynchus latirostris</i> (Carnaby's Cockatoo, White-tailed Short-billed Black Cockatoo)		T	
217.	48400 <i>Calyptorhynchus</i> sp. (white-tailed black cockatoo)		T	
218.	24738 <i>Neophema elegans</i> (Elegant Parrot)			
219.	24739 <i>Neophema petrophila</i> (Rock Parrot)			
220.	25720 <i>Platycercus icterotis</i> (Western Rosella)			
221.	25722 <i>Polytelis anthopeplus</i> (Regent Parrot)			
222.	<i>Purpureicephalus spurius</i>			
<b>Pyralidae</b>				
223.	<i>Pyralidae</i> sp.			
<b>Rallidae</b>				
224.	25727 <i>Fulica atra</i> (Eurasian Coot)			
225.	25729 <i>Gallinula tenebrosa</i> (Dusky Moorhen)			
226.	25730 <i>Gallirallus philippensis</i> (Buff-banded Rail)			
227.	25731 <i>Porphyrio porphyrio</i> (Purple Swamphen)			
228.	24767 <i>Porphyrio porphyrio</i> subsp. <i>bellus</i> (Purple Swamphen)			
229.	24769 <i>Porzana fluminea</i> (Australian Spotted Crake)			
230.	25732 <i>Porzana pusilla</i> (Baillon's Crake)			
231.	24771 <i>Porzana tabuensis</i> (Spotless Crake)			
232.	48141 <i>Tribonyx ventralis</i> (Black-tailed Native-hen)			
<b>Recurvirostridae</b>				
233.	24774 <i>Cladorhynchus leucocephalus</i> (Banded Stilt)			
234.	25734 <i>Himantopus himantopus</i> (Black-winged Stilt)			
235.	24776 <i>Recurvirostra novaehollandiae</i> (Red-necked Avocet)			
<b>Scincidae</b>				
236.	25100 <i>Egernia napoleonis</i>			
237.	25117 <i>Hemiergis peronii</i> subsp. <i>peronii</i>			
238.	25207 <i>Tiliqua rugosa</i> subsp. <i>rugosa</i>			
<b>Sciomyzidae</b>				
239.	<i>Sciomyzidae</i> sp.			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
<b>Scolopacidae</b>				
240.	24784 <i>Calidris ferruginea</i> (Curlew Sandpiper)		T	
241.	24788 <i>Calidris ruficollis</i> (Red-necked Stint)		IA	
242.	24806 <i>Tringa glareola</i> (Wood Sandpiper)		IA	
243.	24808 <i>Tringa nebularia</i> (Common Greenshank, greenshank)		IA	
<b>Scolopendridae</b>				
244.	<i>Cormocephalus michaelsoni</i>			
<b>Simuliidae</b>				
245.	<i>Simuliidae</i> sp.			
<b>Sphaeriidae</b>				
246.	<i>Sphaeriidae</i> sp.			
<b>Stratiomyidae</b>				
247.	<i>Stratiomyidae</i> sp.			
<b>Sulidae</b>				
248.	48008 <i>Morus serrator</i> (Australasian Gannet)			
<b>Sylviidae</b>				
249.	25755 <i>Acrocephalus australis</i> (Australian Reed Warbler)			
250.	25758 <i>Megalurus gramineus</i> (Little Grassbird)			
<b>Syngnathidae</b>				
251.	<i>Phyllopteryx taeniolatus</i>			
<b>Synthemistidae</b>				
252.	<i>Synthemistidae</i> sp.			
<b>Talitridae</b>				
253.	<i>Talitridae</i> sp.			
<b>Tarsipedidae</b>				
254.	24167 <i>Tarsipes rostratus</i> (Honey Possum, Noolbenger)			
<b>Telephlebiidae</b>				
255.	<i>Telephlebiidae</i> sp.			
<b>Tetragnathidae</b>				
256.	<i>Tetragnatha caudifera</i>			Y
<b>Threskiornithidae</b>				
257.	24841 <i>Platalea flavipes</i> (Yellow-billed Spoonbill)			
258.	24843 <i>Plegadis falcinellus</i> (Glossy Ibis)		IA	
259.	24845 <i>Threskiornis spinicollis</i> (Straw-necked Ibis)			
<b>Tipulidae</b>				
260.	<i>Tipulidae</i> sp.			
<b>Trombidiformes</b>				
261.	<i>Acariformes</i> sp.			
<b>Turnicidae</b>				
262.	48147 <i>Turnix varius</i> (Painted Button-quail)			
263.	24851 <i>Turnix velox</i> (Little Button-quail)			
<b>Tytonidae</b>				
264.	24852 <i>Tyto alba</i> subsp. <i>delicatula</i> (Barn Owl)			
<b>Veliidae</b>				
265.	<i>Veliidae</i> sp.			
<b>Vespertilionidae</b>				
266.	24206 <i>Vespadelus regulus</i> (Southern Forest Bat)			
<b>Zoridae</b>				
267.	<i>Argoctenus bidentatus</i>			
<b>Zosteropidae</b>				
268.	25765 <i>Zosterops lateralis</i> (Grey-breasted White-eye, Silvereye)			

**Conservation Codes**

T - Rare or likely to become extinct  
X - Presumed extinct  
IA - Protected under international agreement  
S - Other specially protected fauna  
1 - Priority 1  
2 - Priority 2  
3 - Priority 3  
4 - Priority 4  
5 - Priority 5

<sup>1</sup> For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the

Name ID Species Name

Naturalised

Conservation Code

<sup>1</sup>Endemic To Query Area

calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.

# NatureMap 10km Flora Species Report

Created By Guest user on 21/04/2020

**Kingdom** Plantae  
**Current Names Only** Yes  
**Core Datasets Only** Yes  
**Method** 'By Circle'  
**Centre** 117° 43' 22" E, 34° 57' 19" S  
**Buffer** 10km  
**Group By** Family

Family	Species	Records
Acrobolbaceae	1	1
Agapanthaceae	1	1
Anarthriaceae	5	12
Apiaceae	5	13
Apocynaceae	1	1
Araliaceae	3	3
Asparagaceae	10	15
Aspleniaceae	1	1
Asteraceae	7	8
Boraginaceae	1	1
Brassicaceae	1	1
Bryaceae	2	2
Campanulaceae	2	5
Caryophyllaceae	1	1
Casuarinaceae	2	2
Centrolepidaceae	6	9
Cephalotaceae	1	4
Cephalozellaceae	1	1
Cupressaceae	1	1
Cyperaceae	28	56
Dasygongonaceae	4	6
Dicranaceae	2	4
Dilleniaceae	6	6
Droseraceae	11	21
Elaeocarpaceae	3	5
Ericaceae	27	86
Euphorbiaceae	3	4
Fabaceae	61	141
Funariaceae	1	1
Geraniaceae	2	2
Goodeniaceae	10	18
Haemodoraceae	8	12
Haloragaceae	1	3
Hemerocallidaceae	5	7
Hydatellaceae	1	7
Iridaceae	5	7
Juncaceae	5	10
Lamiaceae	1	1
Lauraceae	5	12
Lentibulariaceae	2	4
Lepidoziaceae	1	2
Linaceae	1	1
Lindsaeaceae	1	2
Loganiaceae	4	8
Lophocoleaceae	1	3
Lycopodiaceae	1	1
Malvaceae	4	4
Menyanthaceae	2	7
Myrtaceae	44	131
Olaceae	1	1
Onagraceae	1	4
Orchidaceae	39	56
Orobanchaceae	2	2
Orthotrichaceae	1	1
Phyllanthaceae	1	2
Phytolaccaceae	1	1
Pittosporaceae	4	14
Plantaginaceae	1	1
Poaceae	12	16
Polygalaceae	4	6
Polygonaceae	1	1
Pottiaceae	3	4
Primulaceae	1	2
Proteaceae	61	162
Racopilaceae	1	1
Restionaceae	14	55
Rhamnaceae	2	3
Rosaceae	1	2
Rubiaceae	1	2
Rutaceae	10	19
Santalaceae	4	15
Sapindaceae	1	4
Selaginellaceae	1	1
Semmatophyllaceae	1	1
Solanaceae	2	2



Stylidiaceae	24	58
Thuidiaceae	2	3
Thymelaeaceae	6	14
Xyridaceae	3	10
<b>TOTAL</b>	<b>508</b>	<b>1117</b>

Name ID	Species Name	Naturalised	Conservation Code	Endemic To Query Area
<b>Acrobolbaceae</b>				
1.	<i>Lethocolea pansa</i>			
<b>Agapanthaceae</b>				
2.	18380 <i>Agapanthus praecox</i> subsp. <i>orientalis</i>	Y		
<b>Anarthriaceae</b>				
3.	1058 <i>Anarthria gracilis</i>			
4.	1060 <i>Anarthria laevis</i>			
5.	1062 <i>Anarthria prolifera</i>			
6.	1063 <i>Anarthria scabra</i>			
7.	18049 <i>Lyginia imberbis</i>			
<b>Apiaceae</b>				
8.	6203 <i>Actinotus glomeratus</i>			
9.	6206 <i>Actinotus omnifertilis</i>			
10.	6253 <i>Platysace filiformis</i>			
11.	6263 <i>Schoenolaena juncea</i>			
12.	6292 <i>Xanthosia rotundifolia</i> (Southern Cross)			
<b>Apocynaceae</b>				
13.	6565 <i>Alyxia buxifolia</i> (Dysentery Bush)			
<b>Araliaceae</b>				
14.	18297 <i>Hedera helix</i>	Y		
15.	6223 <i>Hydrocotyle alata</i>			
16.	6226 <i>Hydrocotyle callicarpa</i> (Small Pennywort)			
<b>Asparagaceae</b>				
17.	1302 <i>Laxmannia jamesii</i> (James' Paperlily)			
18.	1223 <i>Lomandra caespitosa</i> (Tufted Mat Rush)			
19.	1225 <i>Lomandra drummondii</i>			
20.	1234 <i>Lomandra nigricans</i>			
21.	1238 <i>Lomandra pauciflora</i>			
22.	1244 <i>Lomandra sonderi</i>			
23.	1246 <i>Lomandra suaveolens</i>			
24.	1328 <i>Thysanotus dichotomus</i> (Branching Fringe Lily)			
25.	1339 <i>Thysanotus multiflorus</i> (Many-flowered Fringe Lily)			
26.	1354 <i>Thysanotus tenellus</i>			
<b>Aspleniaceae</b>				
27.	61 <i>Asplenium aethiopicum</i> (Forked Spleenwort)			
<b>Asteraceae</b>				
28.	7909 <i>Carduus pycnocephalus</i> (Slender Thistle)	Y		
29.	7962 <i>Dittrichia viscosa</i>	Y		
30.	8099 <i>Leontodon saxatilis</i> (Hairy Hawkbit)	Y		
31.	8133 <i>Olearia elaeophila</i>			
32.	20663 <i>Senecio multicaulis</i> subsp. <i>multicaulis</i>			
33.	9367 <i>Sonchus hydrophilus</i> (Native Sowthistle)			
34.	8231 <i>Sonchus oleraceus</i> (Common Sowthistle)	Y		
<b>Boraginaceae</b>				
35.	6681 <i>Echium plantagineum</i> (Paterson's Curse)	Y		
<b>Brassicaceae</b>				
36.	3027 <i>Lepidium foliosum</i> (Leafy Peppergrass)			
<b>Bryaceae</b>				
37.	32417 <i>Ptychostomum angustifolium</i>			
38.	32424 <i>Rosulabryum albolimbatum</i>			
<b>Campanulaceae</b>				
39.	9289 <i>Lobelia anceps</i> (Angled Lobelia)			
40.	7405 <i>Lobelia rarifolia</i>			
<b>Caryophyllaceae</b>				
41.	2912 <i>Spergula arvensis</i> (Corn Spurry)	Y		
<b>Casuarinaceae</b>				
42.	1728 <i>Allocasuarina fraseriana</i> (Sheoak, Kondil)			
43.	1732 <i>Allocasuarina humilis</i> (Dwarf Sheoak)			
<b>Centrolepidaceae</b>				
44.	1116 <i>Aphelia brizula</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
45.	1117 <i>Aphelia cyperoides</i>			
46.	1123 <i>Centrolepis caespitosa</i>			
47.	1129 <i>Centrolepis glabra</i> (Smooth Centrolepis)			
48.	1132 <i>Centrolepis mutica</i>			
49.	13125 <i>Centrolepis strigosa</i> subsp. <i>strigosa</i>			
<b>Cephalotaceae</b>				
50.	3148 <i>Cephalotus follicularis</i> (Albany Pitcher Plant)			
<b>Cephaloziellaceae</b>				
51.	<i>Cephaloziella exilliflora</i>			
<b>Cupressaceae</b>				
52.	97 <i>Callitris roei</i> (Roe's Cypress Pine)			
<b>Cyperaceae</b>				
53.	743 <i>Baumea juncea</i> (Bare Twigrush)			
54.	17618 <i>Cyathochaeta equitans</i>			
55.	815 <i>Cyperus tenellus</i> (Tiny Flatsedge)	Y		
56.	834 <i>Evandra aristata</i>			
57.	835 <i>Evandra pauciflora</i>			
58.	902 <i>Gahnia decomposita</i>			
59.	907 <i>Gahnia trifida</i> (Coast Saw-sedge)			
60.	912 <i>Isolepis cyperoides</i>			
61.	931 <i>Lepidosperma drummondii</i>			
62.	934 <i>Lepidosperma gracile</i> (Slender Sword Sedge)			
63.	<i>Lepidosperma</i> sp.			
64.	945 <i>Lepidosperma squamatum</i>			
65.	946 <i>Lepidosperma striatum</i>			
66.	953 <i>Mesomelaena graciliceps</i>			
67.	957 <i>Mesomelaena tetragona</i> (Semaphore Sedge)			
68.	970 <i>Schoenus acuminatus</i>			
69.	978 <i>Schoenus brevisetis</i>			
70.	979 <i>Schoenus caespititius</i>			
71.	983 <i>Schoenus cruentus</i>			
72.	985 <i>Schoenus discifer</i>			
73.	986 <i>Schoenus efoliatus</i>			
74.	17614 <i>Schoenus plumosus</i>			
75.	1018 <i>Schoenus subfascicularis</i>			
76.	1021 <i>Schoenus subluxus</i>			
77.	1022 <i>Schoenus submicrostachyus</i>			
78.	1023 <i>Schoenus tenellus</i>			
79.	1038 <i>Tricostularia neesii</i>			
80.	20428 <i>Tricostularia</i> sp. south coast (R.T. Wills 1423)			
<b>Dasypogonaceae</b>				
81.	1212 <i>Baxteria australis</i>			
82.	1213 <i>Calectasia cyanea</i> (Blue Tinsel Lily)		T	
83.	1218 <i>Dasypogon bromeliifolius</i> (Pineapple Bush)			
84.	1221 <i>Kingia australis</i> (Kingia, Pulonok)			
<b>Dicranaceae</b>				
85.	32335 <i>Campylopus bicolor</i>			
86.	32338 <i>Campylopus introflexus</i>	Y		
<b>Dilleniaceae</b>				
87.	5117 <i>Hibbertia cuneiformis</i> (Cutleaf Hibbertia)			
88.	5118 <i>Hibbertia cunninghamii</i>			
89.	5119 <i>Hibbertia depressa</i>			
90.	5131 <i>Hibbertia gracilipes</i>			
91.	5137 <i>Hibbertia inconspicua</i>			
92.	5144 <i>Hibbertia microphylla</i>			
<b>Droseraceae</b>				
93.	48751 <i>Drosera drummondii</i>			
94.	13218 <i>Drosera erythroygne</i>			
95.	19256 <i>Drosera intricata</i>			
96.	13099 <i>Drosera microscapa</i>			
97.	3112 <i>Drosera myriantha</i> (Star Rainbow)			
98.	3118 <i>Drosera pallida</i> (Pale Rainbow)			
99.	3122 <i>Drosera platypoda</i> (Fan-leaved Sundew)			
100.	3124 <i>Drosera pulchella</i> (Pretty Sundew)			
101.	13186 <i>Drosera roseana</i>			
102.	3130 <i>Drosera scorpioides</i> (Shaggy Sundew)			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
103.	48783 <i>Drosera verrucata</i>			
<b>Elaeocarpaceae</b>				
104.	4526 <i>Tetratheca affinis</i>			
105.	4544 <i>Tetratheca setigera</i>			
106.	4547 <i>Tremandra diffusa</i>			
<b>Ericaceae</b>				
107.	6306 <i>Andersonia caerulea</i> (Foxtails)			
108.	25844 <i>Andersonia caerulea</i> subsp. <i>caerulea</i>			
109.	19623 <i>Andersonia depressa</i>			
110.	6320 <i>Andersonia simplex</i> (Spiked <i>Andersonia</i> )			
111.	41737 <i>Andersonia</i> sp. <i>Jamesii</i> (J. Liddelow 84)		P4	
112.	16997 <i>Andersonia</i> sp. <i>Mitchell River</i> (B.G. Hammersley 925)		P3	
113.	6355 <i>Leucopogon alternifolius</i>		P3	
114.	6360 <i>Leucopogon australis</i> (Spiked <i>Beard-heath</i> )			
115.	6387 <i>Leucopogon distans</i>			
116.	6396 <i>Leucopogon glabellus</i>			
117.	40940 <i>Leucopogon obovatus</i> subsp. <i>obovatus</i>			
118.	6428 <i>Leucopogon pendulus</i>			
119.	6435 <i>Leucopogon polystachyus</i>			
120.	6440 <i>Leucopogon racemosus</i>			
121.	6441 <i>Leucopogon reflexus</i> (Heart-leaf <i>Beard-heath</i> )			
122.	10755 <i>Leucopogon rubricaulis</i>			
123.	6454 <i>Leucopogon verticillatus</i> (Tassel Flower)			
124.	6456 <i>Lysinema ciliatum</i> (Curry Flower)			
125.	6457 <i>Lysinema conspicuum</i>			
126.	6460 <i>Lysinema lasianthum</i>		P4	
127.	34736 <i>Lysinema pentapetalum</i>			
128.	6464 <i>Needhamiella pumilio</i>			
129.	31931 <i>Sphenotoma capitata</i>			
130.	31952 <i>Sphenotoma gracilis</i> (Swamp Paper-heath)			
131.	31951 <i>Sphenotoma parviflora</i>			
132.	48617 <i>Styphelia</i> sp. <i>Albany</i> (M. Hislop 2218)			
133.	6476 <i>Styphelia tenuiflora</i> (Common Pinheath)			
<b>Euphorbiaceae</b>				
134.	4585 <i>Amperea ericoides</i>			
135.	4588 <i>Amperea volubilis</i>			
136.	4666 <i>Monotaxis occidentalis</i>			
<b>Fabaceae</b>				
137.	15429 <i>Acacia alata</i> var. <i>alata</i>			
138.	11731 <i>Acacia browniana</i> var. <i>browniana</i>			
139.	16975 <i>Acacia decurrens</i>	Y		
140.	3363 <i>Acacia hastulata</i>			
141.	3383 <i>Acacia incurva</i>			
142.	3428 <i>Acacia luteola</i>			
143.	10955 <i>Acacia melanoxydon</i>	Y		
144.	3453 <i>Acacia myrtifolia</i>			
145.	3502 <i>Acacia pulchella</i> (Prickly Moses)			
146.	15482 <i>Acacia pulchella</i> var. <i>goadbyi</i>			
147.	3504 <i>Acacia pycnantha</i> (Golden Wattle)	Y		
148.	3523 <i>Acacia robiniae</i>			
149.	3576 <i>Acacia tetragonocarpa</i>			
150.	3588 <i>Acacia uliginosa</i>			
151.	3689 <i>Aotus intermedia</i>			
152.	3713 <i>Bossiaea linophylla</i>			
153.	3714 <i>Bossiaea ornata</i> (Broad Leaved Brown Pea)			
154.	10861 <i>Callistachys lanceolata</i> (Wonnich)			
155.	3757 <i>Chorizema glycinifolium</i>			
156.	3760 <i>Chorizema reticulatum</i> (Showy Flame Pea)			
157.	3811 <i>Daviesia flexuosa</i>			
158.	3817 <i>Daviesia inflata</i>			
159.	3876 <i>Eutaxia epacridoides</i>			
160.	3879 <i>Eutaxia parvifolia</i>			
161.	3880 <i>Eutaxia virgata</i>			
162.	19190 <i>Gastrolobium cuneatum</i>			
163.	20511 <i>Gastrolobium minus</i>			
164.	20500 <i>Gastrolobium sericeum</i>			
165.	3948 <i>Gompholobium capitatum</i>			
166.	10909 <i>Gompholobium confertum</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
167.	3950 <i>Gompholobium knightianum</i>			
168.	3953 <i>Gompholobium ovatum</i>			
169.	3954 <i>Gompholobium polymorphum</i>			
170.	3955 <i>Gompholobium preissii</i>			
171.	11083 <i>Gompholobium scabrum</i>			
172.	3958 <i>Gompholobium venustum</i> (Handsome Wedge-pea)			
173.	11115 <i>Gompholobium villosum</i>			
174.	3964 <i>Hovea chorizemifolia</i> (Holly-leaved Hovea)			
175.	4028 <i>Jacksonia spinosa</i>			
176.	4037 <i>Kennedia coccinea</i> (Coral Vine)			
177.	4048 <i>Latrobea brunonis</i>			
178.	4049 <i>Latrobea diosmifolia</i>			
179.	4063 <i>Lotus uliginosus</i> (Greater Lotus)	Y		
180.	4076 <i>Medicago lupulina</i> (Black Medic)	Y		
181.	4114 <i>Ornithopus pinnatus</i> (Slender Serradella)	Y		
182.	4140 <i>Phyllota barbata</i>			
183.	4164 <i>Pultenaea aspalathoides</i>			
184.	4181 <i>Pultenaea reticulata</i>			
185.	4200 <i>Sphaerolobium alatum</i>			
186.	17551 <i>Sphaerolobium drummondii</i>			
187.	4202 <i>Sphaerolobium fornicatum</i>			
188.	4204 <i>Sphaerolobium grandiflorum</i>			
189.	20302 <i>Sphaerolobium hygrophilum</i>			
190.	4207 <i>Sphaerolobium medium</i>			
191.	4208 <i>Sphaerolobium nudiflorum</i>			
192.	17547 <i>Sphaerolobium pubescens</i>			
193.	17548 <i>Sphaerolobium rostratum</i>			
194.	4211 <i>Sphaerolobium vimineum</i> (Leafless Globe Pea)			
195.	4295 <i>Trifolium dubium</i> (Suckling Clover)	Y		
196.	11474 <i>Vicia sativa</i> subsp. <i>nigra</i>	Y		
197.	4325 <i>Viminaria juncea</i> (Swishbush, Koweda)			
<b>Funariaceae</b>				
198.	32370 <i>Funaria hygrometrica</i>			
<b>Geraniaceae</b>				
199.	4339 <i>Geranium molle</i> (Dove's Foot Cranesbill)	Y		
200.	4343 <i>Pelargonium capitatum</i> (Rose Pelargonium)	Y		
<b>Goodeniaceae</b>				
201.	7411 <i>Anthotium humile</i> (Dwarf Anthotium)			
202.	7439 <i>Dampiera fasciculata</i> (Bundled-leaf Dampiera)			
203.	7452 <i>Dampiera leptoclada</i> (Slender-shooted Dampiera)			
204.	7462 <i>Dampiera pedunculata</i>			
205.	7487 <i>Diaspasis filifolia</i> (Thread-leaved Diaspasis)			
206.	7508 <i>Goodenia filiformis</i> (Thread-leaved Goodenia)			
207.	7523 <i>Goodenia leptoclada</i> (Thin-stemmed Goodenia)			
208.	7572 <i>Lechenaultia expansa</i>			
209.	7646 <i>Scaevola striata</i> (Royal Robe)			
210.	7665 <i>Velleia trinervis</i>			
<b>Haemodoraceae</b>				
211.	1407 <i>Anigozanthos flavidus</i> (Tall Kangaroo Paw)			
212.	1413 <i>Anigozanthos preissii</i> (Albany Catspaw)			
213.	11597 <i>Conostylis setigera</i> subsp. <i>setigera</i>			
214.	1474 <i>Haemodorum sparsiflorum</i>			
215.	1478 <i>Phlebocarya ciliata</i>			
216.	1481 <i>Tribonanthes australis</i> (Southern Tiurndin)			
217.	8798 <i>Tribonanthes uniflora</i> (Woolly Tiurndin)			
218.	1485 <i>Tribonanthes violacea</i> (Violet Tiurndin)			
<b>Haloragaceae</b>				
219.	6166 <i>Gonocarpus simplex</i>		P4	
<b>Hemerocallidaceae</b>				
220.	23474 <i>Agrostocrinum hirsutum</i>			
221.	1285 <i>Corynotheca micrantha</i> (Sand Lily)			
222.	1297 <i>Johnsonia lupulina</i> (Hooded Lily)			
223.	1361 <i>Tricoryne elatior</i> (Yellow Autumn Lily)			
224.	29478 <i>Tricoryne</i> sp. South Coast (T.E.H. Aplin 2653)			
<b>Hydatellaceae</b>				
225.	1139 <i>Triethuria bibracteata</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
<b>Iridaceae</b>				
226.	11445 <i>Ferraria crispa subsp. crispa</i>	Y		
227.	1524 <i>Gladiolus undulatus (Wild Gladiolus)</i>	Y		
228.	29193 <i>Iris laevigata</i>	Y		Y
229.	1533 <i>Ixia paniculata</i>	Y		
230.	1558 <i>Sparaxis bulbifera</i>	Y		
<b>Juncaceae</b>				
231.	1180 <i>Juncus capitatus (Capitate Rush)</i>	Y		
232.	1185 <i>Juncus kraussii (Sea Rush)</i>			
233.	1186 <i>Juncus microcephalus</i>	Y		
234.	1187 <i>Juncus oxycarpus</i>	Y		
235.	1188 <i>Juncus pallidus (Pale Rush)</i>			
<b>Lamiaceae</b>				
236.	6939 <i>Westringia dampieri</i>			
<b>Lauraceae</b>				
237.	2951 <i>Cassytha flava (Dodder Laurel)</i>			
238.	2952 <i>Cassytha glabella (Tangled Dodder Laurel)</i>			
239.	11857 <i>Cassytha glabella forma glabella</i>			
240.	2957 <i>Cassytha racemosa (Dodder Laurel)</i>			
241.	11242 <i>Cassytha racemosa forma pilosa</i>			
<b>Lentibulariaceae</b>				
242.	7148 <i>Utricularia multifida</i>			
243.	7153 <i>Utricularia tenella</i>			
<b>Lepidoziaceae</b>				
244.	<i>Kurzia compacta</i>			
<b>Linaceae</b>				
245.	4363 <i>Linum trigynum (French Flax)</i>	Y		
<b>Lindsaeaceae</b>				
246.	59 <i>Lindsaea linearis (Screw Fern)</i>			
<b>Loganiaceae</b>				
247.	6504 <i>Logania buxifolia</i>			
248.	46255 <i>Orianthera campanulata</i>			
249.	46315 <i>Orianthera serpyllifolia subsp. serpyllifolia</i>			
250.	16177 <i>Phyllangium paradoxum</i>			
<b>Lophocoleaceae</b>				
251.	<i>Chiloscyphus semiteres</i>			
<b>Lycopodiaceae</b>				
252.	12783 <i>Lycopodiella serpentina</i>			
<b>Malvaceae</b>				
253.	48634 <i>Commersonia corniculata</i>			
254.	40863 <i>Commersonia corylifolia (Hazel-leaved Rulingia)</i>			
255.	5092 <i>Thomasia pauciflora (Few Flowered Thomasia)</i>			
256.	5094 <i>Thomasia purpurea</i>			
<b>Menyanthaceae</b>				
257.	36178 <i>Liparophyllum lasiospermum</i>			
258.	36181 <i>Ornduffia parnassifolia</i>			
<b>Myrtaceae</b>				
259.	5315 <i>Actinodium cunninghamii (Albany Daisy)</i>			
260.	19789 <i>Agonis theiformis</i>			
261.	20361 <i>Astartea arbuscula (Minute Astartea)</i>			
262.	20125 <i>Astartea corniculata</i>			
263.	20127 <i>Astartea glomerulosa (Early Astartea)</i>			
264.	45213 <i>Astartea pulchella</i>			
265.	20283 <i>Astartea scoparia (Common Astartea)</i>			
266.	42820 <i>Astartea transversa</i>		P2	
267.	5376 <i>Beaufortia anisandra (Dark Beaufortia)</i>			
268.	5381 <i>Beaufortia decussata (Gravel Bottlebrush)</i>			
269.	5392 <i>Beaufortia sparsa (Swamp Bottlebrush)</i>			
270.	5394 <i>Callistemon glaucus</i>			
271.	5415 <i>Calothamnus lateralis</i>			
272.	5430 <i>Calothamnus schaueri</i>			
273.	5440 <i>Calytrix asperula (Brush Starflower)</i>			
274.	5458 <i>Calytrix flavescens (Summer Starflower)</i>			
275.	48451 <i>Calytrix hirta</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
276.	17104 <i>Corymbia calophylla</i> (Marri)			
277.	5519 <i>Darwinia oederoides</i>			
278.	5625 <i>Eucalyptus diversicolor</i> (Karri)			
279.	13547 <i>Eucalyptus marginata</i> subsp. <i>marginata</i> (Jarrah)			
280.	5709 <i>Eucalyptus megacarpa</i> (Bullich, Pulidj)			
281.	5776 <i>Eucalyptus staeri</i> (Albany Blackbutt)			
282.	5816 <i>Homalospermum firmum</i>			
283.	5818 <i>Hypocalymma cordifolium</i>			
284.	13106 <i>Hypocalymma scariosum</i>			
285.	5827 <i>Hypocalymma strictum</i>			
286.	17512 <i>Kunzea clavata</i>			
287.	17508 <i>Kunzea micrantha</i> subsp. <i>oligandra</i>			
288.	5841 <i>Kunzea recurva</i>			
289.	5853 <i>Leptospermum oligandrum</i>			
290.	5902 <i>Melaleuca densa</i>			
291.	5946 <i>Melaleuca pauciflora</i>			
292.	5952 <i>Melaleuca preissiana</i> (Moonah)			
293.	13277 <i>Melaleuca ringens</i>			
294.	5971 <i>Melaleuca striata</i>			
295.	5980 <i>Melaleuca thymoides</i>			
296.	11109 <i>Pericalymma crassipes</i>			
297.	15501 <i>Pericalymma spongiocaula</i>			
298.	6027 <i>Rinzia schollerifolia</i> (Cranberry Rinzia)			
299.	20114 <i>Taxandria fragrans</i>			
300.	20115 <i>Taxandria juniperina</i>			
301.	20135 <i>Taxandria linearifolia</i>			
302.	20133 <i>Taxandria parviceps</i>			
<b>Olacaceae</b>				
303.	2366 <i>Olex phyllanthi</i>			
<b>Onagraceae</b>				
304.	6133 <i>Epilobium hirtigerum</i> (Hairy Willow Herb)			
<b>Orchidaceae</b>				
305.	10776 <i>Caladenia ensata</i>			
306.	15350 <i>Caladenia flava</i> subsp. <i>sylvestris</i>			
307.	1603 <i>Caladenia longiclavata</i> (Clubbed Spider Orchid)			
308.	15371 <i>Caladenia nana</i> subsp. <i>nana</i>			
309.	15372 <i>Caladenia nana</i> subsp. <i>unita</i>			
310.	15375 <i>Caladenia pholcoidea</i>			
311.	1610 <i>Caladenia plicata</i> (Crab-lipped Spider Orchid)			
312.	15379 <i>Caladenia serotina</i>			
313.	1589 <i>Caladenia x ericksoniae</i>			
314.	15114 <i>Cyanicula gemmata</i>			
315.	10942 <i>Cyrtostylis tenuissima</i>			
316.	19649 <i>Disa bracteata</i>	Y		
317.	1640 <i>Drakaea glyptodon</i> (King-in-his-carriage)			
318.	11156 <i>Drakaea livida</i>			
319.	1643 <i>Elythranthera brunonis</i> (Purple Enamel Orchid)			
320.	1646 <i>Eriochilus dilatatus</i> (White Bunny Orchid)			
321.	15412 <i>Eriochilus dilatatus</i> subsp. <i>multiflorus</i>			
322.	15415 <i>Eriochilus scaber</i> subsp. <i>scaber</i>			
323.	15416 <i>Eriochilus valens</i>			
324.	12932 <i>Gastrodia lacista</i>			
325.	15418 <i>Leptoceras menziesii</i>			
326.	1656 <i>Lyperanthus serratus</i> (Rattle Beak Orchid)			
327.	12199 <i>Microtis familiaris</i>			
328.	15424 <i>Praecoxanthus aphyllus</i>			
329.	1672 <i>Prasophyllum fimbria</i> (Fringed Leek Orchid)			
330.	1676 <i>Prasophyllum hians</i> (Yawning Leek Orchid)			
331.	1677 <i>Prasophyllum macrostachyum</i> (Laughing Leek Orchid)			
332.	44084 <i>Prasophyllum</i> sp. <i>early</i> (G. Brockman GBB 1626)			
333.	1683 <i>Prasophyllum triangulare</i> (Dark Leek Orchid)			
334.	18655 <i>Pterostylis</i> sp. <i>crinkled leaf</i> (G.J. Keighery 13426)			
335.	1698 <i>Pterostylis vittata</i> (Banded Greenhood)			
336.	16367 <i>Pyrorchis nigricans</i> (Red beaks, Elephants ears)			
337.	10856 <i>Thelymitra benthamiana</i> (Leopard Orchid)			
338.	1705 <i>Thelymitra crinita</i> (Blue Lady Orchid)			
339.	1706 <i>Thelymitra cucullata</i> (Swamp Sun Orchid)			
340.	1707 <i>Thelymitra flexuosa</i> (Twisted Sun Orchid)			
341.	11053 <i>Thelymitra macrophylla</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
342.	1716 <i>Thelymitra tigrina</i> (Tiger Orchid)			
343.	20737 <i>X Cyanthera glossodioides</i>			
<b>Orobanchaceae</b>				
344.	48868 <i>Bellardia viscosa</i>	Y		
345.	7122 <i>Orobanche minor</i> (Lesser Broomrape)	Y		
<b>Orthotrichaceae</b>				
346.	36218 <i>Zygodon menziesii</i>			
<b>Phyllanthaceae</b>				
347.	4690 <i>Poranthera huegelii</i>			
<b>Phytolaccaceae</b>				
348.	2793 <i>Phytolacca octandra</i> (Red Ink Plant)	Y		
<b>Pittosporaceae</b>				
349.	25798 <i>Billardiera fusiformis</i> (Australian Bluebell)			
350.	3159 <i>Billardiera laxiflora</i>			
351.	3165 <i>Billardiera variifolia</i>			
352.	16322 <i>Pittosporum undulatum</i>	Y		
<b>Plantaginaceae</b>				
353.	7108 <i>Veronica arvensis</i> (Wall Speedwell)	Y		
<b>Poaceae</b>				
354.	197 <i>Amphipogon debilis</i>			
355.	20184 <i>Amphipogon laguroides</i> subsp. <i>laguroides</i>			
356.	20196 <i>Amphipogon setaceus</i>			
357.	244 <i>Briza maxima</i> (Blowfly Grass)	Y		
358.	249 <i>Bromus diandrus</i> (Great Brome)	Y		
359.	287 <i>Dactylis glomerata</i> (Cocksfoot)	Y		
360.	299 <i>Deyeuxia quadrifida</i> (Reed Bentgrass)			
361.	353 <i>Eleusine indica</i> (Crowsfoot Grass)	Y		
362.	20019 <i>Lachnagrostis filiformis</i>			
363.	10957 <i>Lolium perenne</i> x <i>rigidum</i>	Y		
364.	485 <i>Microlaena stipoides</i> (Weeping Grass)			
365.	613 <i>Setaria verticillata</i> (Whorled Pigeon Grass)	Y		
<b>Polygalaceae</b>				
366.	4550 <i>Comesperma calymega</i> (Blue-spike Milkwort)			
367.	4552 <i>Comesperma confertum</i>			
368.	4554 <i>Comesperma flavum</i>			
369.	4578 <i>Polygala virgata</i>	Y		
<b>Polygonaceae</b>				
370.	2429 <i>Rumex acetosella</i> (Sorrel)	Y		
<b>Pottiaceae</b>				
371.	32315 <i>Barbula calycina</i>			
372.	36137 <i>Pseudocrossidium crinitum</i>			
373.	32451 <i>Triquetrella papillata</i>			
<b>Primulaceae</b>				
374.	6483 <i>Samolus junceus</i>			
<b>Proteaceae</b>				
375.	10824 <i>Acidonia microcarpa</i>			
376.	1791 <i>Adenanthos obovatus</i> (Basket Flower)			
377.	1800 <i>Banksia attenuata</i> (Slender Banksia, Piara)			
378.	32676 <i>Banksia biterax</i>			
379.	1806 <i>Banksia brownii</i> (Feather-leaved Banksia)		T	
380.	32525 <i>Banksia formosa</i> (Showy Dryandra)			
381.	11764 <i>Banksia gardneri</i> var. <i>brevidentata</i>			
382.	11532 <i>Banksia gardneri</i> var. <i>gardneri</i>			
383.	1819 <i>Banksia grandis</i> (Bull Banksia, Pulgarla)			
384.	1822 <i>Banksia ilicifolia</i> (Holly-leaved Banksia)			
385.	1830 <i>Banksia littoralis</i> (Swamp Banksia, Pungura)			
386.	1837 <i>Banksia occidentalis</i> (Red Swamp Banksia)			
387.	1841 <i>Banksia praemorsa</i> (Cut-leaf Banksia)			
388.	1844 <i>Banksia quercifolia</i> (Oak-leaved Banksia)			
389.	32085 <i>Banksia seneciifolia</i>		P4	
390.	32084 <i>Banksia serra</i> (Serrate-leaved Dryandra)		P4	
391.	12111 <i>Banksia sphaerocarpa</i> var. <i>sphaerocarpa</i> (Fox Banksia)			
392.	15610 <i>Conospermum caeruleum</i> subsp. <i>caeruleum</i>			
393.	1863 <i>Conospermum capitatum</i>			



Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
394.	1872 <i>Conospermum flexuosum</i> (Tangled Smokebush)			
395.	17109 <i>Conospermum flexuosum</i> subsp. <i>flexuosum</i>			
396.	2005 <i>Grevillea fasciculata</i>			
397.	2052 <i>Grevillea occidentalis</i>			
398.	15991 <i>Grevillea pulchella</i> subsp. <i>pulchella</i>			
399.	2112 <i>Grevillea trifida</i>			
400.	2128 <i>Hakea amplexicaulis</i> (Prickly Hakea)			
401.	2137 <i>Hakea ceratophylla</i> (Horned Leaf Hakea)			
402.	2150 <i>Hakea cucullata</i> (Hood Leaved Hakea)			
403.	2160 <i>Hakea ferruginea</i>			
404.	2162 <i>Hakea florida</i>			
405.	2169 <i>Hakea lasiantha</i> (Woolly Flowered Hakea)			
406.	2174 <i>Hakea linearis</i>			
407.	2191 <i>Hakea oleifolia</i> (Dungyn)			
408.	2197 <i>Hakea prostrata</i> (Harsh Hakea)			
409.	2203 <i>Hakea ruscifolia</i> (Candle Hakea)			
410.	2212 <i>Hakea sulcata</i> (Furrowed Hakea)			
411.	16640 <i>Hakea tuberculata</i>			
412.	2216 <i>Hakea varia</i> (Variable-leaved Hakea)			
413.	2223 <i>Isopogon axillaris</i>			
414.	12908 <i>Isopogon buxifolius</i> var. <i>buxifolius</i>		P2	
415.	2226 <i>Isopogon cuneatus</i> (Coneflower)			
416.	16880 <i>Isopogon formosus</i> subsp. <i>formosus</i>			
417.	2233 <i>Isopogon longifolius</i>			
418.	2253 <i>Lambertia uniflora</i>			
419.	2262 <i>Persoonia elliptica</i> (Spreading Snottygobble)			
420.	2264 <i>Persoonia graminea</i>			
421.	2267 <i>Persoonia longifolia</i> (Snottygobble)			
422.	2282 <i>Petrophile acicularis</i>			
423.	2292 <i>Petrophile divaricata</i>			
424.	2293 <i>Petrophile diversifolia</i>			
425.	2306 <i>Petrophile rigida</i>			
426.	17765 <i>Petrophile squamata</i> subsp. <i>squamata</i>			
427.	12910 <i>Stirlingia seselifolia</i>			
428.	2318 <i>Stirlingia tenuifolia</i>			
429.	2322 <i>Synaphea favosa</i>			
430.	16859 <i>Synaphea incurva</i>		P3	
431.	16866 <i>Synaphea intricata</i>		P3	
432.	12911 <i>Synaphea obtusata</i>			
433.	2324 <i>Synaphea petiolaris</i> (Synaphea)			
434.	2326 <i>Synaphea polymorpha</i> (Albany Synaphea, Pinda)			
435.	2327 <i>Synaphea preissii</i>		P3	

**Racopilaceae**

436. 32480 *Racopilum cuspidigerum* var. *convolutaceum*

**Restionaceae**

437. 17685 *Chaetanthus aristatus*  
 438. 1065 *Chaetanthus leptocarpoides*  
 439. 17687 *Chaetanthus tenellus*  
 440. 17828 *Chordifex isomorphus*  
 441. 17689 *Chordifex laxus*  
 442. 17691 *Desmocladus fasciculatus*  
 443. 19918 *Hypolaena grandiuscula*  
 444. 46375 *Leptocarpus decipiens*  
 445. 1080 *Leptocarpus scariosus*  
 446. 46377 *Leptocarpus scoparius*  
 447. 1082 *Leptocarpus tenax* (Slender Twine Rush)  
 448. 46379 *Leptocarpus thysananthus*  
 449. 14915 *Sporadanthus strictus*  
 450. 17684 *Tremulina tremula*

**Rhamnaceae**

451. 4828 *Spyridium globulosum* (Basket Bush)  
 452. 14355 *Spyridium majoranifolium*

**Rosaceae**

453. 20506 *Rubus anglocandicans* Y

**Rubiaceae**

454. 7348 *Opercularia hispidula* (Hispid Stinkweed)

**Rutaceae**

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
455.	4403 <i>Boronia alata</i> (Winged Boronia)			
456.	4412 <i>Boronia crassipes</i>		P3	
457.	4413 <i>Boronia crenulata</i> (Aniseed Boronia)			
458.	11503 <i>Boronia crenulata</i> subsp. <i>crenulata</i> var. <i>crenulata</i>			
459.	4416 <i>Boronia denticulata</i>			
460.	16630 <i>Boronia juncea</i> subsp. <i>laniflora</i>			
461.	16631 <i>Boronia juncea</i> subsp. <i>micrantha</i>			
462.	4441 <i>Boronia spathulata</i> (Boronia)			
463.	4442 <i>Boronia stricta</i>			
464.	18547 <i>Rhadinothamnus anceps</i>			
<b>Santalaceae</b>				
465.	2335 <i>Choretrum lateriflorum</i> (Dwarf Sour Bush)			
466.	2350 <i>Leptomeria pauciflora</i> (Sparse-flowered Currant Bush)			
467.	2353 <i>Leptomeria scrobiculata</i>			
468.	2355 <i>Leptomeria squarrolosa</i>			
<b>Sapindaceae</b>				
469.	4757 <i>Dodonaea ceratocarpa</i>			
<b>Selaginellaceae</b>				
470.	6 <i>Selaginella gracillima</i> (Tiny Clubmoss)			
<b>Sematophyllaceae</b>				
471.	32483 <i>Sematophyllum subhumile</i> var. <i>contiguum</i>			
<b>Solanaceae</b>				
472.	11505 <i>Anthocercis viscosa</i> subsp. <i>viscosa</i>			
473.	7017 <i>Solanum laciniatum</i> (Kangaroo Apple)	Y		
<b>Stylidiaceae</b>				
474.	7676 <i>Levenhookia pusilla</i> (Midget Stylewort)			
475.	39881 <i>Stylidium acuminatum</i> subsp. <i>meridionale</i>			
476.	7684 <i>Stylidium amoenum</i> (Lovely Triggerplant)			
477.	7687 <i>Stylidium assimile</i> (Bronze-leaved Triggerplant)			
478.	7689 <i>Stylidium beaugleholei</i>			
479.	7695 <i>Stylidium caespitosum</i> (Fly-away Triggerplant)			
480.	7696 <i>Stylidium calcaratum</i> (Book Triggerplant)			
481.	7712 <i>Stylidium despectum</i> (Dwarf Triggerplant)			
482.	7718 <i>Stylidium diversifolium</i> (Touch-me-not)			
483.	20691 <i>Stylidium gloeophyllum</i>		P4	
484.	7735 <i>Stylidium hirsutum</i> (Hairy Triggerplant)			
485.	7742 <i>Stylidium inundatum</i> (Hundreds and Thousands)			
486.	7757 <i>Stylidium luteum</i> (Yellow Triggerplant)			
487.	25851 <i>Stylidium nymphaeum</i>			
488.	7774 <i>Stylidium piliferum</i> (Common Butterfly Triggerplant)			
489.	7776 <i>Stylidium plantagineum</i> (Plantagenet Triggerplant)			
490.	7784 <i>Stylidium pygmaeum</i> (Pygmy Triggerplant)			
491.	7785 <i>Stylidium repens</i> (Matted Triggerplant)			
492.	7796 <i>Stylidium scandens</i> (Climbing Triggerplant)			
493.	<i>Stylidium</i> sp.			
494.	7799 <i>Stylidium spathulatum</i> (Creamy Triggerplant)			
495.	7800 <i>Stylidium spinulosum</i> (Topsy-turvy Triggerplant)			
496.	7802 <i>Stylidium squamosotuberosum</i> (Fleshy-rhizomed Trigger Plant)			
497.	7808 <i>Stylidium violaceum</i> (Violet Triggerplant)			
<b>Thuidiaceae</b>				
498.	32442 <i>Thuidium sparsum</i>			
499.	32486 <i>Thuidium sparsum</i> var. <i>hastatum</i>			
<b>Thymelaeaceae</b>				
500.	5231 <i>Pimelea angustifolia</i> (Narrow-leaved Pimelea)			
501.	5239 <i>Pimelea clavata</i>			
502.	5249 <i>Pimelea hispida</i> (Bristly Pimelea)			
503.	5255 <i>Pimelea longiflora</i>			
504.	18115 <i>Pimelea rosea</i> subsp. <i>annelsii</i>		P3	
505.	5270 <i>Pimelea tinctoria</i>			
<b>Xyridaceae</b>				
506.	1144 <i>Xyris flexifolia</i>			
507.	1149 <i>Xyris lacera</i>			
508.	1150 <i>Xyris lanata</i>			

**Conservation Codes**

Name	ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
------	----	--------------	-------------	-------------------	------------------------------------

T - Rare or likely to become extinct  
X - Presumed extinct  
IA - Protected under international agreement  
S - Other specially protected fauna  
1 - Priority 1  
2 - Priority 2  
3 - Priority 3  
4 - Priority 4  
5 - Priority 5

<sup>1</sup> For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.



# EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 22/04/20 15:19:05

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)


[Acknowledgements](#)



This map may contain data which are ©Commonwealth of Australia (Geoscience Australia), ©PSMA 2010

[Coordinates](#)

[Buffer: 10.0Km](#)



# Summary

## Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

<a href="#">World Heritage Properties:</a>	None
<a href="#">National Heritage Places:</a>	None
<a href="#">Wetlands of International Importance:</a>	None
<a href="#">Great Barrier Reef Marine Park:</a>	None
<a href="#">Commonwealth Marine Area:</a>	None
<a href="#">Listed Threatened Ecological Communities:</a>	1
<a href="#">Listed Threatened Species:</a>	51
<a href="#">Listed Migratory Species:</a>	41

## Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

<a href="#">Commonwealth Land:</a>	1
<a href="#">Commonwealth Heritage Places:</a>	None
<a href="#">Listed Marine Species:</a>	60
<a href="#">Whales and Other Cetaceans:</a>	12
<a href="#">Critical Habitats:</a>	None
<a href="#">Commonwealth Reserves Terrestrial:</a>	None
<a href="#">Australian Marine Parks:</a>	None

## Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

<a href="#">State and Territory Reserves:</a>	5
<a href="#">Regional Forest Agreements:</a>	1
<a href="#">Invasive Species:</a>	25
<a href="#">Nationally Important Wetlands:</a>	None
<a href="#">Key Ecological Features (Marine)</a>	None

# Details

## Matters of National Environmental Significance

### Listed Threatened Ecological Communities

[\[ Resource Information \]](#)

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

Name	Status	Type of Presence
<a href="#">Subtropical and Temperate Coastal Saltmarsh</a>	Vulnerable	Community likely to occur within area

### Listed Threatened Species

[\[ Resource Information \]](#)

Name	Status	Type of Presence
------	--------	------------------

#### Birds

<a href="#">Botaurus poiciloptilus</a> Australasian Bittern [1001]	Endangered	Species or species habitat known to occur within area
<a href="#">Calidris canutus</a> Red Knot, Knot [855]	Endangered	Species or species habitat likely to occur within area
<a href="#">Calidris ferruginea</a> Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Calyptorhynchus banksii naso</a> Forest Red-tailed Black-Cockatoo, Karrak [67034]	Vulnerable	Species or species habitat known to occur within area
<a href="#">Calyptorhynchus baudinii</a> Baudin's Cockatoo, Long-billed Black-Cockatoo [769]	Endangered	Breeding known to occur within area
<a href="#">Calyptorhynchus latirostris</a> Carnaby's Cockatoo, Short-billed Black-Cockatoo [59523]	Endangered	Species or species habitat known to occur within area
<a href="#">Cereopsis novaehollandiae grisea</a> Cape Barren Goose (south-western), Recherche Cape Barren Goose [25978]	Vulnerable	Species or species habitat may occur within area
<a href="#">Dasyornis longirostris</a> Western Bristlebird [515]	Endangered	Species or species habitat likely to occur within area
<a href="#">Diomedea antipodensis</a> Antipodean Albatross [64458]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea dabbenena</a> Tristan Albatross [66471]	Endangered	Species or species habitat may occur within area
<a href="#">Diomedea epomophora</a> Southern Royal Albatross [89221]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area

Name	Status	Type of Presence
<a href="#">Diomedea exulans</a> Wandering Albatross [89223]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea sanfordi</a> Northern Royal Albatross [64456]	Endangered	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Limosa lapponica baueri</a> Bar-tailed Godwit (baueri), Western Alaskan Bar-tailed Godwit [86380]	Vulnerable	Species or species habitat may occur within area
<a href="#">Limosa lapponica menzbieri</a> Northern Siberian Bar-tailed Godwit, Bar-tailed Godwit (menzbieri) [86432]	Critically Endangered	Species or species habitat may occur within area
<a href="#">Macronectes giganteus</a> Southern Giant-Petrel, Southern Giant Petrel [1060]	Endangered	Species or species habitat may occur within area
<a href="#">Macronectes halli</a> Northern Giant Petrel [1061]	Vulnerable	Species or species habitat may occur within area
<a href="#">Numenius madagascariensis</a> Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat may occur within area
<a href="#">Pachyptila turtur subantarctica</a> Fairy Prion (southern) [64445]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Phoebastria fusca</a> Sooty Albatross [1075]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Sternula nereis nereis</a> Australian Fairy Tern [82950]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Thalassarche cauta cauta</a> Shy Albatross [82345]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Thalassarche cauta steadi</a> White-capped Albatross [82344]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Thalassarche impavida</a> Campbell Albatross, Campbell Black-browed Albatross [64459]	Vulnerable	Species or species habitat may occur within area
<a href="#">Thalassarche melanophris</a> Black-browed Albatross [66472]	Vulnerable	Species or species habitat may occur within area
<b>Fish</b>		
<a href="#">Nannatherina balstoni</a> Balston's Pygmy Perch [66698]	Vulnerable	Species or species habitat likely to occur within area
<b>Insects</b>		
<a href="#">Trioza barrettae</a> Banksia brownii plant louse [87805]	Endangered	Species or species habitat likely to occur within area
<b>Mammals</b>		
<a href="#">Balaenoptera musculus</a> Blue Whale [36]	Endangered	Species or species habitat likely to occur within area
<a href="#">Dasyurus geoffroii</a> Chuditch, Western Quoll [330]	Vulnerable	Species or species

Name	Status	Type of Presence
<a href="#">Eubalaena australis</a> Southern Right Whale [40]	Endangered	habitat likely to occur within area Breeding known to occur within area
<a href="#">Megaptera novaeangliae</a> Humpback Whale [38]	Vulnerable	Species or species habitat known to occur within area
<a href="#">Neophoca cinerea</a> Australian Sea-lion, Australian Sea Lion [22]	Vulnerable	Species or species habitat may occur within area
<a href="#">Parantechinus apicalis</a> Dibbler [313]	Endangered	Species or species habitat likely to occur within area
<a href="#">Pseudocheirus occidentalis</a> Western Ringtail Possum, Ngwayir, Womp, Woder, Ngoor, Ngoolangit [25911]	Critically Endangered	Species or species habitat known to occur within area
<b>Other</b>		
<a href="#">Westralunio carteri</a> Carter's Freshwater Mussel, Freshwater Mussel [86266]	Vulnerable	Species or species habitat likely to occur within area
<b>Plants</b>		
<a href="#">Banksia brownii</a> Brown's Banksia, Feather-leaved Banksia [8277]	Endangered	Species or species habitat known to occur within area
<a href="#">Banksia goodii</a> Good's Banksia [16727]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Caladenia harringtoniae</a> Harrington's Spider-orchid, Pink Spider-orchid [56786]	Vulnerable	Species or species habitat may occur within area
<a href="#">Calectasia cyanea</a> Blue Tinsel Lily [7669]	Critically Endangered	Species or species habitat likely to occur within area
<a href="#">Chordifex abortivus</a> Manypeaks Rush [64868]	Endangered	Species or species habitat may occur within area
<a href="#">Conostylis misera</a> Grass Conostylis [21320]	Endangered	Species or species habitat likely to occur within area
<a href="#">Drakaea micrantha</a> Dwarf Hammer-orchid [56755]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Isopogon uncinatus</a> Albany Cone Bush, Hook-leaf Isopogon [20871]	Endangered	Species or species habitat likely to occur within area
<a href="#">Kennedia glabrata</a> Northcliffe Kennedia [16452]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Sphenotoma drummondii</a> Mountain Paper-heath [21160]	Endangered	Species or species habitat may occur within area
<b>Reptiles</b>		
<a href="#">Caretta caretta</a> Loggerhead Turtle [1763]	Endangered	Breeding likely to occur within area
<a href="#">Chelonia mydas</a> Green Turtle [1765]	Vulnerable	Breeding likely to occur



Name	Status	Type of Presence within area
<a href="#">Dermochelys coriacea</a> Leatherback Turtle, Leathery Turtle, Luth [1768]	Endangered	Breeding likely to occur within area
<b>Sharks</b>		
<a href="#">Carcharias taurus (west coast population)</a> Grey Nurse Shark (west coast population) [68752]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Carcharodon carcharias</a> White Shark, Great White Shark [64470]	Vulnerable	Foraging, feeding or related behaviour known to occur within area
<a href="#">Rhincodon typus</a> Whale Shark [66680]	Vulnerable	Species or species habitat may occur within area
<b>Listed Migratory Species</b>		<a href="#">[ Resource Information ]</a>
* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.		
Name	Threatened	Type of Presence
<b>Migratory Marine Birds</b>		
<a href="#">Apus pacificus</a> Fork-tailed Swift [678]		Species or species habitat likely to occur within area
<a href="#">Ardenna carneipes</a> Flesh-footed Shearwater, Fleshy-footed Shearwater [82404]		Foraging, feeding or related behaviour likely to occur within area
<a href="#">Ardenna grisea</a> Sooty Shearwater [82651]		Species or species habitat may occur within area
<a href="#">Diomedea antipodensis</a> Antipodean Albatross [64458]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea dabbenena</a> Tristan Albatross [66471]	Endangered	Species or species habitat may occur within area
<a href="#">Diomedea epomophora</a> Southern Royal Albatross [89221]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea exulans</a> Wandering Albatross [89223]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea sanfordi</a> Northern Royal Albatross [64456]	Endangered	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Hydroprogne caspia</a> Caspian Tern [808]		Foraging, feeding or related behaviour known to occur within area
<a href="#">Macronectes giganteus</a> Southern Giant-Petrel, Southern Giant Petrel [1060]	Endangered	Species or species habitat may occur within area
<a href="#">Macronectes halli</a> Northern Giant Petrel [1061]	Vulnerable	Species or species habitat may occur within area
<a href="#">Phoebetria fusca</a> Sooty Albatross [1075]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Thalassarche cauta</a> Shy Albatross [89224]	Vulnerable*	Foraging, feeding or

Name	Threatened	Type of Presence
<a href="#">Thalassarche impavida</a> Campbell Albatross, Campbell Black-browed Albatross [64459]	Vulnerable	related behaviour likely to occur within area Species or species habitat may occur within area
<a href="#">Thalassarche melanophris</a> Black-browed Albatross [66472]	Vulnerable	Species or species habitat may occur within area
<a href="#">Thalassarche steadi</a> White-capped Albatross [64462]	Vulnerable*	Foraging, feeding or related behaviour likely to occur within area
<b>Migratory Marine Species</b>		
<a href="#">Balaena glacialis australis</a> Southern Right Whale [75529]	Endangered*	Breeding known to occur within area
<a href="#">Balaenoptera edeni</a> Bryde's Whale [35]		Species or species habitat may occur within area
<a href="#">Balaenoptera musculus</a> Blue Whale [36]	Endangered	Species or species habitat likely to occur within area
<a href="#">Caperea marginata</a> Pygmy Right Whale [39]		Species or species habitat may occur within area
<a href="#">Carcharodon carcharias</a> White Shark, Great White Shark [64470]	Vulnerable	Foraging, feeding or related behaviour known to occur within area
<a href="#">Caretta caretta</a> Loggerhead Turtle [1763]	Endangered	Breeding likely to occur within area
<a href="#">Chelonia mydas</a> Green Turtle [1765]	Vulnerable	Breeding likely to occur within area
<a href="#">Dermochelys coriacea</a> Leatherback Turtle, Leathery Turtle, Luth [1768]	Endangered	Breeding likely to occur within area
<a href="#">Lagenorhynchus obscurus</a> Dusky Dolphin [43]		Species or species habitat may occur within area
<a href="#">Lamna nasus</a> Porbeagle, Mackerel Shark [83288]		Species or species habitat may occur within area
<a href="#">Manta alfredi</a> Reef Manta Ray, Coastal Manta Ray, Inshore Manta Ray, Prince Alfred's Ray, Resident Manta Ray [84994]		Species or species habitat may occur within area
<a href="#">Manta birostris</a> Giant Manta Ray, Chevron Manta Ray, Pacific Manta Ray, Pelagic Manta Ray, Oceanic Manta Ray [84995]		Species or species habitat may occur within area
<a href="#">Megaptera novaeangliae</a> Humpback Whale [38]	Vulnerable	Species or species habitat known to occur within area
<a href="#">Orcinus orca</a> Killer Whale, Orca [46]		Species or species habitat may occur within area
<a href="#">Rhincodon typus</a> Whale Shark [66680]	Vulnerable	Species or species habitat may occur within area
<b>Migratory Terrestrial Species</b>		

Name	Threatened	Type of Presence
<a href="#">Motacilla cinerea</a> Grey Wagtail [642]		Species or species habitat may occur within area
<b>Migratory Wetlands Species</b>		
<a href="#">Actitis hypoleucos</a> Common Sandpiper [59309]		Species or species habitat known to occur within area
<a href="#">Calidris acuminata</a> Sharp-tailed Sandpiper [874]		Species or species habitat likely to occur within area
<a href="#">Calidris canutus</a> Red Knot, Knot [855]	Endangered	Species or species habitat likely to occur within area
<a href="#">Calidris ferruginea</a> Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Calidris melanotos</a> Pectoral Sandpiper [858]		Species or species habitat may occur within area
<a href="#">Limosa lapponica</a> Bar-tailed Godwit [844]		Species or species habitat likely to occur within area
<a href="#">Numenius madagascariensis</a> Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat may occur within area
<a href="#">Pandion haliaetus</a> Osprey [952]		Species or species habitat known to occur within area
<a href="#">Tringa nebularia</a> Common Greenshank, Greenshank [832]		Species or species habitat likely to occur within area

## Other Matters Protected by the EPBC Act

### Commonwealth Land

[\[ Resource Information \]](#)

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name
Commonwealth Land -

### Listed Marine Species

[\[ Resource Information \]](#)

\* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
<b>Birds</b>		
<a href="#">Actitis hypoleucos</a> Common Sandpiper [59309]		Species or species habitat known to occur within area
<a href="#">Apus pacificus</a> Fork-tailed Swift [678]		Species or species habitat likely to occur within area
<a href="#">Ardea alba</a> Great Egret, White Egret [59541]		Species or species habitat known to occur within area

Name	Threatened	Type of Presence
<a href="#">Ardea ibis</a> Cattle Egret [59542]		Species or species habitat may occur within area
<a href="#">Calidris acuminata</a> Sharp-tailed Sandpiper [874]		Species or species habitat likely to occur within area
<a href="#">Calidris canutus</a> Red Knot, Knot [855]	Endangered	Species or species habitat likely to occur within area
<a href="#">Calidris ferruginea</a> Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Calidris melanotos</a> Pectoral Sandpiper [858]		Species or species habitat may occur within area
<a href="#">Cereopsis novaehollandiae grisea</a> Cape Barren Goose (south-western), Recherche Cape Barren Goose [25978]	Vulnerable	Species or species habitat may occur within area
<a href="#">Chrysococcyx osculans</a> Black-eared Cuckoo [705]		Species or species habitat likely to occur within area
<a href="#">Diomedea antipodensis</a> Antipodean Albatross [64458]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea dabbenena</a> Tristan Albatross [66471]	Endangered	Species or species habitat may occur within area
<a href="#">Diomedea epomophora</a> Southern Royal Albatross [89221]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea exulans</a> Wandering Albatross [89223]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Diomedea sanfordi</a> Northern Royal Albatross [64456]	Endangered	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Haliaeetus leucogaster</a> White-bellied Sea-Eagle [943]		Species or species habitat known to occur within area
<a href="#">Limosa lapponica</a> Bar-tailed Godwit [844]		Species or species habitat likely to occur within area
<a href="#">Macronectes giganteus</a> Southern Giant-Petrel, Southern Giant Petrel [1060]	Endangered	Species or species habitat may occur within area
<a href="#">Macronectes halli</a> Northern Giant Petrel [1061]	Vulnerable	Species or species habitat may occur within area
<a href="#">Merops ornatus</a> Rainbow Bee-eater [670]		Species or species habitat may occur within area
<a href="#">Motacilla cinerea</a> Grey Wagtail [642]		Species or species habitat may occur within area

Name	Threatened	Type of Presence
<a href="#">Numenius madagascariensis</a> Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat may occur within area
<a href="#">Pachyptila turtur</a> Fairy Prion [1066]		Species or species habitat likely to occur within area
<a href="#">Pandion haliaetus</a> Osprey [952]		Species or species habitat known to occur within area
<a href="#">Phoebastria fusca</a> Sooty Albatross [1075]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Puffinus carneipes</a> Flesh-footed Shearwater, Fleshy-footed Shearwater [1043]		Foraging, feeding or related behaviour likely to occur within area
<a href="#">Puffinus griseus</a> Sooty Shearwater [1024]		Species or species habitat may occur within area
<a href="#">Sterna caspia</a> Caspian Tern [59467]		Foraging, feeding or related behaviour known to occur within area
<a href="#">Thalassarche cauta</a> Shy Albatross [89224]	Vulnerable*	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Thalassarche impavida</a> Campbell Albatross, Campbell Black-browed Albatross [64459]	Vulnerable	Species or species habitat may occur within area
<a href="#">Thalassarche melanophris</a> Black-browed Albatross [66472]	Vulnerable	Species or species habitat may occur within area
<a href="#">Thalassarche steadi</a> White-capped Albatross [64462]	Vulnerable*	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Thinornis rubricollis</a> Hooded Plover [59510]		Species or species habitat known to occur within area
<a href="#">Tringa nebularia</a> Common Greenshank, Greenshank [832]		Species or species habitat likely to occur within area
<b>Fish</b>		
<a href="#">Acentronura australe</a> Southern Pygmy Pipehorse [66185]		Species or species habitat may occur within area
<a href="#">Campichthys galei</a> Gale's Pipefish [66191]		Species or species habitat may occur within area
<a href="#">Heraldia nocturna</a> Upside-down Pipefish, Eastern Upside-down Pipefish, Eastern Upside-down Pipefish [66227]		Species or species habitat may occur within area
<a href="#">Hippocampus breviceps</a> Short-head Seahorse, Short-snouted Seahorse [66235]		Species or species habitat may occur within area
<a href="#">Histiogamphelus cristatus</a> Rhino Pipefish, Macleay's Crested Pipefish, Ring-back Pipefish [66243]		Species or species habitat may occur within area

Name	Threatened	Type of Presence
<a href="#">Leptoichthys fistularius</a> Brushtail Pipefish [66248]		Species or species habitat may occur within area
<a href="#">Lissocampus caudalis</a> Australian Smooth Pipefish, Smooth Pipefish [66249]		Species or species habitat may occur within area
<a href="#">Lissocampus runa</a> Javelin Pipefish [66251]		Species or species habitat may occur within area
<a href="#">Maroubra perserrata</a> Sawtooth Pipefish [66252]		Species or species habitat may occur within area
<a href="#">Nannocampus subosseus</a> Bonyhead Pipefish, Bony-headed Pipefish [66264]		Species or species habitat may occur within area
<a href="#">Notiocampus ruber</a> Red Pipefish [66265]		Species or species habitat may occur within area
<a href="#">Phycodurus eques</a> Leafy Seadragon [66267]		Species or species habitat may occur within area
<a href="#">Phyllopteryx taeniolatus</a> Common Seadragon, Weedy Seadragon [66268]		Species or species habitat may occur within area
<a href="#">Pugnaso curtirostris</a> Pugnose Pipefish, Pug-nosed Pipefish [66269]		Species or species habitat may occur within area
<a href="#">Solegnathus lettiensis</a> Gunther's Pipehorse, Indonesian Pipefish [66273]		Species or species habitat may occur within area
<a href="#">Stigmatopora argus</a> Spotted Pipefish, Gulf Pipefish, Peacock Pipefish [66276]		Species or species habitat may occur within area
<a href="#">Stigmatopora nigra</a> Widebody Pipefish, Wide-bodied Pipefish, Black Pipefish [66277]		Species or species habitat may occur within area
<a href="#">Urocampus carinirostris</a> Hairy Pipefish [66282]		Species or species habitat may occur within area
<a href="#">Vanacampus margaritifer</a> Mother-of-pearl Pipefish [66283]		Species or species habitat may occur within area
<a href="#">Vanacampus phillipi</a> Port Phillip Pipefish [66284]		Species or species habitat may occur within area
<a href="#">Vanacampus poecilolaemus</a> Longsnout Pipefish, Australian Long-snout Pipefish, Long-snouted Pipefish [66285]		Species or species habitat may occur within area
<b>Mammals</b>		
<a href="#">Arctocephalus forsteri</a> Long-nosed Fur-seal, New Zealand Fur-seal [20]		Species or species habitat likely to occur within area
<a href="#">Neophoca cinerea</a> Australian Sea-lion, Australian Sea Lion [22]	Vulnerable	Species or species habitat may occur within area

Name	Threatened	Type of Presence
<b>Reptiles</b>		
<a href="#">Caretta caretta</a> Loggerhead Turtle [1763]	Endangered	Breeding likely to occur within area
<a href="#">Chelonia mydas</a> Green Turtle [1765]	Vulnerable	Breeding likely to occur within area
<a href="#">Dermochelys coriacea</a> Leatherback Turtle, Leathery Turtle, Luth [1768]	Endangered	Breeding likely to occur within area

**Whales and other Cetaceans** [\[ Resource Information \]](#)

Name	Status	Type of Presence
<b>Mammals</b>		
<a href="#">Balaenoptera acutorostrata</a> Minke Whale [33]		Species or species habitat may occur within area
<a href="#">Balaenoptera edeni</a> Bryde's Whale [35]		Species or species habitat may occur within area
<a href="#">Balaenoptera musculus</a> Blue Whale [36]	Endangered	Species or species habitat likely to occur within area
<a href="#">Caperea marginata</a> Pygmy Right Whale [39]		Species or species habitat may occur within area
<a href="#">Delphinus delphis</a> Common Dolphin, Short-beaked Common Dolphin [60]		Species or species habitat may occur within area
<a href="#">Eubalaena australis</a> Southern Right Whale [40]	Endangered	Breeding known to occur within area
<a href="#">Grampus griseus</a> Risso's Dolphin, Grampus [64]		Species or species habitat may occur within area
<a href="#">Lagenorhynchus obscurus</a> Dusky Dolphin [43]		Species or species habitat may occur within area
<a href="#">Megaptera novaeangliae</a> Humpback Whale [38]	Vulnerable	Species or species habitat known to occur within area
<a href="#">Orcinus orca</a> Killer Whale, Orca [46]		Species or species habitat may occur within area
<a href="#">Tursiops aduncus</a> Indian Ocean Bottlenose Dolphin, Spotted Bottlenose Dolphin [68418]		Species or species habitat likely to occur within area
<a href="#">Tursiops truncatus s. str.</a> Bottlenose Dolphin [68417]		Species or species habitat may occur within area

## Extra Information

### State and Territory Reserves [\[ Resource Information \]](#)

Name	State
Down Road	WA
Lake Powell	WA
Marbelup	WA
Phillips Brook	WA
Unnamed WA01998	WA

### Regional Forest Agreements [\[ Resource Information \]](#)

Note that all areas with completed RFAs have been included.

Name	State
<a href="#">South West WA RFA</a>	Western Australia

### Invasive Species [\[ Resource Information \]](#)

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resources Audit, 2001.

Name	Status	Type of Presence
------	--------	------------------

#### Birds

Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Streptopelia senegalensis Laughing Turtle-dove, Laughing Dove [781]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area

#### Mammals

Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur



Name	Status	Type of Presence within area
<b>Plants</b>		
Asparagus asparagoides Bridal Creeper, Bridal Veil Creeper, Smilax, Florist's Smilax, Smilax Asparagus [22473]		Species or species habitat likely to occur within area
Cenchrus ciliaris Buffel-grass, Black Buffel-grass [20213]		Species or species habitat may occur within area
Chrysanthemoides monilifera subsp. monilifera Boneseed [16905]		Species or species habitat likely to occur within area
Genista linifolia Flax-leaved Broom, Mediterranean Broom, Flax Broom [2800]		Species or species habitat likely to occur within area
Genista monspessulana Montpellier Broom, Cape Broom, Canary Broom, Common Broom, French Broom, Soft Broom [20126]		Species or species habitat likely to occur within area
Genista sp. X Genista monspessulana Broom [67538]		Species or species habitat may occur within area
Lantana camara Lantana, Common Lantana, Kamara Lantana, Large-leaf Lantana, Pink Flowered Lantana, Red Flowered Lantana, Red-Flowered Sage, White Sage, Wild Sage [10892]		Species or species habitat likely to occur within area
Lycium ferocissimum African Boxthorn, Boxthorn [19235]		Species or species habitat likely to occur within area
Pinus radiata Radiata Pine Monterey Pine, Insignis Pine, Wilding Pine [20780]		Species or species habitat may occur within area
Rubus fruticosus aggregate Blackberry, European Blackberry [68406]		Species or species habitat likely to occur within area
Sagittaria platyphylla Delta Arrowhead, Arrowhead, Slender Arrowhead [68483]		Species or species habitat likely to occur within area
Salix spp. except S.babylonica, S.x calodendron & S.x reichardtii Willows except Weeping Willow, Pussy Willow and Sterile Pussy Willow [68497]		Species or species habitat likely to occur within area
Ulex europaeus Gorse, Furze [7693]		Species or species habitat likely to occur within area

# Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

Threatened, migratory and marine species distributions have been derived through a variety of methods. Where distributions are well known and if time permits, maps are derived using either thematic spatial data (i.e. vegetation, soils, geology, elevation, aspect, terrain, etc) together with point locations and described habitat; or environmental modelling (MAXENT or BIOCLIM habitat modelling) using point locations and environmental data layers.

Where very little information is available for species or large number of maps are required in a short time-frame, maps are derived either from 0.04 or 0.02 decimal degree cells; by an automated process using polygon capture techniques (static two kilometre grid cells, alpha-hull and convex hull); or captured manually or by using topographic features (national park boundaries, islands, etc). In the early stages of the distribution mapping process (1999-early 2000s) distributions were defined by degree blocks, 100K or 250K map sheets to rapidly create distribution maps. More reliable distribution mapping methods are used to update these distributions as time permits.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

# Coordinates

-34.95513 117.72229

# Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Department of Land and Resource Management, Northern Territory](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- [-Natural history museums of Australia](#)
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- [-Australian Tropical Herbarium, Cairns](#)
- [-eBird Australia](#)
- [-Australian Government – Australian Antarctic Data Centre](#)
- [-Museum and Art Gallery of the Northern Territory](#)
- [-Australian Government National Environmental Science Program](#)
- [-Australian Institute of Marine Science](#)
- [-Reef Life Survey Australia](#)
- [-American Museum of Natural History](#)
- [-Queen Victoria Museum and Art Gallery, Inveresk, Tasmania](#)
- [-Tasmanian Museum and Art Gallery, Hobart, Tasmania](#)
- [-Other groups and individuals](#)

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.