Suite 7, 57-59 Lockyer Avenue ALBANY WA 6330 vww.auroraenvironmental.com.au



DRAFT Albany Local Biodiversity Strategy 2025 – 2035 Technical Report City of Albany, Western Australia

Our biodiversity – Our sense of place – Our key to future resilience



Prepared For:	City of Albany 102 North Road ALBANY WA 6330
Report Number:	AA2024/165
Report Version:	V5
Report Date:	7 July 2025

DISCLAIMER

This document has been produced in accordance with and is subject to an agreement between Aurora Environmental ("Aurora") and the client for whom it has been prepared ("Client"). It is restricted to those issues raised by the Client in their engagement of Aurora and has been prepared using the skill and care normally exercised by Environmental / Occupational Health and Safety consultants in creating such documents. Any person or organisation that relies on or uses this document for purposes or reasons other than those agreed upon by Aurora and the Client, without first obtaining the prior written consent of Aurora, does so entirely at their own risk. They should not alter their position or refrain from doing so based solely on this document. Aurora denies all liability in tort, contract, or otherwise for any loss, damage, or injury of any kind whatsoever (whether in negligence or otherwise) that may be suffered as a consequence of relying on this document for any purpose other than those agreed by Aurora. This Strategy has been prepared for the City of Albany by Aurora Environmental, incorporating input from key stakeholders, including State Government agencies, community members, and organisations with expertise in biodiversity protection and natural resource management. Funding has been provided by the Western Australian Local Government Association. The report recommendations and protection targets reflect the professional judgement of the authors, Project Control Group, and key stakeholders and do not constitute Council policy until endorsed by Council. Targets and mapping are based on available regional-scale datasets and information provided by the State Government, and do not always include on-ground assessments or surveys. All reasonable efforts have been made by Aurora Environmental and information providers to ensure the accuracy of the information presented within the report. Any decision, investment, or development proposal relating to specific vegetated natural areas within the municipality should be supported by site-specific ecological assessments and should not rely solely on the information presented in this report.

QUALITY ASSURANCE

Aurora Environmental has implemented a comprehensive range of quality control measures on all aspects of the company's operation.

An internal quality review process has been applied to each project task undertaken by us. Each document is carefully reviewed and signed off by senior members of the consultancy team prior to issue to the client.

Document No: CAL-AP00714-BIO_001_mp_V5

Melanie Price

Report No: AA2024/165

Author

Principal Environmental Scientist

Mulanie Frie

7 July 2025

Signature

Date

Reviewed by: Dr Catherine Hall Senior Environmental

Scientist

Catherine Hall

7 July 2025

Reviewed by: Paul Zuvela Principal Environmental Scientist

Signature

Signature

7 July 2025

Date

Date

DISTRIBUTION

REPORT FILE NAME	VERSION	DATE	PREPARED FOR	INITIALS
CAL-AP00714-BIO_001_mp_V1	V1	6 March 2025	City of Albany	MP
CAL-AP00714-BIO_001_mp_V2	V2	12 May 2025	City of Albany	MP
CAL-AP00714-BIO_001_mp_V3	V3	19 May 2025	City of Albany	MP
CAL-AP00714-BIO_001_mp_V4	V4	18 June 2025	City of Albany	MP
CAL-AP00714-BIO_001_mp_V5	V5	7 July 2025	City of Albany	MP

Citation:

City of Albany and Aurora Environmental (2025) Draft Albany Local Biodiversity Strategy. Prepared for the City of Albany with funding from the Western Australian Local Government Association. Albany, Western Australia. Report No. AA2024/165

TABLE OF CONTENTS

ΑΤΤΑ	CHMEN	TS	IX
EXEC	UTIVE S	UMMARY	1
1	INTRO	DDUCTION	3
	1.1	ALBANY AND BIODIVERSITY	3
	1.2	WHY IS BIODIVERSITY IMPORTANT?	5
	1.3	BIODIVERSITY PLANNING FRAMEWORK	5
	1.4	VALUES	6
	1.5	VISION	7
	1.6	MISSION	7
	1.7	PRINCIPLES OF BIODIVERSITY PROTECTION	7
	1.8	GOALS	8
	1.9	OBJECTIVES	8
	1.10	KEY FEATURES OF A LOCAL BIODIVERSITY STRATEGY	9
	1.11	WHAT CAN A BIODIVERSITY STRATEGY DO?	9
	1.12	WHAT CAN A BIODIVERSITY STRATEGY NOT DO?	11
2	STAK	EHOLDER ENGAGEMENT	12
3	BIOD	IVERSITY PROTECTION FRAMEWORK	17
	3.1	INTERNATIONAL	17
	3.2	AUSTRALIAN GOVERNMENT	18
	3.3	WESTERN AUSTRALIA	19
	3.4	REGIONAL	21
4	CITY (OF ALBANY	22
	4.1	CULTURE	22
	4.2	CITY OF ALBANY – ROLE IN LEGISLATION AND POLICY FRAMEWORK	22
	4.3	CITY OF ALBANY COMMUNITY STRATEGIC PLAN 2032	24
	4.4	CITY OF ALBANY LOCAL PLANNING STRATEGY 2019 - VEGETATION BIODIVERSITY CONSERVATION	N AND 24
	4.5	CITY OF ALBANY LOCAL PLANNING SCHEME NO. 2	25
	4.6	LAND USE	27

	4.7	CITY OF ALBANY MANAGED LAND	29
	4.8	FREEHOLD LAND	30
5	BIOD	IVERSITY VALUES	31
	5.1	STATUS OF BIODIVERSITY	31
	5.2	IBRA BIOREGIONS	31
	5.3	CLIMATE	31
	5.4	LANDSCAPE AND LANDFORM	32
	5.5	FLORA	32
	5.6	PRE-EUROPEAN VEGETATION AND REPRESENTATION	33
	5.7	ALBANY REGIONAL VEGETATION SURVEY	37
	5.8	ECOLOGICAL COMMUNITIES	40
	5.9	FAUNA	44
	5.10	FUNGI AND OTHER LIFE FORMS	45
	5.11	STATE MANAGED CONSERVATION RESERVES	45
	5.12	WETLANDS AND WATER COURSES	46
	5.13	COASTAL AREAS	46
	5.14	CONNECTIVITY	46
	5.15	MATTERS OF NATIONAL ENVIRONMENTAL SIGNIFICANCE	47
6	ACHI	EVEMENTS	48
	6.1	LAND USE PLANNING	48
	6.1.1	Local Planning Strategy and Local Planning Scheme No. 2	48
	6.1.2	Special Control Areas	48
	6.2	THREAT ABATEMENT	48
	6.3	BIODIVERSITY MANAGEMENT PARTNERSHIPS	49
	6.4	SUPPORT OF VOLUNTEERS	50
	6.5	ENVIRONMENTAL STRATEGIES AND PUBLICATIONS	51
	6.6	MANAGEMENT OF RESERVES	52
	6.7	MANAGEMENT OF ROAD RESERVES	52
7	THRE	ATS TO BIODIVERSITY	53
	7.1	CLEARING AND FRAGMENTATION	53
	7.2	CLIMATE CHANGE AND VARIABILITY	54

	7.3	FIRE REGIMES	56
	7.4	DISEASES AND PATHOGENS	59
	7.5	UNCONTROLLED ACCESS	60
	7.6	WEEDS, PESTS AND FERAL ANIMALS	61
	7.7	ALTERED HYDROLOGY	63
8	OPPO	RTUNITIES	65
	8.1	MANAGEMENT OF CITY OF ALBANY CROWN RESERVES	65
	8.2	SERVICES, EVENTS AND DEVELOPMENT BY THE CITY OF ALBANY	66
	8.3	LEGISLATIVE TOOLS FOR LOCAL GOVERNMENT	67
	8.4	ADVOCACY AND PROVISION OF ADVICE	67
	8.5	PARTNERSHIPS	68
	8.6	FUNDING	69
	8.7	COMMUNITY INVOLVEMENT, EDUCATION AND AWARENESS	70
9	CONS	TRAINTS	71
	9.1	LIMITED RESOURCES	71
	9.2	PREVIOUS PLANNING DECISIONS AND DEMAND FOR CLEARED LAND	72
	9.3	KNOWLEDGE GAPS	72
10	RANK	ING AREAS OF BIODIVERSITY	74
	10.1	PRIORITY LOCAL NATURAL AREAS	74
	10.2	CONSERVATION SIGNIFICANCE CRITERIA	75
	10.3	METHODOLOGY	77
	10.4	RESULTS	77
	10.5	MAPPING TOOL	81
	10.6	PRIORITISING ACTIONS FOR LOCAL NATURAL AREAS	82
11	ΑΟΤΙΟ	ON PLAN	83
12	MON	ITORING, REPORTING AND ADAPTIVE MANAGEMENT	90
	12.1	ANNUAL LOCAL BIODIVERSITY ACTION PLAN	90
	12.2	MONITORING AND REPORTING	90
	12.3	RESOURCING	90
	12.4	REVIEW	91

13GLOSSARY AND ACRONYMS9214REFERENCES97

TABLES IN TEXT

Table 1: Outcomes Of Biodiversity Survey	12
Table 2: Outcomes Of Workshops	13
Table 3: Western Australian Legislation - Biodiversity	19
Table 4: LPS 2, Schedule 6 Table 13: General Development Standards	25
Table 5: City Of Albany Local Planning Scheme 2 - Zones And Reserves – Existing Vegetation	27
Table 6: Crown Reserves Managed By The City Of Albany – Purpose: Conservation	29
Table 7: Flora Species – City Of Albany	33
Table 8: Native Vegetation Statistics	33
Table 9: Pre-European Vegetation Types By Ibra Region	34
Table 10: Summary Of Findings From Albany Regional Vegetation Survey (ARVS1)	38
Table 11: Threatened And Priority Ecological Communities	40
Table 12: Fungi, Lichen And Slime Moulds	45
Table 13: State Conservation Areas	45
Table 14: Impacts Of Clearing And Fragmentation - Proposed Actions	54
Table 15: Impacts Of Climate Change - Proposed Actions	55
Table 16: Impacts Of Fire Management - Proposed Actions	59
Table 17: Impacts Of Diseases And Pathogens - Proposed Actions	60
Table 18: Impacts Of Uncontrolled Access - Proposed Actions	61
Table 19: Impacts Of Weeds, Pests And Feral Animals - Proposed Actions	62
Table 20: Impacts Of Altered Hydrology - Proposed Actions	63
Table 21: Opportunities - Reserve Management - Proposed Actions	66
Table 22: Opportunity - Services, Events, Civic Works - Proposed Actions	66
Table 23: Impacts Of Legislative Tools - Proposed Actions	67
Table 24: Impacts Of Advocacy And Proposed Actions	68
Table 25: Impacts Of Partnerships - Proposed Actions	68
Table 26: Impacts Of Funding And Proposed Actions	69
Table 27: Impacts Of Community Involvement And Proposed Actions	70
Table 28: Impacts Of Adequate Resourcing - Proposed Actions	71
Table 29: Impacts Of Planning Decisions - Proposed Actions	72
Table 30: Impacts Of Knowledge Gaps - Proposed Actions	73
Table 31: Ranking Of Biodiversity Significance Criteria – Stakeholder Weighting	76
Table 32: Top 100 Ranking Biodiversity Areas	78
Table 33: Goals, Strategies, Actions, Outcomes, Responsibility, Priority And Timing	85
Table 34: Impacts Of Monitoring, Reporting And Adaptive Management - Proposed Actions	91

FIGURES IN TEXT

Figure 1 South-West Australia Biodiversity Hotspot	3
Figure 2: Bioregions	4
Figure 3: Values, Vision, Mission, Objectives And Actions	6
Figure 4: Values Of Biodiversity	6
Figure 5: Biodiversity Strategy Process	10
Figure 6: Local Government Roles	23
Figure 7: Biodiversity Protection Decision Points	23
Figure 8: IBRA Subregions	31
Figure 9: Climate	32
Figure 10: Macro Corridor Network	47
Figure 11: Bushfire Prone Areas	58
Figure 12: Biodiversity Criteria	75

ATTACHMENTS

LIST OF FIGURES

- A. Pre-European Vegetation
- B. Pre-European Vegetation Extent Remaining
- C. Vegetation with High Level of Protection
- D. Native Vegetation 'Environmental Conservation' LPS 2
- E. City of Albany Freehold Land
- F. Pre-European Vegetation Less than 30% of Original Extent Remaining
- G. ARVS Vegetation Units and Study Area
- H. AVU Condition
- I. Ranking of Local Natural Areas
- J. Top 100 Ranked Local Natural Areas
- K. ARVS2 Priority Areas

LIST OF APPENDICES

- A. Community Survey Analysis
- B. Stakeholder Workshop Information
- C. List of Conservation Significant Flora City of Albany
- D. Definitions of Conservation Categories
- E. Albany Regional Vegetation Survey Units
- F. Recommendations for ARVS By Vegetation Unit
- G. List of Conservation Significant Fauna City of Albany
- H. ARVS Fauna Habitat Matrix
- I. Protected Matters Search Tool EPBC Act
- J. Data Sets Provided for Biodiversity Analysis
- K. ARVS Vegetation Areas Priority Areas

Acknowledgements

Thanks go to the following who have provided advice and expertise in the development of this Strategy.

Friends of Yakamia Forest

Chris Gunby

Justin Hardy

Sean Ossinger (Wilson Inlet Catchment Committee)

Torbay Catchment Group

Oyster Harbour Catchment Group

Dr Sandra Gilfillan (Zoologist; Macro Corridor Project)

Dr Bronte Van Helden (UWA and South Coast NRM)

Dr Sarah Barrett – botanist and Threatened Flora Officer, Dr Sarah Comer – Regional Ecologist, Deon Utber – Regional Leader in Nature Conservation, Mark Blythman - Conservation Operations Officer (Department of Biodiversity, Conservation and Attractions)

Keith Bradby (Gondwana Link)

Nicolie Sykora and Rebecca Palandri (Department of Water and Environmental Regulation)

Department of Planning, Lands and Heritage

Anne Bondin (Birdlife Australia and Albany Bird Group)

Albany Community Environment Centre

City of Albany Staff including Adrian Nicoll and Charlize van der Mescht

Recognition of Traditional Custodians

We wish to acknowledge the traditional custodians of the land that supports our amazing biodiversity, the Menang people of the Noongar Nation. They were the first to protect and manage our rich landscape. We respect their continuing culture and the contribution they make to this region.

EXECUTIVE SUMMARY

Biodiversity in the south-west of Western Australia is globally significant, featuring threatened and priority flora, fauna and ecological communities. We have a diverse array of plants, animals, and habitat types that are endemic to the region. Particularly high vegetation diversity is observed throughout the City of Albany (the City), which encompasses woodlands, wetland habitats, granite outcrops, and the coastal fringe.

Protection of native vegetation is crucial for maintaining biodiversity, wildlife habitats, scenic values, and minimising the risk of soil erosion and rising water tables. The natural environment serves as a key attraction for many residents and visitors to the district.

Development for agriculture and settlement growth has heavily impacted biodiversity, having already led to the clearing of 65% of the native vegetation in the Albany municipality. Biodiversity is also threatened by Phytophthora dieback, weeds, pests, and climate change. Continued reductions in the size, number, and functionality of vegetation remnants, waterways, and wetlands will increase the pressure on ecosystems and flora and fauna species. Albany has significant areas of vegetation present in small, scattered patches inland, and a considerable amount of native vegetation still exists on private property. As conservation reserves become less able to retain their values as isolated 'islands' in a cleared or urbanised landscape, a vegetation linkage or macro corridor approach, which connects conservation reserves with other remnant native vegetation on private land, is an important initiative for reducing the loss of biodiversity. The creation of a City of Albany Local Biodiversity Strategy (ALBS) provides a pathway for the Albany Council and its stakeholder partners to address environmental threats, provide planning input on areas of local biodiversity, and celebrate and enhance our natural and cultural heritage. The City has taken a major step toward protecting biodiversity in its Local Planning Strategy (2019) which states:

Development will generally only be supported in cleared areas. Clearing of vegetation may be supported in liaison with relevant State Government Agencies only where its conservation value has been assessed as low.

Key facts:

- City of Albany Area 430,807 hectares (ha) with pre-European vegetation illustrated in Figure A.
- Native vegetation remaining: 154,022 ha (35.8% of original extent) (Figure B).
- Native vegetation protected for the purpose of 'Conservation': 77,541 ha, 18% of original vegetation extent or 50.3% of remaining vegetation extent (Figure C).
- Native vegetation zoned or reserved for environmental conservation under Local Planning Scheme 2 (Figure D).
- City of Albany freehold land (Figure E).
- Poorly represented vegetation types Pre-European vegetation: less than 30% of original extent remaining (Figure F).
- Albany Regional Vegetation Survey (Figure G).
- Vegetation condition for Albany Regional Vegetation Survey area, 2010 (Figure H).
- Local Natural Areas (LNA) Ranking based on spatial ecological criteria (Figure I).

DRAFT Albany Local Biodiversity Strategy – Technical Report - City of Albany 2025 – 2035

- Top 100 ranked LNA (Figure J).
- High Priority LNA based on Albany Vegetation Units (Figure K).

Recommended actions are included in Table 34.

1 INTRODUCTION

1.1 ALBANY AND BIODIVERSITY

Albany, located in the south-western corner of Australia, is part of one of 36 globally recognised biodiversity hotspots (Critical Ecosystem Partnership Fund, 2025). To meet the criteria, an area must have at least 1,500 vascular plants as endemics 1 — a high percentage of plant life found nowhere else on the planet. A hotspot, in other words, is unique and irreplaceable. Unfortunately, biodiversity hotspots are often threatened by clearing of native vegetation, disruption of ecological processes and Climate Change.



FIGURE 1 SOUTH-WEST AUSTRALIA BIODIVERSITY HOTSPOT

Source: Critical Ecosystem Partnership Fund <u>https://www.cepf.net/our-work/biodiversity-hotspots/southwest-australia</u>

For millions of years, south-west Australia was cut off from the rest of the continent by vast central deserts, leading to significant plant endemism. The forests, woodlands, shrublands, and heaths are home to a wide variety of unique and specialised animal species. Today, only 30% of south-west Australia's original vegetation remains in fairly pristine condition, due in part to agricultural expansion, mining, and urban development.

¹ Critical Ecosystem Partnership Fund (2025) <u>https://www.conservation.org/priorities/biodiversity-hotspots</u>

The City is a key area in the south-west biodiversity hotspot because it marks the transition of three bioregions: the Warren, Southern Jarrah Forest and Fitzgerald (Figure 2).



FIGURE 2: BIOREGIONS

Key information for the City of Albany includes:

- Total Area: 430,807 hectares (ha).
- Native vegetation remaining²: 154,022 ha (35.8 % of original extent).
- Native vegetation protected with a purpose of 'Conservation': 77,541 ha or 18% of original vegetation extent, 50.3% of remaining vegetation³.

The National Parks and Nature Reserves within the City include:

- Bakers Junction Nature Reserve
- Bald Island Nature Reserve
- <u>Gull Rock National Park</u>
- <u>Mill Brook Nature Reserve</u>
- North and South Sister Nature Reserves
- <u>Tinkelelup Nature Reserve</u>
- <u>Torndirrup National Park</u>
- <u>Two Peoples Bay Nature Reserve</u>

² Based on Pre-European Vegetation Dataset (Department of Primary Industries and Regional Development-006)

³ Includes areas of the Conservation Estate and vested in the Conservation Commission of WA, Crown land with a purpose related to conservation and land zoned 'Conservation' under the City of Albany Local Planning Scheme No. 2.

- Waychinicup National Park
- West Cape Howe National Park

1.2 WHY IS BIODIVERSITY IMPORTANT?

Biodiversity underpins all life on Earth. Without the complex interactions between plants, animals, and their environment, there would be no air to breathe, no food to eat, and no water to drink. Countless discoveries are yet to be made about the web that constitutes our lives, livelihoods, medicine, culture, and natural beauty.

Humans depend on nature for a wide range of ecosystem services, such as clean air and water, pollination, and food. Generally, the more biodiverse an ecosystem is, the greater its stability, productivity, and resilience, particularly in the face of threats such as climate change, pests, and diseases (Barraclough et al., 2023). Moreover, animal, plant, and microbial diversity are essential sources of medicinal compounds and nutritious food.

Scientific research (Australian Institute of Health and Welfare, 2022) supports the benefits of investing in environmental protection, including improved community health and wellbeing, protection of cultural identity, economic benefits, moderating climate impacts, reducing diseases, and enhanced resilience. It will also enable future research opportunities.

The ability to deliver products through agriculture, forestry, tourism, or product development is often taken for granted and relies on the continuation of ecosystem services that support the natural landscape where the products we depend on can be produced (Commonwealth of Australia, 2020).

Managing natural resources creates a range of jobs, providing significant opportunities for Aboriginal people in both knowledge sharing and direct on-ground management roles. Noongar knowledge of traditional land management practices has the potential to contribute to conserving biodiversity in the south-west of Western Australia and is increasingly valued by programs such as the Department of Biodiversity, Conservation and Attractions (DBCA) Aboriginal Ranger Program.

Growing evidence (New Scientist, 2021) shows that accessible and diverse green spaces offer greater restorative benefits to human health and wellbeing than those that can be realised in simplified natural environments, like landscaped parks with a limited number of plant species.

Having a clear plan for local biodiversity conservation will assist the City in meeting local community expectations and provide opportunities to protect the diverse ecosystem services that support community wellbeing, economic prosperity, and sustainability.

The strategy also directs the City to ensure that actions complement its role in supporting the entire community's connection to country and sense of place.

The ALBS is a detailed outline of what Albany Council can do to conserve and protect biodiversity within its range of influence.

1.3 BIODIVERSITY PLANNING FRAMEWORK

This is the biodiversity planning and protection framework for this Strategy (Figure 3):

- The Values of the community form the foundation upon which we conduct this work; they represent the fundamental motivation for our decisions.
- The Vision the future you want to create.

- The Mission is the purpose underpinning the Strategy.
- A Strategy is a set of decisions aimed at achieving short- to mid-term goals.
- A Strategy is implemented by breaking it down into specific Actions.
- Actions must be specific, measurable, achievable, relevant and time-bound (SMART).

FIGURE 3: VALUES, VISION, MISSION, OBJECTIVES AND ACTIONS



Source: https://painless.software/vision-mission-values-strategy-actions

1.4 VALUES

The Albany community has told Council that it values biodiversity and the richness it provides to our lives, our culture, our mental wellbeing and our economy. Some key words relating to community values identified during a stakeholder workshop are provided in Figure 4.

FIGURE 4: VALUES OF BIODIVERSITY



Source: Albany Local Biodiversity Strategy - Stakeholder Workshop 1. 29 August 2024.

1.5 VISION

Biodiversity stakeholders have informed the Council that they share the following vision:

• "Kinjarling – Albany, Caring for Country –- where nature and the community can thrive and adapt."

1.6 MISSION

The Albany Council:

- Encourages and empowers landowners to retain, manage, and enhance local biodiversity on their land, contributing to the numerous benefits that native plants, animals, and vegetation provide to the community.
- Has a clear understanding of biodiversity in the municipality and adopts a framework to enable the protection and management of local biodiversity.
- Implements a target to retain, protect, and manage a representative network of local natural areas (LNA) with community input, ensuring these areas are healthy, connected, and resilient in the future.

1.7 PRINCIPLES OF BIODIVERSITY PROTECTION

Principles of biodiversity protection have been developed by the Western Australian Local Government Association (WALGA) and others to guide the preparation and implementation of local biodiversity strategies:

- 1. Each ecological community must retain at least 30% of its pre-European extent to prevent an exponential loss of species and failures in ecosystem processes.
- 2. Protect regionally and locally significant natural areas.
- 3. Biodiversity is best conserved in situ protect what remains before revegetating.
- 4. Regeneration takes precedence over revegetation.
- 5. Prioritise the protection and management of natural areas with the highest biodiversity value.
- 6. Encourage community involvement in biodiversity conservation.
- 7. Biodiversity values must be given full consideration in a transparent decision-making process.
- 8. Site-specific field surveys are essential for understanding biodiversity value.
- 9. Conservation of natural areas is a legitimate land use.

The City also acknowledges that community input is a key principle of biodiversity protection. Landowners, volunteers, and organisations are supported in their efforts to conserve and celebrate biodiversity in LNA, including rural and urban habitats.

During the stakeholder engagement process, the community defined 'Local Natural Areas' (LNA) in Workshop 1 as "areas with value to natural systems across all land tenures, including non-vegetated areas with value for ecosystem processes."

The City values stakeholder partnerships to:

- Achieve biodiversity protection across all land types;
- Enhance connectivity;

- Understand habitat requirements;
- Increase biodiversity in urban habitats;
- Support knowledge through citizen science;
- Reduce threats such as disease and pests; and
- Implement fire regimes that enhance biodiversity.

1.8 GOALS

The ALBS focuses on long-term goals for protecting, retaining, and managing biodiversity within the City, as well as strengthening community engagement regarding the importance of biodiversity values. The goal-setting process has been informed by the remaining LNA within the City and the extent of vegetation types in comparison to pre-European levels.

The State Government acknowledges that 30% representation of the original extent of each vegetation type is the threshold level below which species loss appears to accelerate exponentially at an ecosystem level, and 10% representation of the original extent of each vegetation type indicates 'endangered' status (EPA, 2000).

Goals for this Local Biodiversity Strategy include:

Goal 1: Retain and protect natural areas (with consideration of biodiversity criteria, including representation).

Goal 2: Learn about biodiversity interactions, threats, and opportunities to increase resilience.

Goal 3: Manage and enhance to improve condition, reduce threats, and link natural areas.

Goal 4: Engage the community to increase positive outcomes with widespread support and partnerships.

1.9 OBJECTIVES

The biodiversity conservation objectives stem from the national targets for biodiversity conservation outlined in The National Objectives and Targets for Biodiversity Conservation 2001 – 2005, which aim to:

- Prevent the clearing of ecological communities that have less than 30% of their original extent remaining;
- Restore ecological communities with less than 10% of their original extent left; and
- Safeguard threatened species and ecological communities.

Retention and Protection

- Protect all LNA as far as reasonably practicable;
- Preserve and enhance poorly represented vegetation associations that remain within the City by assisting landowners and utilising planning systems;
- Boost formal protection of poorly represented vegetation types and areas containing threatened and priority flora, fauna, and communities;
- Reduce the occurrence of unlawful and incremental clearing to maintain biodiversity values; and

 Increase native vegetation coverage in urban areas by planting suitable native and region-specific species.

Management

- Significantly improve internal planning and assessment processes to include the proactive consideration of biodiversity values during assessment of development proposals;
- Inclusion of multi-criteria analysis results in the City planning and assessment process; and
- Increase knowledge of vegetation quality and condition across the City to ensure retention of good or better quality vegetation as far as reasonably practicable.

Engagement

- Engage with organisations, community groups, and the general public about local biodiversity values.
- Foster broad environmental awareness across all levels of the community to support environmental and educational initiatives.
- Promote citizen science projects that enhance our knowledge base and involve stakeholders.

1.10 KEY FEATURES OF A LOCAL BIODIVERSITY STRATEGY

Key features of the ALBS include:

- Focus on LNA, including biodiversity on public and private lands.
- Objectives and targets are based on spatial analysis, consistent endorsed criteria, and considered in the regional context.
- A natural resource mapping tool with areas ranked by biodiversity values.
- An action plan that integrates biodiversity considerations into all areas of Local Government functions.
- Preparation in consultation with relevant stakeholders and the community, proposed to be endorsed by Council.

1.11 WHAT CAN A BIODIVERSITY STRATEGY DO?

A local biodiversity strategy:

- Identifies LNA, the biodiversity they support, and their conservation significance and priorities;
- Considers areas with value to natural systems across all land tenures (e.g., crown land, unallocated crown land, road reserves, and surrounding regional assets);
- Assesses local opportunities and constraints for protecting natural areas; and
- Identifies ways to achieve local biodiversity conservation objectives and targets.

The biodiversity strategy process is illustrated in Figure 5.

FIGURE 5: BIODIVERSITY STRATEGY PROCESS

	 SCOPING Establish the links with higher level Local Government strategies and scope the resources required to undertake the process Obtain Council support for the development of a Local Biodiversity Strategy Establish a Steering Committee and a Working Group to form the draft Local Biodiversity Strategy development team
	 IDENTIFICATION AND MAPPING OF LOCAL ANTURAL AREAS Collate spatial datasets that are representative of local natural area values Develop a vision and objectives for the Local Biodiversity Strategy
3	 PRIORITISATION OF LOCAL NATURAL AREAS Identify ecological linkages Use recognised ecological criteria to prioritise local natural areas Assess the opportunities and constraints to protection/retention of Local Natural Areas Set conservation targets
F T T	 PROTECTION AND ACTION PLAN Map high conservation areas or create a bushland protection plan Identify ways of integrating the conservation objectives into the local planning framework Develop a 5-10 year Action Plan with responsibilities assigned across the organisation
5	 SEEKING FEEDBACK With Council support, release the draft Local Biodiversity Strategy Review feedback and make changes to the draft if required Seek Council support in adopting the final Local Biodiversity Strategy with an Action Plan
* 6	 IMPLEMENTATION AND REVIEW Integration into Local Planning Strategy, Scheme amendments, Local Planning Policy Formalising protection of priority Local Natural Areas Incentives for biodiversity conservation on private lands Plan for management of biodiversity on Local Government lands Integration into internal policies/procedures

Source: WALGA, 2023

1.12 WHAT CAN A BIODIVERSITY STRATEGY NOT DO?

A biodiversity strategy may not⁴:

- **Resonate with all people:** The strategy may not connect with people in urban or rural environments.
- Improve health and resilience: The strategy may fall short of improving the health and resilience of marine and aquatic environments.
- Balance interests: The strategy may not meet the short-term interests of all community members.
- **Influence activities:** This strategy may not be effective in influencing biodiversity conservation activities.
- **Coordinate implementation:** The strategy implementation plan may be difficult to implement unless it is supported at every level of government and by the community.
- **Historic Decisions:** The strategy may have a limited ability to change past decisions.
- **Commitment to implementation:** A strategy alone cannot bring about change unless there is the will to drive practical, on-ground outcomes.

A biodiversity strategy can't do everything, but it can help protect biodiversity by:

- **Outlining overarching goals and objectives:** Sometimes we need to articulate goals and objectives to get concepts heard by the community.
- **Highlighting the importance of maintaining ecosystems:** Protecting biodiversity is most effective when ecosystems are healthy and functioning.
- Using science: Science can help inform management and mitigate threats.
- Involving many sectors: Collaboration and engagement from all sectors, public and private, is important.
- Adapting management: Adaptive management includes assessing risk, measuring outcomes, and reviewing approaches.

⁴ Commonwealth of Australia (2016) Adapted from: Report on the Review of the first five years of Australia's Biodiversity Conservation Strategy 2010–2030. <u>https://www.dcceew.gov.au/sites/default/files/documents/bio-cons-strategy-review-report.pdf</u>

2 STAKEHOLDER ENGAGEMENT

The City recognises the importance of stakeholder involvement and wants to ensure that specialists and other key stakeholders have a role to play in developing the Strategy. Key stakeholders have included:

Albany Community Environment Centre	Friends of Yakamia Forest
Gondwana Link	Department of Biodiversity, Conservation and Attractions
Wilson Inlet Catchment Committee	Torbay Catchment Group
Oyster Harbour Catchment Group	Department of Water and Environmental Regulation
UWA	South Coast Natural Resource Management Inc.
Department of Planning, Lands and Heritage	City staff
Birdlife Australia and Albany Bird Group	

Interested community members

To date, engagement has included a survey, two workshops, and the provision of a mapping tool to show biodiversity values across the municipality.

Appendix A includes an analysis of the survey. Table 1 summarises the survey outcomes. The Workshop outcomes are included in Table 2 and Appendix B.

Other stakeholder involvement will include an additional workshop and an invitation to the broader community to provide input on this Draft Strategy, which will be advertised after being reviewed by the Albany Council.

TABLE 1: OUTCOMES OF BIODIVERSITY SURVEY

SURVEY EFFORT	 The high number of responses received (693) and the effort taken to complete the survey signify that Biodiversity and vegetation in urban areas are important community issues. Responses received from 42 localities within the City, with 84% stating that they lived in urban Albany.
BIODIVERSITY CONSERVATION	 93% of respondents feel that biodiversity conservation in the City is Important to Very Important. There was a strong desire amongst respondents for better protection of native bushland within the municipality.
BIODIVERSITY LOSS	 96% of respondents are concerned about biodiversity loss within the City. 56.7% of respondents believe biodiversity is declining or declining significantly in the City. The highest perceived threats by respondents were: Clearing for land subdivision; Non-native animals (feral cats, foxes, rabbits); Weeds;

	 Dieback; Tree canopy loss; and Climate change impacts.
	• Uncontrolled pet cats were also a concern for multiple respondents in the open- ended response.
	 The highest ranked values for biodiversity were: To preserve the biodiversity of life and ecosystem processes;
	 Living close to nature; and
BIODIVERSITY	• The role biodiversity plays in mitigating climate change.
VALUES	 Respondents recognise the value of native vegetation for preserving and enhancing corridors for wildlife and protecting plants, animals and other organisms.
	 Respondents value the location of native vegetation for enhancing biodiversity values.
	• Strong support for more action by the City to protect biodiversity.
ACTIONS BY THE CITY	• In general, there was slightly higher support for direct actions, such as managing weeds and pests and slightly less support for changes to policy and community education. The exception was for the Council to consider nature and biodiversity in all decision-making. A total of 85% of the respondents believed this was very important, which was the highest-ranked action.
OF ALBANY	Concerns included:
	 The Council would take away the rights of property owners to manage vegetation on their private property; and
	 Biodiversity values would take precedence over bushfire management and safety.

TABLE 2: OUTCOMES OF WORKSHOPS

OUTCOMES	WHAT THE STAKEHOLDERS SAID:
Stakeholders	• The City has an important role as an advocate and facilitator of collaboration.
said:	• The City can form clear partnerships with others, including:
	o Gondwana Link;
	 South Coast Natural Resource Management (NRM);
	o Green Skills;
	 Oyster Harbour Catchment Group;
	o Torbay Catchment Group;
	 Friends' groups;
	o Community members; and

OUTCOMES	WHAT THE STAKEHOLDERS SAID:
	• Educational institutions
	Educational role e.g. urban backyards contribute to biodiversity.
	• The City needs to make community more aware of efforts by reporting publicly.
	 How else can the City engage with interested people?
	 Many groups and individuals are interested in weed management – Review weed strategy?
	• Review of other City environmental plans with biodiversity protection as a key role.
During Workshop	Opportunities
2 (5 December 2024)	City of Albany area: 430,807 ha
participants	Native vegetation remaining (pre-European): 154,022 ha or 35.8%
following opportunities for biodiversity preservation and protection:	 Areas protected with a purpose of 'Conservation' (reserve status): 77,541 ha 18% of original, 50.3% of remaining vegetation
	 Work with State and Commonwealth controls on clearing and environmental impacts
	• Reviewing and consolidating City environmental strategies and plans for threat mitigation (e.g. Weed strategy, reserve management)
	Support of volunteers
	Forming partnerships and collaborations
	 Protecting and managing high value and vulnerable areas
	 Increasing resilience to threats at the landscape level and valuing environmental services
	Education and awareness raising
	Supporting initiatives and businesses that propose sustainable development
	Carbon sequestration and biodiversity projects
	Working with traditional custodians
	Offsets
	Dual management with traditional custodians and rangers (leases, resourcing)
	Appropriate conservation purpose of reserves
	Incentives to protect biodiversity (carrot)
	Leverage on the knowledge of the presence of threatened species for funding
	 Stronger legislation for protection (stick) and proper implementation of current rules
	 Partnerships with other organisations (University of WA, Centre of Excellence in Natural Resource Management, South Coast Natural Resource Management Inc., catchment groups)
	Resourcing priorities

OUTCOMES	WHAT THE STAKEHOLDERS SAID:
	Unconstructed road reserves as corridors
Constraints identified included:	Land clearing, degradation and fragmentation
	Resources (personnel, funding)
	 Competing objectives (growth of Albany population, fire risk regulations, approved development, minor clearing)
	Threats (weeds, disease, pests)
	Climate change (poorly known interactions and outcomes)
	Gaps in knowledge, including:
	• Impacts of climate change
	 Overarching impacts
	o How to build resilience
	Threatened species on private land or unsurveyed areas
	What are the keys to adaptation at the landscape scale
	Use of non-native habitat (blue gum plantations, pines, weeds, drains)
	Use of road reserves
Mechanisms for Protection	Local Planning Strategy
include:	Local Planning Scheme
	Input into planning (Structure Plans, Development Applications)
	Input into clearing application decisions
	Purpose of Crown Land
	Management of Crown Land
	Offsets (City Freehold Land)
	Education - awareness raising
	Engagement with stakeholders
	 Assistance for landowners (mulcher and tip pass for weeds)
Other discussion:	Asked by City of Albany Councillor to stakeholders present: What do partners need from the City, the Department of Water and Environmental Regulation (DWER), DBCA?
	Funding, information, coordination, support
	 Nature Positive – How to move beyond concepts of 'no net loss' into positive territory
	Aim to improve the trend line of loss and degradation
	 Natural capital, ecological services – calculate these to show the importance of biodiversity to our everyday lives. Show how our investment in biodiversity is paid back.
	Can the City and partners create a tool for natural capital?

OUTCOMES	WHAT THE STAKEHOLDERS SAID:
	 Rather than 'connectivity' – 'ecological permeability' – Nature link
	Articulate relationships and social dynamics
	Set targets for involvement and collaboration
	Set revegetation targets.
	 Weed management needs a different approach to consider biodiversity enhancement
	 LNA – Natural (what can we protect, e.g. bushland, wetland, watercourse) vs Nature (what can we enhance e.g. drain, road reserve).

3 BIODIVERSITY PROTECTION FRAMEWORK

3.1 INTERNATIONAL

Global Biodiversity Outlook

The Global Biodiversity Outlook (GBO) is the flagship publication of the Convention on Biological Diversity. It provides a periodic report summarising the latest data on the status and trends of biodiversity, drawing conclusions relevant to further implementation of the Convention. The reports rely on various types of information, including national reports, scientific literature, data from the Biodiversity Indicators Partnership, and supplementary studies.

The fifth GBO (GBO-5) presents an integrated overview of the world's achievements and shortcomings concerning previous global biodiversity targets (Aichi Biodiversity Targets (2010-2020)). It examines the causes of biodiversity and ecosystem change, explores the implications for people, and discusses policy options based on successful programs worldwide. The report also investigates the essential links between biodiversity and other global agendas, including the 2030 Agenda for Sustainable Development and the Paris Agreement on climate change.

The Convention on Biological Diversity sets a target of managing 17% of each of the world's eight ecoregions as protected areas by 2020. Australia is striving towards this target and aims to preserve 17% of bioregions within the National Reserve System (Australian Government, 2013).

National Reports to the Convention on Biological Diversity

In 2014, in Australia's Fifth National Report to the Convention on Biological Diversity, the Australian Government set a goal that by 2020, at least 17% of terrestrial and inland water, and 10% of coastal and marine areas, particularly those of special importance for biodiversity and ecosystem services, would be conserved through effectively and equitably managed, ecologically representative, and well-connected systems of protected areas and other effective area-based conservation measures, integrated into broader landscapes and seascapes.

A country profile for Australia (Convention on Biological Diversity, 2024) indicates that conservation efforts within Australia have strengthened since the last national report to the CBD. Despite this, the Australian State of the Environment 2021 report found that biodiversity is still in serious decline (Australian Government, 2021).

In November 2021, the United Nations Development Program (UNDP), the UNEP World Conservation Monitoring Centre (UNEP-WCMC), and the Secretariat for the Convention on Biological Diversity (SCBD) published a report entitled 'Creating a Nature Positive Future: The Contribution of Protected Areas and Other Effective Area-Based Conservation Measures'. This report defined nature positive as "actions that increase resilience of the planet and biodiversity, as well as societies, with the aim of creating a paradigm shift to reduce the loss of nature, secure nature's contributions critical for humanity, and enhance sustainable socio-economic development."

Australia is a party to the China–Australia Migratory Bird Agreement (CAMBA) and the Japan–Australia Migratory Bird Agreement (JAJAMBA).

3.2 AUSTRALIAN GOVERNMENT

National objectives and targets for biodiversity conservation were published in 2001 (Environment Australia 2001a⁵).

The priority actions are to:

- Protect and restore native vegetation and terrestrial ecosystems;
- Protect and restore freshwater ecosystems;
- Protect and restore marine and estuarine ecosystems;
- Control invasive species;
- Mitigate dryland salinity;
- Promote ecologically sustainable grazing;
- Minimise impacts of human-induced climate change on biodiversity;
- Maintain and record indigenous people's ethnobiological knowledge;
- Improve scientific knowledge and access to information; and
- Introduce institutional reform.

The national target is to implement clearing controls to prevent the removal of ecological communities with an extent below 30% of what existed before 1750. A level of 30% of the pre-clearing extent of an ecological community is considered the threshold below which species loss appears to accelerate exponentially at the ecosystem level. To achieve the national target, efforts focus on maintaining natural vegetation in situ (within and outside conservation reserves) and rehabilitating degraded areas with local native species to replace losses.

Legislation considered for biodiversity issues related to development includes:

- Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act): Proposals likely to impact Matters of National Environmental Significance (MNES) are assessed at the Commonwealth level. The Environment Protection and Biodiversity Conservation Regulations 2000 support the EPBC Act and outline implementation procedures. Relevant matters of national environmental significance for biodiversity include wetlands listed as Ramsar wetlands of international importance, nationally threatened flora and fauna species and communities identified under the EPBC Act, and migratory species listed under the EPBC Act.
- The Nature Repair Act 2023: came into effect on 15 December 2023, establishing a framework for a world-first legislated, national, voluntary biodiversity market. The Nature Repair Market aims to incentivise actions to restore and protect the environment.

The policy framework for biodiversity encompasses the following:

 Australia's Strategy for Nature 2019 – 2030: This strategy establishes a national framework for government, non-government, and community action aimed at bolstering Australia's response to biodiversity decline and nurturing nature across various environments. It accommodates the

⁵ Environment Australia (2001) National Objectives and Targets for Biodiversity Conservation. <u>https://library.dbca.wa.gov.au/FullTextFiles/020395.pdf</u>

differing priorities and practices throughout the country and reflects the diversity of our landscapes.

- In Australia, the Nature Positive Plan is a Commonwealth government initiative focused on reforming environmental laws to protect the country's unique environment.
- The goals include enhancing natural systems worldwide beyond 2020 by 2030, with ongoing recovery after that.
- The focus is on improving the health, abundance, diversity, and resilience of species, ecosystems, and natural processes.
- Proposed actions by the Commonwealth Government involve conserving ocean environments, protecting habitats, managing resources, and transforming the economy.

3.3 WESTERN AUSTRALIA

The Environmental Protection Authority (EPA) is the primary agency in Western Australia responsible for assessing impacts on biodiversity. The EPA's broad objective regarding biodiversity is to maintain the abundance, diversity, geographic distribution, and productivity at both the species and ecosystem levels by avoiding or managing adverse impacts and enhancing knowledge.

Western Australia's state government has established a Native Vegetation Policy that guides the development of policies, practices, and systems to achieve the following outcomes:

- Outcome 1: Enable all sectors to contribute to a net gain in landscape-scale conservation and restoration.
- Outcome 2: Provide business certainty through regulatory clarity, efficiency, and coordination.
- Outcome 3: Establish a strong, accessible evidence base for policymaking, decision-making, and transparency.

Other legislation that requires consideration of biodiversity is included in Table 3.

LEGISLATION/ REGULATION/ POLICY/ GUIDELINE	OBJECTIVES	ADMINISTERED BY
<i>Biodiversity Conservation</i> <i>Act 2016</i> (BC Act)	The BC Act governs the management of threatened flora, fauna, and ecological communities. The Biodiversity Conservation Regulations 2018 support the BC Act and provide greater protection for biodiversity, particularly threatened species and threatened ecological communities.	DBCA
Environmental Protection Act 1986 (EP Act)	The EP Act provides protection of the environment at a State level and outlines guidance for development that requires referral to the EPA for assessment.	EPA and DWER
Environmental Protection (Clearing of Native Vegetation) Regulations 2004	These regulations support the EP Act and address matters relating to clearing native vegetation, such as defining native vegetation, fees, data requirements, and circumstances where clearing is exempt from requiring a permit.	DWER

TABLE 3: WESTERN AUSTRALIAN LEGISLATION - BIODIVERSITY

LEGISLATION/ REGULATION/ POLICY/ GUIDELINE	OBJECTIVES	ADMINISTERED BY
Environmental Protection (Environmentally Sensitive Areas) Notice 2005	Environmentally sensitive areas (ESAs) are classes or areas of native vegetation where the exemptions for clearing vegetation under the <i>Environmental Protection</i> (<i>Clearing of Native Vegetation</i>) Regulations 2004 do not apply. In Albany, includes:	DWER
	1. World Heritage properties;	
	 Areas included on the Register of the National Estate; 	
	 Defined wetlands and within 50 metres (m) of the wetland; 	
	 Threatened flora and vegetation within 50 m; and 	
	5. Threatened Ecological Communities.	
Planning and Development Act 2005 (PD Act)	The PD Act is the primary legislation setting out controls for planning across Western Australia and considers biodiversity as a planning consideration.	Western Australian Planning Commission (WAPC) and Department of Planning, Lands and Heritage (DPLH)
	natural environment, including the maintenance of ecological processes and genetic diversity as a matter that can be dealt with by local and regional planning schemes, state planning policy and conditions of subdivision.	
Planning and Development (Local Planning Schemes) Reaulations 2015 (allows	To identify areas with biodiversity and conservation value, and to protect those areas from development and subdivision.	WAPC and DPLH
for designation of reserves for 'Environmental Conservation' with objectives.	To identify and protect areas of biodiversity conservation significance within National Parks and State and other conservation reserves.	
Planning and Development (Local Planning Schemes) Regulations 2015 (allows for designation of zones for 'Environmental Conservation' with objectives.	To identify land set aside for environmental conservation purposes. To provide for the preservation, maintenance, restoration or sustainable use of the natural environment.	DPLH and Local Government
Conservation and Land Management Act 1984 (CALM Act)	The CALM Act includes provisions for establishing and managing national parks, nature reserves, conservation parks and marine parks in Western Australia.	DBCA

STATE PLANNING POLICIES

The Planning and Development Act gives effect to State Planning Policies, some of which are relevant to the protection and management of biodiversity in the City of Albany:

• State Planning Policy 2: Environment and Natural Resources Policy

- State Planning Policy 2.4: Basic Raw Materials
- State Planning Policy 2.5: Rural Planning
- State Planning Policy 2.6: State Coastal Planning
- State Planning Policy 2.7: Public Drinking Water Source
- Draft State Planning Policy 2.9: Planning for Water
- State Planning Policy 3: Urban Growth and Settlement
- State Planning Policy 3.4: Natural Hazards and Disasters
- State Planning Policy 3.7: Bushfire
- State Planning Policy 7: Design of the Built Environment

STATE OF THE ENVIRONMENT REPORTING

State of the Environment reporting has not been conducted since 2007. At that time, biodiversity was deemed 'of concern' and in decline, with insufficient knowledge about biodiversity across Western Australia. The issues affecting biodiversity were regarded as serious and increasing in severity due to climate change, population growth and consumption, greenhouse gas emissions, introduced species, weeds, Phytophthora dieback, land salinisation, the salinisation of inland waters, altered fire regimes, and the loss or degradation of native vegetation.

3.4 REGIONAL

The South Coast region of Western Australia features numerous regional environmental and biodiversity initiatives aimed at natural resource management, conservation, and building community capacity. These initiatives are propelled by the region's recognition as a global biodiversity hotspot as well as its rich environmental and cultural significance. Key organisations and initiatives include:

- South Coast Natural Resource Management Inc.: A community-based organisation focused on natural resource management, conservation, and building community capacity in the South Coast region, with projects related to threatened species, high-value landscapes, climate resilience, sustainable agricultural practices and natural capital initiatives.
- Gondwana Link: Concentrating on restoration to reconnect the western woodlands and forests in the south-west of Western Australia, with 16,000 hectares of land acquired, a total of 13,500 hectares of land restored to habitat, control of feral animals on private property, and engagement of stakeholders, including Indigenous custodians.
- Bush Heritage: Emphasising habitat restoration, feral animal control, fauna recovery, and reconnecting across the landscape.
- Centre for Excellence in Natural Resource Management (CENRM): Including research in aquatic and fish ecology, social, cultural, and environmental studies, and terrestrial ecology.
- Green Skills: Building resilience in the community and environment.

4 CITY OF ALBANY

4.1 CULTURE

Albany is home to the Menang Noongar people. In 2016, the Western Australian parliament formally recognised that the Noongar people had been here 'since time immemorial'. Western scientific methods have provided evidence that the Noongar people have lived in and maintained a profound cultural connection to south-western Australia for at least 45,000 years, and probably much longer. This makes the Noongar people part of the longest continuing culture on earth – the First Nations people of Australia.

The Noongar people lived here as ice ages came and went, sea levels rose and fell, and species and ecosystems evolved. They inhabited areas that are now deep ocean, walked hilltops that are now islands in today's ocean, and demonstrated remarkable resilience and innovation in developing ways of living with boodja (country, land) throughout those eras.

Boodja is central to Noongar lore, culture, and identity. The different Noongar groups in the Great Southern and wider southwest – Menang, Goreng, Wirlomin, Wudjari, Kaneang, and Wiilman – possess origin stories for the country in which they have lived for so long, along with wisdom about how to thrive here now.

Since European settlement, people from all over the world have come to call Albany home and appreciate the beauty and diversity of nature in this remarkable part of the world. When asked, most people will say it is the rich landscape, variety of life, and sense of community that they value most.

4.2 CITY OF ALBANY – ROLE IN LEGISLATION AND POLICY FRAMEWORK

The City must work within the Commonwealth and State framework of legislation and policies, and has the following roles (Figure 6):

Regulator:

- Land use provisions;
- Development approvals; and
- Enforcement of local laws.

Proponent:

• Planner and manager of infrastructure projects.

Assets Manager:

- Natural areas in reserves and freehold land; and
- Native vegetation and habitat in reserves, foreshores and roadsides.

Facilitator:

- Community education and engagement;
- Volunteer support; and
- Landholder incentives.

FIGURE 6: LOCAL GOVERNMENT ROLES



The City can consider biodiversity protection during the planning process, as illustrated in Figure 7. The earlier biodiversity issues are addressed, the greater the opportunities for their protection and enhancement.



Source: Adapted from WAPC, 2011

4.3 CITY OF ALBANY COMMUNITY STRATEGIC PLAN 2032

Community surveys have identified biodiversity, environmental protection, and management as key priorities, which is reflected in the City's Community Strategic Plan 2032 (2021).

The Council adopted a 10-year priority: 'Environmental health, sustainability and climate change and Reserve management.'

Vision:

'We are leaders in sustainability with a shared commitment to climate action and protecting our beautiful, natural environment'.

Outcomes:

2.1 Sustainable management of natural areas; balancing conservation with responsible access and enjoyment.

Objectives:

- 2.1.1 Conserve and enhance the region's natural reserves.
- 2.1.2 Provide sustainable protection, adaption and enhancement of the coastline, rivers, floodplains, wetlands and estuaries.

Each year, the Council considers community needs and budget constraints and agrees on priority actions to complete. The City has an extensive list of actions and special projects in the Corporate Business Plan⁶. A current commitment includes:

 Provide a review of reserves that are suitable for recreational uses and how trails and parks may safely accommodate mixed uses.

4.4 CITY OF ALBANY LOCAL PLANNING STRATEGY 2019 - VEGETATION AND BIODIVERSITY CONSERVATION

The City of Albany Local Planning Strategy (LP Strategy; 2019⁷) states that a key strategic direction is to:

'Integrate environmental and natural resource management with broader land use planning and decision-making'.

Actions

- Investigate zones, reserves and special control areas proposed by *Planning and Development* (*Local Planning Schemes*) *Regulations 2015* to assist in protecting the City's biodiversity and conservation and amend the Local Planning Scheme accordingly.
- 2. Support the finalisation of the ALBS.
- 3. Identify and secure vegetation linkages (macro-corridors) through the use of statutory planning mechanisms, including Local Planning Scheme amendments, structure plans and subdivisions.

⁶ Corporate Business Plan: <u>https://www.albany.wa.gov.au/documents/2140/corporate-business-plan-2023-</u> 2027

⁷ City of Albany Local Planning Strategy (2019) <u>https://www.wa.gov.au/system/files/2021-11/LST-Albany.pdf</u>

- 4. Maintain and enhance vegetation and trees in the built environment by:
 - Identifying trees within the City that should be protected and providing for their statutory protection under the Local Planning Scheme; and
 - Require the identification of trees to be protected under future Structure Plans, subdivision and development, particularly in planned open space areas and road reserves.
- 5. Develop land use planning incentives for the protection of remnant vegetation on private land, in collaboration with relevant State government agencies.
- 6. On completion of the ALBS, identify priority areas for conservation of vegetation, fauna conservation and identify critical areas requiring restoration.
- 7. On completion of the ALBS, incorporate recommendations and any further vegetation surveys into the local planning strategy, schemes and structure plans.
- 8. Development will generally only be supported in cleared areas. Clearing of native vegetation may be supported in liaison with relevant State Government agencies only where its conservation value has been assessed as low.

4.5 CITY OF ALBANY LOCAL PLANNING SCHEME NO. 2

The City of Albany Local Planning Scheme (LPS) No. 2 was gazetted on 27 February 2024 and includes provisions for the protection of biodiversity by:

- Setting development standards for all zones and reserves;
- Including a zone for 'Environmental Conservation';
- Introducing a reserve category of 'Environmental Conservation'; and
- Including provisions to protect natural features for designated areas (e.g. specific rural residential and special use areas).

LPS2 sets development standards for the protection of terrestrial fauna habitats, access, acid sulfate soils, building design, bushfire management, dams, dust control, vegetation clearing, fencing, landscaping, livestock grazing, revegetation, sewage disposal, waste management, and setbacks. Standards relating to terrestrial fauna habitat protection and land uses adjacent to conservation areas are summarised in Table 4.

TABLE 4: LPS 2, SCHEDULE 6 TABLE 13: GENERAL DEVELOPMENT STANDARDS

SUBJECT	CONDITIONS
Terrestrial Fauna	1. To avoid or minimise any adverse impacts, directly or indirectly, on areas of high
Habitat	biodiversity or conservation value, including fauna habitat, development is to be
Protection	located outside of these areas in suitable alternative locations, when considered at
	the structure planning, subdivision or development application stages.
	2. Subject to (1) above, at the structure planning, subdivision or development
	application stages, where suitable alternative locations do not exist, the local
	government may require a fauna assessment/survey or a fauna habitat assessment
	to be undertaken, including of existing linkages within proximity to but external to
	the development site, to determine locations where development could occur on
	site, that minimises adverse impacts, directly or indirectly, on areas of high
	biodiversity or conservation value.
SUBJECT	CONDITIONS
------------------	---
	3. Following the outcomes of (2) above, the local government may require a habitat
	management plan to be prepared, which includes but is not limited to consideration
	of the following:
	a. Restoration, retention, and maintenance requirements for the management of
	identified areas of high biodiversity or conservation value, while ensuring other
	considerations are addressed, such as bushfire management.
	b. Improvement of habitat connectivity through the retention or re-establishment
	of corridors, that safeguard and enhance linkages within and external to the
	development site, with appropriate methods implemented to the specifications
	of the responsible state department/s.
	c. Identify mechanisms by which the requirements of the habitat management
	plan shall be implemented by the local government or responsible state
	department/s, including appropriate conditions of subdivision or development
	approval and/or the imposition of restrictive or conservation covenants.
	Note: Terrestrial fauna includes vertebrate (birds, mammals including bats, reptiles,
	amphibians, and freshwater fish) and invertebrate (arachnids, crustaceans, insects,
	molluscs and worms) groups.
Uses Adjacent to	1. In considering an application for development approval to develop premises
Conservation	adjoining a conservation area (i.e. 'Environmental Conservation' or 'Drainage /
Areas	Waterway'), the local government shall consider the impacts of the proposal on the
	values of the conservation area. It may require one or more of the following
	measures:
	a. Specific site management through the preparation and implementation of an
	environmental management plan to address those identified impacts on the
	conservation area and recommend strategies, processes and practices to
	minimise any impacts or conflicts;
	b. The imposition of a buffer/setback area between the uses to manage the
	impacts to the satisfaction of the local government in consultation with the
	relevant government authority;
	c. Restriction on the keeping of livestock;
	d. Improve habitat connectivity through the retention or re-establishment of
	corridors that safeguard and enhance linkages within and external to the
	development area, with appropriate methods implemented to the specifications
	of the responsible state department/s.

The 'Environmental Conservation' zone in LPS2 has the following objectives:

- To identify land set aside for environmental conservation purposes.
- To provide for the preservation, maintenance, restoration or sustainable use of the natural environment.
- To provide for residential uses adjoining significant environmentally sensitive areas such as coastal or conservation areas where there is a demonstrated commitment to protecting, enhancing and rehabilitating the site's flora, fauna and landscape qualities.

Areas currently zoned for 'Environmental Conservation' include:

- Eden Road, Nullaki;
- Rainbows End, Little Grove; and
- Lots 20 and 21 Torbay Road, Kronkup.

Areas zoned for 'Environmental Conservation' have requirements relating to setbacks from boundaries, building heights, building design and materials, fencing, access and building envelopes to reduce impacts on bushland and natural features. In addition, there is a clause relating to revegetation:

- 1. The local government may require revegetation on a site with local endemic species as a condition of development approval, for:
 - a. Enhancing a natural setting;
 - b. Protecting a local habitat;
 - c. Assisting to provide vegetated corridors to maintain fauna and flora linkages; or
 - d. Assisting in the maintenance of a waterway or wetland.

In addition to zones, LPS2 also designates local reserves. In a local planning scheme, 'reserved' refers to a parcel of land that has been set aside for a defined purpose, such as a park, school, or community centre, and is therefore restricted from being developed for other uses as outlined in the planning scheme; essentially, it's land safeguarded for a specific community benefit and not available for general development. LPS2 has introduced a new reserve type, 'Environmental Conservation', the objective of which is:

- To identify areas with biodiversity and conservation value, and to protect those areas from development and subdivision.
- To identify and protect areas of biodiversity conservation significance within National Parks and State and other conservation reserves.

Native vegetation in 'Environmental Conservation' reserves comprises 77,541⁸ ha across freehold land and Crown Reserves (Figure D) in the City. The 'local reservation' designation under LPS2 differs from Crown Reserves and can be applied to any type of land.

4.6 LAND USE

As outlined in Sections 4.4 and 4.5, regarding land use planning, the City is guided by its Local Planning Strategy and Local Planning Scheme, which designate land uses and define the activities that can occur in certain areas. Table 5 shows the area of existing native vegetation by zone and local reserve designation. Approximately half of the vegetation is designated as 'Environmental Conservation' local reserve (51.51%). Vegetation in Rural and Priority Agriculture zoned areas comprises 64,465.9 ha, or 41.85% of the remaining vegetation. Vegetation must be promoted as a legitimate agricultural land use for the ecological services provided in these areas.

TABLE 5: CITY OF ALBANY LOCAL PLANNING SCHEME 2 - ZONES AND RESERVES – EXISTING VEGETATION

ZONE OR RESERVE DESIGNATION	TOTAL AREA OF VEGETATION (ha)	% OF CITY OF ALBANY VEGETATION
Environmental Conservation	79,343.80	51.51
Rural	48,656.80	31.59
Priority Agriculture	15,809.10	10.26
Infrastructure Services	4,645.90	3.02
Local Road	3,312.90	2.15
Primary Distributor Road	817.7	0.53

⁸ Includes areas of the Conservation Estate and vested in the Conservation Commission of WA, Crown land with a purpose related to conservation and land zoned 'Conservation' under the City of Albany Local Planning Scheme No. 2.

DRAFT Albany Local Biodiversity Strategy – Technical Report - City of Albany 2025 – 2035

ZONE OR RESERVE DESIGNATION	TOTAL AREA OF VEGETATION (ha)	% OF CITY OF ALBANY VEGETATION
Rural Residential	808	0.52
Recreational	749.1	0.49
District Distributor Road	615.6	0.40
Drainage / Waterway	365.9	0.24
Urban Development	301.9	0.20
Rural Small Holdings	282.5	0.18
Residential	139.4	0.09
Rural Townsite	103.6	0.07
Special Use	96.3	0.06
Railways	93.1	0.06
Civic And Community	60.2	0.04
Government Services	60.2	0.04
Special Purpose	48	0.03
Strategic Infrastructure	46.3	0.03
Light Industry	46	0.03
Public Purposes	24	0.02
Education	22.5	0.01
General Industry	18.9	0.01
Heritage	17.8	0.01
Tourism	17.4	0.01
Cultural Facilities	13.3	0.01
Cemetery	12.8	0.01
Public Open Space	12.5	0.01
Industrial Development	5.3	0.00
Foreshore Reserve	4.7	0.00
Emergency Services	2.3	0.00
Major Road	1.3	0.00
Service Commercial	0.7	0.00
Social Care Facilities	0.4	0.00
Mixed Use	0.2	0.00
Neighbourhood Centre	0.2	0.00
Medical Services	0.1	0.00
Rural Enterprise	0.1	0.00
Public Purpose	0	0.00

Source: City of Albany LPS2 Zones and Reserves clipped to Current Vegetation Extent

4.7 CITY OF ALBANY MANAGED LAND

There are approximately 443 Crown Reserve land parcels featuring native vegetation managed by the City, covering 12,201.66 ha of land. These reserves serve various purposes, ranging from public open space and active sporting grounds to natural bushland used for passive recreation. Some of these reserves are isolated, while others are clustered together.

The largest grouping of City reserves spans 3,060 ha, which includes Sandpatch, Muttonbird Beach, and Cosy Corner. The smaller reserves can be less than 1 ha, with some merely functioning as drainage easements. The City also manages 1,132 ha of freehold land and 1,629 kilometres (km) of roads and associated verges.

The City officially oversees eight reserves for conservation purposes (Table 6), including Sandpatch Reserve, which also serves purposes related to the generation of power and water supply.

Many more reserves are managed for multiple uses; however, they generally serve purposes not related to conservation. Some of the most significant of these include:

- Mount Clarence (Public Park);
- Mount Adelaide (Recreation and Parklands);
- Mount Melville (Public Park & Telecommunications);
- Lake Seppings (Parklands); and
- Mutton Bird (Common for Use of Settlers, Camping and Public Utility).

All reserves with vegetation that the City manages are designated as 'Environmental Conservation' under LPS2 (See section 4.5).

TABLE 6: CROWN RESERVES MANAGED BY THE CITY OF ALBANY - PURPOSE: CONSERVATION

RESERV E NO.	CL AS S	NAME / LOCATION	CURRENT PURPOSE/S	AREA (ha)
22892	С	On Chester Pass Road and Menang Drive	Conservation of Flora	149.2
13773	С	Sandpatch	Conservation Recreation Water Supply and Wind and Wave Energy Power Generation	1,652. 9
16367	С	Mullocullop Nature Reserve	Water Camping & Conservation of Flora & Fauna	57.1
21510	С	South Coast Highway and Rutherwood Road	Gravel And Protection of Remnant Vegetation	194.7
24547	А	Cosy Corner West	Recreation And Bushland Management	52.3
37086	С	Cosy Corner East	Recreation And Bushland Management	12.7
46320	Α	Nullaki Peninsula	Foreshore Conservation and Recreation	8.8
		Total Area (ha)	2,127.7	

4.8 FREEHOLD LAND

Freehold land represents the most absolute form of property ownership, meaning the owner has indefinite rights to the land and any associated buildings. It essentially constitutes 'fee simple ownership', allowing the owner to sell, lease, mortgage, or utilise the land as they see fit, subject to local legislation and planning controls. There is 83,835 ha of native vegetation on 347,653 ha of freehold land in the City (Figure E).

The City owns 1,338 ha of land in freehold, with 340 ha supporting native vegetation (Figure E). This indicates that these areas are not Crown reserves and that the City holds them without a particular purpose (except for land use controls by zone or local reserve designation). Freehold areas containing native vegetation may be used for a variety of purposes, including conservation or as offsets for development. Cleared areas may also be considered for community purposes.

5 **BIODIVERSITY VALUES**

5.1 STATUS OF BIODIVERSITY

In Western Australia, we are fortunate to have data relating to biodiversity, including pre-European vegetation mapping. Until 2018, statistics were calculated to indicate broad vegetation types, areas cleared, areas remaining, and areas protected in the conservation estate.

In Albany, mapping of vegetation has been undertaken for areas most likely to be under pressure for development as part of the Albany Regional Vegetation Survey (Sandiford and Barrett, 2010). This section of the Strategy outlines the context of biodiversity in the Albany municipality.

5.2 IBRA BIOREGIONS

The City of Albany marks the confluence of three Interim Biogeographic Regionalisation Areas (IBRA) (Figure 2) including:

- Esperance Sand Plain/ Fitzgerald in the east;
- Jarrah Forest/ Southern Jarrah Forest; and
- Warren (coastal areas west of Albany).

The eastern limit of the Warren and Southern Jarrah Forest marks the transition zone from the wetter, forested southwest of Western Australia to the drier interior and eastern coastal areas, which are populated by mallee, woodland, and shrubland associations. Many plants reach their eastern limit within this area, while a few are at their western or southwestern limit (Thackway and Creswell 1995; Sandiford and Barrett, 2010). This creates a region of complex biological interactions and species combinations.

5.3 CLIMATE

Albany has a Mediterranean climate characterised by warm summers and cool, wet winters. The mean annual rainfall for Albany is 924.7 mm (Bureau of Meteorology, 2024). Most rainfall occurs between May and September, with each of these months typically receiving over 100 mm. Temperatures are generally mild, with summer average minimum and maximum temperatures of 15 °C and 23 °C, respectively, and average minimum and maximum winter temperatures of 9 °C and 16 °C (Figure 9; Bureau of Meteorology, 2024).

Areas in the north-eastern part of the City experience warmer, drier conditions than the southern, coastal, and western portions. Albany has an average of 176.8 days with rain annually. The Southern Ocean is a major factor influencing Albany's climate. It imparts a moderating influence on Albany through sea breezes during the warmer months and through the effects of a relatively mild and moist air mass at any time of the year. Seasonal variations mainly result from the north-south movement of the sub-tropical ridge. An easterly broad-scale flow prevails in summer when the ridge is south of the State. However, the movement of high-pressure cells from west to east along this ridge brings a commonly repeated pattern of wind changes to South Coast locations (Bureau of Meteorology, 2014). Albany's south coast aspect means that the progression of winds—moving from east through north, west, south, and then back to east—over several days to a week during summer can create significant variations in weather, ranging from fine and mild to hot with thundery showers, to cool and cloudy with drizzle.

When the ridge moves north in the cooler months, the moisture-laden westerly winds south of the ridge deliver much of Albany's annual rainfall. Atmospheric disturbances embedded in the westerly winds are common in winter, with the potential for several cold fronts passing through south-west Western Australia in a week.



FIGURE 8: CLIMATE

5.4 LANDSCAPE AND LANDFORM

Albany is located near the edge of the Yilgarn Craton, which contains huge slabs of ancient granite that formed as the Earth began to cool. It sits on the Albany Fraser Orogen, an ancient collision zone with folded and crushed rocks, some of which were once part of Antarctica and now contribute to Albany's coastline. The landscape has remained relatively stable for 250 million years—no significant volcanoes, glaciers, or crumpling of the Earth's crust, yet it features a complex geology. This stability and isolation have led to weathered soils that are low in nutrients. Ecosystems have evolved without interruptions from glaciation and other disturbances, resulting in ancient groups of plants and animals that utilise every niche and opportunity to survive, contributing to our remarkable biodiversity (Gondwana Link, 2025). Even a minor change in soil or slope can result in altered vegetation within a few metres.

5.5 FLORA

Flowering plants began to appear in south-western Australia about 130 million years ago and have been evolving here longer than almost anywhere else on Earth (Gondwana Link, 2025). This has led to some of the most ancient lineages of flowering plants on the planet, as well as some of the richest diversity (Gondwana Link, 2025).

Banksia are among the most ancient flowering species found in WA. They exist as both fossils and living plants, looking remarkably similar to how they did 60 million years ago. Australia has been isolated from other continents for over 140 million years. As a result, many of our plants and animals are

endemic—they are not found anywhere else on Earth. South-western Australia, in addition to its significant geological and evolutionary age, is surrounded by ocean, deserts, and the Nullarbor Plain, and it has been for millennia. It has effectively been an island within an island, with nearly half the plants occurring nowhere else.

DBCA NatureMaps and the Threatened Flora database have provided data indicating that approximately 3,104 species of flora are likely to occur within the City municipal boundary (Table 7).

TABLE 7: FLORA SPECIES – CITY OF ALBANY

STATUS	NUMBER OF SPECIES
Total plant species	3,104

Source: NatureMaps 2024. Note: includes introduced species

Conservation-significant flora present in the City are listed in Appendix C. Definitions of conservation categories are included in Appendix D.

5.6 PRE-EUROPEAN VEGETATION AND REPRESENTATION

Calculations of native vegetation extent using 2020 data (Table 889) indicate that of the 426,917 ha making up the City, approximately 156,551 ha, or 36.7%, of the original native vegetation extent remains.

TABLE 8: NATIVE VEGETATION STATISTICS

CATEGORY	AREA (ha)	% OF CITY
Pre-European Vegetation (original)	426,917	36.7
Native Vegetation Extent Remaining (DPIRD, 2020)	156,551	

The pre-European and current extent of each vegetation association within the City by IBRA region is outlined in Table 9. The following vegetation associations have less than 30% of their original extent remaining (Figure F):

- Warren: 975 Low woodland; Jarrah;
- Southern Jarrah Forest: 969 Mosaic: Medium forest; jarrah-marri / Low forest; jarrah;
- Southern Jarrah Forest: 979 Mosaic: Medium forest; jarrah-marri / Low forest; jarrah & casuarina (likely Allocasuarina fraseriana);
- Fitzgerald: 14 Low Forest jarrah;
- Fitzgerald: 47 Shrublands; tallerack mallee-heath; and
- Fitzgerald: 48 Shrublands; scrub-heath.

There are no pre-European vegetation types with less than 10% remaining.

TABLE 9: PRE-EUROPEAN VEGETATION TYPES BY IBRA REGION

Red shaded cells indicate pre-European vegetation types with less than 30% remaining.

IBRA	VEGETATION ASSOCIATION		-PRE- CLEARING (ha)	AREA REMAINING (ha)	VARIANCE %
	1	Tall Forest – karri (Eucalyptus diversicolor)	958.0	591.7	61.8
	3	Medium Forest – jarrah marri	2308.2	852.6	36.9
	14	Low Forest – jarrah	1104.4	918.9	83.2
	22	Low woodland – Agonis flexuosa	719.8	542.2	75.3
	49	Shrublands – mixed heath	6885.0	6737.8	97.9
	51	Shrublands; dwarf scrub on granite (south coast)	1146.8	406.0	35.4
	125	Bare areas – salt lakes	9.7	8.1	83.6
Warren	126	Bare areas – freshwater Iakes	5.9	5.9	100.0
	128	Bare areas – rock outcrops	285.8	273.1	95.6
	423	Shrublands; Acacia scrub- heath (unknown spp.)	10598.9	8567.5	80.8
	969	Mosaic: Medium forest; jarrah-marri / Low forest; jarrah	1707.1	671.7	39.3
	975	Low woodland; jarrah	24.2	4.4	18.4
	977	Low forest; teatree & casuarina	1.0	0.3	33.5
	978	Low forest; jarrah, Eucalyptus staeri & Allocasuarina fraseriana	90.6	83.5	92.2
	1	Tall Forest – karri (<i>Eucalyptus diversicolor</i>)	103.7	42.7	41.2
	3	Medium Forest – jarrah marri	48076.7	17265.4	35.9
Southern	14	Low Forest – jarrah	21928.6	6614.4	30.2
Jarrah Forest	27	Low woodland; paperbark (<i>Melaleuca</i> sp.)	1149.4	484.4	42.1
	49	Shrublands; mixed heath	169.0	156.7	92.7
	51	Sedgeland; reed swamps, occasionally with heath	15948.7	5686.5	35.7
	125	Bare areas – salt lakes	121.0	85.4	70.6

IBRA	VEGETATION ASSOCIATION		-PRE- CLEARING (ha)	AREA REMAINING (ha)	VARIANCE %
	126	Bare areas – fresh water lakes	897.4	346.8	38.6
	128	Bare areas – rock outcrops	820.4	704.6	85.9
	129	Bare areas - rock outcrops	392.0	375.6	95.8
	423	Shrublands; <i>Acacia</i> scrub- heath (unknown spp.)	3462.4	3131.0	90.4
	967	Medium woodland; wandoo & yate	48.7	25.7	52.8
	968	Medium woodland; jarrah, marri & wandoo	328.0	279.0	85.0
	969	Mosaic: Medium forest; jarrah-marri / Low forest; jarrah	8276.3	1462.1	17.7
	973	Low forest; paperbark (<i>Melaleuca rhaphiophylla</i>)	119.8	83.6	69.8
	977	Low forest; teatree & casuarina	238.9	113.0	47.3
	978	Low forest; jarrah, Eucalyptus staeri & Allocasuarina fraseriana	51905.1	20355.7	39.2
	979	Mosaic: Medium forest; jarrah-marri / Low forest; jarrah & casuarina (probably <i>Allocasuarina</i> <i>fraseriana</i>)	7718.4	1480.2	19.2
	989	Shrublands; Albany blackbutt mallee-heath	70.9	57.0	80.4
	994	Low forest; jarrah & casuarina (probably <i>Allocasuarina fraseriana</i>)	16399.5	4987.3	30.4
	995	Shrublands; mallee scrub, bushy yate & Bald Island marlock	6.4	6.4	100.0
	2051	Sedgeland; sedges with low tree savanna woodland; paperbarks over & various sedges	2451.3	4413.7	60
	14	Low Forest – jarrah	405.0	118.0	29.1
Fitzgerald	42	Shrublands; mallee & acacia scrub on south coastal dunes	237.7	235.2	99.0

IBRA	VEGETATION ASSOCIATION		-PRE- CLEARING (ha)	AREA REMAINING (ha)	VARIANCE %
	47	Shrublands; tallerack mallee-heath	63449.2	14258.8	22.5
	48	Shrublands; scrub-heath	6262.3	1348.1	21.5
	50	Shrublands; dwarf scrub on granite (south coast)	217.8	217.8	100.0
	51	Sedgeland; reed swamps, occasionally with heath	456.6	408.1	89.4
	125	Bare areas – salt lakes	763.2	460.2	60.3
	126	Bare areas – fresh water lakes	1093.9	449.8	41.1
	128	Bare areas – rock outcrops	358.5	348.6	97.2
	129	Bare areas - rock outcrops	683.9	609.3	89.1
	352	Medium woodland; York gum	631.6	267.2	42.3
	423	Shrublands; Acacia scrub- heath (unknown spp.)	3487.1	3309.5	94.9
	516	Shrublands; mallee scrub, black marlock	6723.2	3700.5	55.0
	931	Medium woodland; yate	1952.9	1040.8	53.3
	938	Medium woodland; York gum & yate	2215.0	750.0	33.9
	964	Shrublands; mallee scrub, black marlock & <i>Eucalyptus decipiens</i>	2337.8	855.8	36.6
	965	Medium woodland; jarrah & marri	3912.9	1573.0	40.2
	967	Medium woodland; wandoo & yate	453.5	188.0	41.5
	978	Low forest; jarrah, Eucalyptus staeri & Allocasuarina fraseriana	19.1	19.1	100.0
	980	Shrublands; jarrah mallee- heath	109688.6	41339.4	37.7
	989	Shrublands; Albany blackbutt mallee-heath	8943.5	7635.0	85.4
	994	Low forest; jarrah & casuarina (probably Allocasuarina fraseriana)	547.0	287.2	52.5

IBRA	VEGETATION ASSOCIATION		-PRE- CLEARING (ha)	AREA REMAINING (ha)	VARIANCE %
	995	Shrublands; mallee scrub, bushy yate & Bald Island marlock	3106.0	3052.7	98.3

Source: Pre-European Veg Look Up Table (LUT) Summary (preeuropeanvegetationlutsummary-may2012) https://catalogue.data.wa.gov.au/dataset/pre-european-dpird-006/resource/d6ce041c-8f7a-4309-9f52-44c1b617a4c8 and BEARD_IBRA_LGA_postclearing_stats (This project, 2025).

5.7 ALBANY REGIONAL VEGETATION SURVEY

The most comprehensive vegetation survey conducted within the City is the Albany Regional Vegetation Survey (ARVS1; Sandiford and Barrett, 2010). The study area spans 124,415 ha and extends 30 km east and west, and 20 km north of the Albany urban area (Figure G). It identified 67 native vegetation units, along with two units dominated by introduced species (Appendix E and Figure G). The vegetation condition attributed at that time is depicted in Figure H.

The study identified 67 native vegetation units, with 32 classified as upland, 22 as wetland (including three tidal or estuarine units), and 13 as dampland or transitional units that occur between wetlands and uplands. Two vegetation units (28, 50) are classified as 'miscellaneous' mapping units, covering uninterpretable areas and vegetation that did not clearly fit into any other unit. Three of the vegetation units (22, 34, 51) were ecotonal and did not distinctly belong to other units.

A summary of key findings from ARVS1 is presented in Table 10. Preliminary assessment of the conservation significance of Albany vegetation units was undertaken using criteria adopted from the EPA Guidance Statement 33⁹.

Caution must be exercised when interpreting the reservation status data, as large conservation reserves (e.g., Stirling Ranges) are situated just outside the ARVS area. The prioritisation of significant vegetation units was not conducted as part of ARVS1 since additional vegetation extent surveys outside the ARVS are needed, and further analysis of condition status and the impact of threats was required.

The ARVS found little correlation between the broad-scale regional mapping of pre-European vegetation associations and the more detailed vegetation units in Albany, which made it impossible to accurately determine the original extent of vegetation units. As a result, pre-European vegetation association values are generally used to represent both the pre-clearing and current extent of ecological communities in the Albany region.

Vegetation condition attributed at that time is shown in Figure H. Vegetation condition for ARVS areas used a scale by Thackway and Lesslie (2006¹⁰).

https://www.epa.wa.gov.au/sites/default/files/Policies and Guidance/GS33-270508.pdf

¹⁰ Thackway, Richard & Lesslie, Rob. (2005) Vegetation Assets, States, and Transitions: accounting for vegetation condition in the Australian landscape.

http://researchgate.net/publication/255588401 Vegetation Assets States and Transitions accounting for v egetation_condition_in_the_Australian_landscape.

⁹ EPA (2008) Environmental Guidance 33 for Planning and Development.

TABLE 10: SUMMARY OF FINDINGS FROM ALBANY REGIONAL VEGETATION SURVEY (ARVS1)

Representation/distribution

- 35% of native vegetation remains in the ARVS area. Of this, 19% is in formal conservation reserves (IUCN I-IV categories) and 39% in other Crown reserves.
- 32 vegetation units had less than 10% of their current extent protected within formal conservation reserves, including the most common unit (12).
- 15 vegetation units do not have any of their current extent occurring within conservation reserves, including six units (7, 27, 32, 40, 42, 61) restricted to other Crown reserves, and nine units (15, 18, 19, 30, 34, 44, 53, 55, 63) that have more than 70% occurring on non-reserved land (six of these occur in Angove water reserve and five occur in Betty's Beach reserve).
- Taking into account known occurrences in conservation reserves just outside the survey area, 18 vegetation units (20, 27, 30, 32, 33, 40, 41, 42, 53, 54, 55, 56, 60, 62, 63, 65, 66, 67) have less than 10% of their extent occurring in conservation reserves and therefore would be considered poorly reserved on a local scale.
- Five vegetation units (7, 9, 33, 42, 62) are known to occur outside the ARVS area or have very similar floristic composition to units outside the ARVS area.
- Over one-quarter of vegetation units appear to be largely restricted to the ARVS area and its 10 km buffer, including the two most common vegetation units (12, 13).
- Only eight vegetation units (12, 13, 3, 31, 47, 5, 46, 10) are common within the ARVS area; however, at least one other unit (2), is considered to be common locally due to its widespread occurrence within conservation reserves just outside the survey area.
- All other vegetation units each occur with less than 1500 ha, comprising 3.4% of the total native vegetation remaining in the survey area.

Rarity

- 49 vegetation units each occur on less than 1% of the total native vegetation remaining in the survey area. The significance of these 49 vegetation units is highlighted by the fact that 20% of species recorded through the ARVS are restricted to, and 78% of species occur within these units.
- 12 vegetation units (60, 41, 29, 37, 62, 44, 26, 61, 43, 42, 7) are highly restricted in their extent, each occurring on less than 10 ha.
- The two smallest vegetation units (7 and 42) are particularly significant as the ARVS recorded nine native species as occurring only within these units.
- Vegetation unit 34 is entirely restricted to the ARVS area, and the Priority 1 Priority Ecological Community (PEC) unit 14 is largely restricted to the area.
- It is likely that at least one vegetation unit (14) has less than 30% of its original extent remaining, and another three units which appear to be restricted to the survey area plus 10 km buffer (13, 39, 56) are also likely to have less than 30% of their original extent remaining.

- Seven other units that appear to be restricted to the survey area plus 10 km buffer (6, 15, 16, 17, 18, 19, 23) are likely to have more than 30% of their original extent remaining, while the original extent of another nine units thought to be restricted to the ARVS area (12, 30, 32, 35, 37, 44, 45, 51, 60) is unclear.
- Threatened flora species were recorded in eight vegetation units in the ARVS area (3, 4, 13, 14, 15, 24, 31, 37).
- Vegetation units 15 and 24 are particularly significant as they each contain most of the known populations of Threatened species which are considered to be restricted to the ARVS area.
- Other Threatened species restricted to the ARVS area were recorded in vegetation units 3, 4, 13 and 14.
- Over half of the vegetation units contained priority flora species.

Diversity

- Particularly high vegetation diversity was found in wetland habitats, on granite outcrops and along the coastal fringe overlying granite hills, relative to the extent of these areas.
- High species diversity was recorded in upland (shrubland and woodland) vegetation units, with the highest mean species richness recorded in unit 31 (with a mean of 31 species per relevé).
- Strong vegetation patterning was observed in several areas, with vegetation units either following a gradational sequence or occurring as mosaics across the landscape.

Condition

- Approximately two-thirds of native vegetation in the ARVS area is in residual (very good to excellent) condition.
- 41% of native vegetation on non-reserved land is in residual condition, 34% is modified (good to very good) and 25% is transformed (good to degraded).
- It has been estimated that at least 46% of vegetation unit 12, 69% of vegetation unit 57 and 41% of vegetation unit 52 are either in modified or transformed condition.

Susceptibility to threats

- Vegetation units susceptible to *Phytophthora* dieback include units 4, 12, 13, 14, 15, 16, 18, 21, 24b, 31, 37, 38, 45, 46, 47b and 51. Vegetation unit 14 is listed as a PEC due to its susceptibility to dieback.
- Aerial canker fungi were observed to cause limb death as well as plant mortality in vegetation units 16, 24b and 21.
- Vegetation units 44 and 48 appear to be threatened by hydrological change, with wetland species dying and upland species invading these units.
- Fire-sensitive vegetation units within the ARVS area have been identified as those dominated by serotinous obligate seeder species (14, 15, 16, 34, 46d, 51, 31), refugial habitat (granite outcrop) units, wetland/riparian units, and those restricted to peat soils (47).

Survey confidence

- Approximately two-thirds of native vegetation in the ARVS area was mapped with very high or high confidence, 31% moderate confidence and 2% low confidence.
- Most moderate to low confidence ratings occurred on private property and within Jarrah dominated units (12, 13, 30, 31) or wetland units.
- 19 vegetation units (6, 15, 16, 18, 19, 20, 21, 2, 27, 30, 32, 34, 40, 41, 53, 54, 58, 63) had not been previously described.

In 2013, the ARVS2 project analysed spatial data sets of ARVS1 and identified poorly represented AVU. This information was used to identify poorly represented AVU areas described in Appendix F.

5.8 ECOLOGICAL COMMUNITIES

The City supports a number of Threatened and Priority Ecological Communities listed under the EPBC Act and the Western Australian *Biodiversity Conservation Act 2016*. Ten Threatened Ecological Communities (TEC) and eight Priority Ecological Communities (PEC) are known to occur in the City (Table 11). Definitions of Threatened and Ecological Communities are included in Appendix D.

DBCA REF.	COMMUNITY NAME	CATEGORY (WA)	CATEGORY EPBC ACT
	Green Range granite hill heath and woodland community	Priority 1	
6	Heath and woodland dominated by Acacia heteroclita, Anthocercis viscosa, Thryptomene saxicola, Darwinia citriodora, Prostanthera verticillata, Platysace compressa, Gastrolobium bilobum, Hakea oleifolia, Leucopogon verticillaris, Agonis flexuosa, Eucalyptus cornuta, and Acacia drummondii ssp. elegans on red clay-loam over granite.		
	Wet ironstone heath community (Albany District) (can be a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 1	Endangered TEC
7	The habitat for the community is winter-wet ironstone in valley floors. The heath community is dominated by Kunzea recurva, K. preissiana, K. micrantha, Hakea lasiocarpha, H. tuberculata, H. oldfieldii, H. cucullata, H. sulcata, Petrophile squamata, Dryandra tenuifolia ssp. tenuifolia, Adenanthos apiculatus, Melaleuca suberosa, M. violacea, Gastrolobium spinosum. North Porongurup.		
	Cheynes 1 Tree Mallee (can be a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 1	Endangered TEC (part)
9	Eucalyptus acies, E. lehmanii, E. goniantha Tree Mallee Tall Open Shrubland and Open Sedgeland on loam on steep slopes of spongelite breakaway. Common shrub species include Gastrolobium bilobum, Rhadinothamnus rudis, Melaleuca blaeriifolia, Hakea elliptica, Spyridium majoranifolium and Agonis theiformis. Common sedges include Desmocladus flexuosus and Tetraria capillaris. Priority taxa other than E. acies (P4) and E. goniantha (P4)		

TABLE 11: THREATENED AND PRIORITY ECOLOGICAL COMMUNITIES

DBCA REF.	COMMUNITY NAME	CATEGORY (WA)	CATEGORY EPBC ACT
	include Dryandra serra (P4, at the eastern limit of its range) and Calothamnus robustus (P3).		
	Cheynes 2 Open Tree Mallee (can be a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 1	Endangered TEC (part)
10	Eucalyptus acies (P4), E. doratoxylon Tree Mallee over Mixed Tall Open Shrubland, Open Shrubland and Open Sedgeland on loam on gentle to moderate slopes and crests of spongelite outcropping. Common tall shrub species include Allocasuarina trichodon, Hakea cucullata and H. lasiantha; however the tall shrub stratum may be absent. Common shrubs include Calothamnus robustus (P3), Beaufortia empetrifolia, Dryandra mucronulata, Melaleuca striata and Taxandria spathulata. Common sedges include Mesomelaena stygia, M. tetragona, Cyathochaeta avenacea, Anarthria scabra and Chordifex leucoblepharus.		
	Banksia coccinea Shrubland/Eucalyptus staeri/Sheoak Open Woodland ('Community type 14a') (can be a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 1	Endangered TEC (part)
15	Found on deep white/light grey sand on the lower slopes and valleys, usually occurring just upslope of seasonally wet drainage lines. The community is floristically very diverse and structurally quite variable. Typically Allocasuarina fraseriana, Eucalyptus staeri, Banksia attenuata and Banksia ilicifolia are present as emergents or as low open woodland above a Banksia coccinea tall open scrub, mixed open/closed heath, mixed low open heath, mixed sedgeland and open herbland. Jacksonia spinosa often forms a distinct stratum above the heathland, dominant heath species are Melaleuca thymoides, Adenanthos cuneatus, Leucopogon rubricaulis, Phyllota barbata, Hypocalymma strictum and Leucopogon glabellus. Common sedges and herbs include Anarthria scabra, Lyginia barbata, Schoenus caespititius, Anarthria prolifera, Anarthria gracilis and Cyathochaeta equitans. The community is highly susceptible to Phytophthora dieback with infestations resulting in greatly reduced floristic and structural diversity. Appears to be restricted to the Albany region.		
19	Mosaic of Albany Blackbutt (Eucalyptus staeri) mallee-heath found on lateritic ridges and Chittick (Lambertia inermis subsp. inermis) scrub-heath on seasonally-waterlogged laterite (can be a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC). Regionally very restricted and very poorly reserved. Threats: dieback	Priority 1	Endangered TEC (part)
	Banksia littoralis woodland / Melaleuca incana Shrubland (South Coast	Priority 1	
20	Region) Threats: fragmentation, dieback disease, hydrological change, too frequent fire, weed invasion	·	
21	Banksia occidentalis/Kunzea clavata Shrubland (South Coast Region) Threats: dieback disease, too frequent fire, weed invasion	Priority 1	
22	Astartea scoparia Swamp Thicket (South Coast Region)	Priority 1	

DBCA REF.	COMMUNITY NAME	CATEGORY (WA)	CATEGORY EPBC ACT
	Threats: fragmentation, too frequent fire, hydrological change, weed invasion, dieback disease		
	Coastal Melaleuca incana / Taxandria juniperina Shrubland/ Closed Forest	Priority 1	
23	Threats: fragmentation, too frequent fire, hydrological change, weed invasion, dieback disease		
24	Tallerack (Eucalyptus pleurocarpa) mallee-heath on seasonally inundated soils (can be a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 2	Endangered TEC (part)
	May have been common prior to clearing for agriculture, and the remaining occurrences of this vegetation are of high conservation significance.		
	Melaleuca striata /Banksia spp. Coastal Heath (a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 1	Endangered TEC (part)
25	Community occurs on light grey deep sand on coastal slopes and valleys. Melaleuca striata, Banksia attenuata and Banksia coccinea dominate the closed to open heath/low heath with exposure to salt laden winds restricting the growth of the latter two species. This unit is typically dense being a closed to open heath/low heath over a dense sedgeland dominated by Anarthria scabra. Other common species include Isopogon cuneatus, Adenanthos cuneatus, Astroloma baxteri, Hypocalymma strictum, Petrophile rigida, Melaleuca thymoides, Lyginia barbata and Hypolaena exsulca. The community is restricted to an area in Gull Rock National Park east of Albany.		
	Threats: All known occurrences are affected by Phytophthora dieback and/or aerial canker. Also vulnerable to inappropriate fire regimes as the community contains serotinous obligate seeders.		
	Melaleuca spathulata/Melaleuca viminea Swamp Heath	Priority 1	
26	Seasonally wet heath dominated by Melaleuca spathulata and Melaleuca viminea in the upper stratum over an open sedgeland characterised by Meeboldina roycei; occurs on brown to orange brown loam overlying clay in winter-wet sumplands.		
	Threats: as a wetland community may be considered vulnerable to inappropriate fire regimes i.e. intense fire while the dominant species Melaleuca viminea is a serotinous obligate seeder and vulnerable to too frequent fire.		
	Banksia coccinea Shrubland /Melaleuca striata / Leucopogon flavescens Heath (a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 1	Endangered TEC (part)
27	Community occurs on light grey or grey deep sand on lower slopes and valleys. Structurally this unit is a diverse heathland over a diverse sedgeland dominated by Anarthria scabra and a very open herbland dominated by Dasypogon bromeliifolius. Emergent trees (Allocasuarina fraseriana, E. marginata) may be present along with the shrub Taxandria angustifolia. The community is restricted to an area in the Angove-Two-Peoples Bay - Bettys Beach area east of Albany.		

DBCA REF.	COMMUNITY NAME	CATEGORY (WA)	CATEGORY EPBC ACT
	Threats: dieback disease caused by Phytophthora spp., inappropriate fire regimes.		
	Albany Blackbutt (Eucalyptus staeri) mallee-heath on deep sand (can be a component of the Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of Western Australia EPBC Listed TEC)	Priority 2	Endangered TEC (part)
30	The structure of the vegetation is mallee heath. Eucalyptus staeri to about 4-5 m in height is the most common mallee within a tall open shrub layer consistently dominated by Agonis theiformis and Banksia baxteri. Banksia attenuata, Banksia coccinea, Hakea pandanicarpa subsp.crassifolia and Lambertia inermis are also dominant in some occurrences. Banksia attenuata dominates this assemblage at occurrences with the deepest sand. Hakea baxteri and Nuytsia floribunda are other common species in the tall shrub layer. Banksia baxteri in the tall shrubs layer is a conspicuous indicator species of this unit. Requires further survey to confirm distribution.		
	Threats: appears to have been very extensive and common throughout the region but has been comprehensively cleared and degraded (mainly through grazing).		
33	Swamp Yate (Eucalyptus occidentalis) woodlands in seasonally inundated clay basins (South Coast)	Priority 3(iii)	
	conserved in the region.		
34	Subtropical and Temperate Coastal Saltmarsh Found along coastline, characterised by low-growing, salt-tolerant vegetation (halophytes) like grasses, herbs, sedges, rushes, and shrubs, adapted to the high salinity and tidal inundation of coastal areas.	Priority 3	Vulnerable
	Inreats: Climate Change including sea level rise, and degradation from human activities.		
	Taxandria spathulata Heath (can be a component of the Proteaceae Dominated Kwongkan Shrublands of the Southeast Coastal Floristic Province of Western Australia EPBC Listed TEC)	Priority 4(i)	Endangered TEC (part)
39	Community is an open heath dominated by Taxandria spathulata, with a sedgeland that includes Schoenus sp. Cape Riche Cushion and Mesomelaena stygia on clay loam overlying spongelite plains.		
	Threats: The community is vulnerable to inappropriate fire regimes with Taxandria spathulata being a serotinous obligate seeder.		
	Proteaceae dominated kwongkan shrublands of the southeast coastal floristic province of W estern Australia	Priority 3(iii)	Endangered
40	Consists of \geq 30% cover of Proteaceae species across all layers where shrubs occur or where two or more Proteaceae species are present that are likely to form a significant vegetative component when regenerated. It occurs on sandplains and marine plains, occupying lower and upper slopes and ridges, as well as uplands. It typically occurs on duplex soils and deep to shallow soils on the sandplains; and on sandy soils to clay loam, gravelly loam and loam on quartzite (e.g. The Barrens, Stirlings and Russell Range) and greenstone ranges (e.g. Ravensthorpe Range). The structure of the vegetation is that of a shrubland, ranging from low to high, and can form		
	vegetation is that of a shrubland, ranging from low to high, and can form dense thickets or be relatively open due to variation in soils and landscape		

DBCA REF.	COMMUNITY NAME	CATEGORY (WA)	CATEGORY EPBC ACT
	position, or due to disturbance history (e.g. fire). Mallee eucalypts may be present at varying densities, but providing the minimum Proteaceae cover is present, the ecological community is still recognised.		
	Threats: past threats have principally been fragmentation from land clearing, current threats are plant disease Phytophthora cinnamomi, increased fire frequencies, invasive weeds and feral animals.		
	Empodisma peatlands of southwestern Australia Typically occur as frish water, seasonally waterlogged wetlands on slopes, flats, channels and occasionally, very shallow basins. Species such as Acacia hastulata, Callistemon glauca (Albany bottlebrush), Cosmelia rubra (spindle heath), Homalospermum firmum, Taxandria linearifolia (swamp peppermint) and sedges Gymnoschoenus anceps, Leptocarpus tenax and Schoenus multiglumis are indicators of peaty soil. Threats: Hydrological modification, reduced rainfall, fire frequency and intensity.		Endangered

Source: Department of Biodiversity, Conservation and Attractions (19 June 2023) Priority Ecological Communities For Western Australia Version 35. Species and Communities Program.

5.9 FAUNA

Data has been provided by the DBCA (NatureMap and Threatened fauna database) which indicates that approximately 1,464¹¹ species of fauna may occur within the City, comprising:

- Invertebrates 677 recorded species;
- Fish 274 recorded species;
- Frogs 22 recorded species;
- Reptiles 55 recorded species;
- Birds 349 recorded species; and
- Mammals 87 recorded species.

The DBCA data bases indicated that there are the following number of conservation significant species:

- Invertebrates: 10 species;
- Fish: 7 species;
- Reptiles: 3 species;
- Birds: 72 species; and
- Mammals: 26 species.

A list of conservation significant fauna species is included in Appendix G. Definitions of conservation categories are included in Appendix D.

The ARVS project (Sandiford and Barrett, 2010) identified significant AVU for fauna habitat (Appendix H).

¹¹ This is likely to be an underestimate of species numbers.

5.10 FUNGI AND OTHER LIFE FORMS

Data has been provided by DBCA NatureMap which indicates that approximately 531 species of fungi, lichen and slime mould may occur within the City (Table 12). This number is likely to be an underestimate as these classes of lifeform are often poorly known.

TABLE 12: FUNGI, LICHEN AND SLIME MOULDS

STATUS NUMBER OF SPECIES	
Lichen	159
Fungus	368
Slime mould	4

Source: DBCA (2024) NatureMap. Note: includes introduced species

5.11 STATE MANAGED CONSERVATION RESERVES

National Parks and Nature Reserves are managed by the Conservation Commission under the Conservation and Land Management Act 1984 and are actively managed by the DBCA. These areas are the crown jewels of our region, considered 'Regionally Significant,' and can only remain healthy with support from the surrounding bushland, wetlands, and waterways.

Areas managed as part of the conservation estate in the City are shown in Table 13.

TABLE 13: STATE CONSERVATION AREAS

MANAGED BY DBCA	AREA (ha)	CONSERVATION RESERVE TYPE	
Conservation Park	6.38	Gledhow Conservation Park	
National Parks	78,717.74	Gull Rock	Stirling Range
		Hassell	Torndirrup
		Mount Lindsay	Waychinicup
			West Cape Howe
Nature Reserves	18,997.11	Bakers Junction	Mount Manypeaks
		Basil Road	Mount Mason
		Blue Gum Creek	Napier
		Bon Accord Road	North Sister
		Cheyne Road	Pallinup
		Down Road	Sleeman Creek
		Gledhow	South Sister
		Granite Hill	South Stirling
		Kojaneerup South	Takenup Road
		Lake Pleasant View	Tennesse North
		Lake Powell	Tinkelelup
		Mailalup	Two Peoples Bay
		Marbelup	West Mount Mason

MANAGED BY DBCA	AREA (ha)	CONSERVATION RESERVE TYPE	
		Mettler Lake	White Lake
		Millbrook	
Section 5(1)(h) Reserve	402.4	Voyagers Park	
		Lighthouse, Torndirrup – Cave Point and	d two other parcels
State Forest	4,055.31	Denmark Catchment State Forest	
Timber Reserve	1,234.5		
Covenants			
Conservation Covenants	1,859.13		

5.12 WETLANDS AND WATER COURSES

A variety of wetlands exist within the City, including freshwater to brackish lakes, rivers, and seasonally inundated swamps. Major drainage lines include the Kalgan, King, and Goodga Rivers, Mill Brook, and Marbellup Brook. Three wetland suites are listed in the Australian Directory of Important Wetlands (DCCEEW, 2025): the Moates Lake System, which includes Lake Gardner, Moates Lake, Angove Lake, and their tributaries; the Lake Pleasant View System, which encompasses South Sister Lake and Lake Pleasant; and Oyster Harbour, accompanied by its tidal vegetation.

Thirty-five wetlands within the City of Albany have been recognised as 'conservation category wetlands' based on their representation, scarcity, presence of conservation flora and/or fauna, and social/cultural values (Department of Water, 2007).

Historically, many wetlands have been modified, cleared, filled, or drained. Other significant changes to wetlands include nutrient enrichment, sedimentation, weed invasion, and alterations to hydrological status. This includes increased salinity, heightened runoff, and rising water levels due to vegetation clearing, as well as lowered water levels linked to water extraction for supply purposes (Department of Water, 2007).

5.13 COASTAL AREAS

The City of Albany's coastline stretches over 180 km from the Nullaki Peninsula in the west to Pallinup Beach in the east. It primarily consists of sandy beaches and dunes, limestone formations, and granite headlands. Other significant features include inlets and estuaries that support rich biodiversity. Coastal vegetation plays an essential role in stabilising mobile dunes and providing natural protection from storms, rising sea levels associated with climate change, and erosion. The City's coastline has important regional conservation value and offers an extensive ecological linkage characterised by coastal sand dunes, limestone and granite cliffs, and coastal heathland vegetation.

5.14 CONNECTIVITY

In 2006, relatively new geographic information system technology enabled the conceptualisation of a macro corridor connecting vegetation and high biodiversity areas across the South Coast. The Macro Corridor Project (Wilkens et al., 2006) identified potential linkages between Israelite Bay, east of Esperance, stretching westward to Albany, with inland connections along major river systems to

protected areas such as the Stirling Ranges and other bushland (Figure 10). Protecting and enhancing these corridors has been highlighted as a key criterion for maintaining biodiversity.



FIGURE 9: MACRO CORRIDOR NETWORK

Source: Wilkens et al. 2006

5.15 MATTERS OF NATIONAL ENVIRONMENTAL SIGNIFICANCE

The EPBC Act assesses potential impacts to 'Matters of National significance' (MNES). The Department of Climate Change, Energy, the Environment and Water (DCCEEW) website features a 'Protected Matters Search Tool' which indicates that the City has:

- One National heritage place: Part of the Stirling Range National Park;
- A Commonwealth Marine Area;
- Three listed Threatened Ecological Communities;
- 115 listed Threatened species;
- 69 listed migratory species;
- 94 listed marine species; and
- 31 species of whales and other cetaceans.

A summary report of the MNES is included in Appendix I.

6 ACHIEVEMENTS

The City has been working towards the protection of natural areas. This section outlines several strategies and actions that have been undertaken.

6.1 LAND USE PLANNING

As outlined in Section 4.5, the City has reviewed its LPS and includes a reservation category of 'Environmental Conservation'. This means that even if a Crown Reserve lacks a purpose related to 'Conservation', any development application will take into account the environmental conservation values of the area.

6.1.1 Local Planning Strategy and Local Planning Scheme No. 2

The new Local Planning Scheme No. 2 now includes a reservation category for 'Environmental Conservation.' The land outlined in this category comprises 80,190 ha (Figure D)..

- The State government has provided a planning framework, and the City has advanced this in its LPS and LPS2.
- Each Reserve may accommodate other compatible uses.

6.1.2 Special Control Areas

The City has established Special Control Areas within the planning framework that will benefit the community and biodiversity. Special Control Areas include coastal hazard risk management and adaptation plan (CHRMAP) areas for Middleton Beach and Emu Point. Foreshore management plans are required for these areas, identifying biodiversity attributes and ensuring ongoing protection. Special Control Areas are also designated for the Yakamia Creek, Lake Seppings, Oyster Harbour, Lake Powell, Lake Manurup, and Willyung Creek areas to address hydrological processes and habitat protection.

6.2 THREAT ABATEMENT

Rather than prepare a management plan for each Reserve under its management, the City is guided by its *Environmental Land Management Guidelines*¹². These guidelines cover how all works by the City and its contractors should be undertaken to address environmental issues related to:

- All new upgrade and maintenance work;
- Roads, roadsides and drainage;
- Developed reserves;
- Resource pits;
- Tracks and trails;
- Fuel and fire management;
- Waste disposal sites and transfer stations; and

¹² City of Albany (2022) Environmental Land Management Guidelines <u>https://www.albany.wa.gov.au/documents/310/environmental-land-management-guidelines</u>

• External customer activities.

In terms of threat abatement, the guidelines address:

- Vehicle and machinery management;
- Clearing of native vegetation;
- Importing soil or other materials;
- Weed management and herbicide use;
- Dieback management and hygiene;
- Acid sulfate soil management; and
- Erosion and drainage management.

6.3 **BIODIVERSITY MANAGEMENT PARTNERSHIPS**

The City has formed partnerships with community groups to assist in local biodiversity protection. This often comprises support, advice, insurance for volunteers and letters of support for grant applications. Initiatives include:

- Collingwood Heights protection of TEC in collaboration with South Coast NRM.
- Support for catchment groups like Oyster Harbour and Torbay through funding for events.
- Small environmental grants and funding for administration and other activities of these groups that assist in achieving the City's objectives.
- Western ringtail possum projects with South Coast NRM in city reserves.
- Decades of collaboration with South Coast NRM and the City to rehabilitate and increase the biodiversity values of Yakamia Creek.
- Torbay feral animal control within city reserves, including West Cape Howe, Mutton Bird, Cosy Corner, and Sand Patch.
- Wilson Inlet Catchment Group feral animal control initiatives.
- Oyster Harbour cat control in city reserves along with education and workshops.
- The City provides letters of support to groups.
- Torndirrup Sydney golden wattle control letter drops in partnership with Green Skills.
- Senecio weed control at Sand Patch.
- Hanrahan landfill arum lily control efforts.
- Education for residents near city reserves regarding weed and feral animal control.
- Good neighbour policy for city reserves for weed and fire management.

6.4 SUPPORT OF VOLUNTEERS

The City has collaborated with community volunteers for many years to support activities such as weed removal, replanting, and rubbish clean-up. Currently, four bushcare groups in Albany consist of dedicated volunteers who unite to protect, preserve, and enhance their local bushland. These groups make a significant contribution to removing environmental weeds from ecologically and culturally sensitive areas. They include:

- Barmup bushcare busy bee group;
- Yakamia bushcare busy bee group;
- Frenchman Bay bushcare busy bee group; and
- Tjuitgellong/ Lake Seppings, Eyre Park and Mounts community group.

Each group meets monthly for about three hours, concentrating on weed control and eradication in their local reserve. They progressively move across their areas of interest, targeting weeds as the seasons dictate while monitoring their local patches for changes and impacts.

These groups were initiated by and are now actively managed and run entirely by passionate volunteers. The bushcare groups receive support from the City's Natural Reserves team, which works collaboratively to identify priority areas for weed control. They discuss native plants, weeds, and other topics to learn about and monitor in the bushland. This effort greatly benefits both the community and the city. Without the dedication of these community members, some of Albany's precious bushland could face increasing weed infestation. The commitment and contributions of these groups are invaluable for enhancing biodiversity, improving habitat, water quality, and soil health. In addition to these important environmental outcomes, the community enjoys greater aesthetics, the chance to connect with local residents, share knowledge and stories, and take pride in the improved conditions for future generations.

Support from the City includes providing mulch, green waste collection, and donations from the Fossicker's Tip Shop.

Project outcomes include:

- 28 busy bee events in the 2023/2024 financial year;
- Over 12 ha of bushland weeded during the busy bee events;
- Over 270 combined group hours spent weeding and revegetation at the seven sites;
- Over 400 individual volunteer hours attending the bushcare events;
- Work included weed control, mulching and rubbish collection;
- Work has been undertaken at Burmup/ Bluff Rock, Yakamia Forest, Goode Beach, Frenchman Bay, Lake Seppings/ Tjuitgellong, Eyre Park, Mount Clarence/ Corndarup and Mount Adelaide/ Irrerup; and
- Priority weeds tackled include Kikuyu, Sydney Golden Wattle, Victorian tea tree, Rose Pelargonium, Taylorina, Senecio, Polygala, Gorse, Fleabane, Nasturtiums, Arum Lily, Pampas Grass and Lantana.

Site specific outcomes include:

- Tjuitgellong/Lake Seppings: The planting of two new areas was carried out in 2022/23. One site measured 100 m in length, while the other was 30 m long on the edge of the wetland. Native plants, including numerous sword sedges, kangaroo paw, and saltwater paperbark, were transplanted from nearby firebreaks to locations adjacent to the walking trail. This area is heavily used by the community for walking and birdwatching, creating high engagement and awareness opportunities. Weed control was implemented, including the removal of 1,790 Sydney golden wattle plants from around the lake and adjacent areas.
- Eyre Park: Planting occurred within two 'wildlife stepping stones' in the park to facilitate movement for possums, bandicoots, and other animals and birds across the park. A new site was planted next to the lake on Middleton Road, primarily using transplanted native willows, sword sedge, saltwater paperbark, and other species donated by community members.
- Corndarup/Mount Clarence and Irrerup/Mount Adelaide: The removal of 1050 Sydney Golden Wattle took place before seeding, including 580 from near Albany Senior High School on Mount Clarence and 401 along Marine Drive.
- 'Turtle trackers' (City of Albany and Murdoch University initiative) assist in recording oblong turtle movements and involve volunteers and DBCA. Signage is provided near busy roads where turtles are likely to cross during the breeding season.
- The Wildflower Society conducts Spring flora surveys and educational wildflower walks.

Observations by City staff include the following:

- Groups come and go, but leave a legacy for others.
- Champions often suffer from burnout.
- While supporting volunteers takes time, it brings numerous benefits to the biodiversity of the City of Albany.

6.5 ENVIRONMENTAL STRATEGIES AND PUBLICATIONS

Since its establishment in 1998, the City of Albany has developed several separate plans, guidelines, and strategies focused on specific elements of the natural environment, the most recent including:

- Environmental Impact Assessment Policy (City of Albany, 2013, Amended 2024);
- How to Identify Sydney Golden Wattle (City of Albany, 2023);
- Environmental Land Management Guidelines (Code of Conduct) (City of Albany, 2022);
- City of Albany Reserves Report (City of Albany, 2019a);
- Environmental Weed Management Plan (City of Albany, 2019b);
- Natural Reserves Strategy and Action Plan (City of Albany, 2017);
- 12 of Albany's most unwanted weeds (City of Albany, undated); and
- City Mounts Management Plan (City of Albany, 2006).

6.6 MANAGEMENT OF RESERVES

The City actively manages numerous reserves as outlined in the Natural Reserves Strategy and Action Plan (2017 - 2021). Management of these reserves is based on values, usage, and threatening processes. As of early 2025, the City has a dedicated Reserves team consisting of five Natural Area Maintenance Staff and a Natural Areas Supervisor who manages on-ground works, which include:

- Weed management;
- Pruning of native vegetation for safety (sight lines);
- Revegetation programs;
- Assisting Bushcare volunteers; and
- Maintaining access points, trails and nature-based campgrounds.

Two Reserves Officers manage reserves planning, process permits for access to reserves, evaluate environmental impact statements for work conducted in reserves, and ensure that activities on City-managed land minimise environmental impacts.

The City has hosted community planting days at Yakamia Creek, Cull Park Lake, and Wellington Street Park.

6.7 MANAGEMENT OF ROAD RESERVES

Road reserves in Albany hold significant biodiversity value, serving as crucial habitats for native plants and animals, including threatened species. They also function as corridors connecting larger areas of vegetation, supporting local communities and contributing to tourism. Furthermore, they provide windbreaks and shelter for surrounding farmland. The City manages 1,629 km of roads and associated verges. The City has previously undertaken weed management in some road reserves, particularly for Sydney golden wattle.

7 THREATS TO BIODIVERSITY

Threats to Albany's biodiversity include:

- Clearing and fragmentation of habitat;
- Knowledge gaps;
- Climate change and variability;
- Altered hydrology;
- Inappropriate fire frequency and intensity;
- Inappropriate access;
- Weeds; and
- Disease and pests.

7.1 CLEARING AND FRAGMENTATION

The most significant human impact in south-west Australia has been the clearing of native vegetation. Clearing and development began in 1829 with the arrival of the first European settlers. However, due to the poor soils, development progressed slowly until the 1890s, when phosphate fertilisers were introduced. Today, most usable private land in the region is farmed, although it requires the application of phosphate, zinc, copper, cobalt, and molybdenum. While broadscale clearing is no longer common, the incremental loss of native vegetation continues to erode biodiversity values. Fragmented natural areas are more likely to be affected by edge effects from weed species, wind, water erosion, or overgrazing.

Today, most native vegetation loss is related to the degradation of the understory due to agricultural pursuits and clearing for development. Fragmented landscapes limit the ability of native animals and plants to move across natural areas and restrict the dispersal of genetic material for flora species. The inability of populations to recolonise areas after a disturbance will likely result in the continued loss of species across a landscape long after the initial clearing. This impacts biodiversity and reduces resilience in ecosystems. Sustainable and strategic land-use planning is key to reducing biodiversity losses from development in the City. Like many local government areas, the City is facing increasing population pressures. Planning for new urban areas needs to contribute to maintaining natural landscape features, biodiversity, and ecological linkages. The City will need to balance its biodiversity protection goals with economic and social growth.

Impacts, current responses and additional responses to clearing and fragmentation are included in Table 14.

Impacts	• Loss of habitat and plants, many of which cannot be preserved elsewhere.
	 Loss of ecosystem services provided by the plants and animals such as pollination or control of nutrient run-off.
	Loss of dispersal by native species.
	Loss of water quality within water catchment.
	Land degradation (erosion, soil acidification).
	• Loss of economic opportunities dependant on high quality natural areas.
	Reduced resilience of protected areas to other threatening processes.
Current	Guidance from Local Planning Strategy.
Responses	Use of current provisions in Local Planning Scheme.
	• Assessment of rezoning, development applications, input into structure plans.
Additional	Use ranking data of LNA in assessment for development.
responses	Promote linkage of LNA.
	• Communicate expectation of net positive outcome for LNA across the Albany landscape. Net positive means having a better environmental outcome than the current status.

TABLE 14: IMPACTS OF CLEARING AND FRAGMENTATION - PROPOSED ACTIONS

7.2 CLIMATE CHANGE AND VARIABILITY

Climate change is a significant threat to biodiversity globally. Threats to south-west Western Australia include the following¹³:

- Higher temperatures;
- Mean temperatures have increased by about 1.1 °C since 1910, with the rate of warming higher since 1960;
- Mean, maximum and minimum temperatures are projected to continue to rise;
- Each season is projected to warm by about the same amount as the annual mean;
- Hotter and more frequent hot days less frost;
- The temperature and frequency of very hot days is expected to increase, and heatwaves will get longer and more intense.;
- Less rainfall in winter and spring. Changes in other seasons unclear;
- The south-west of Western Australia has experienced a marked drying trend since 1970, particularly in autumn and early winter;

¹³ Department of Water and Environmental Regulation (2021) Western Australian Climate Projections Summary. <u>https://www.wa.gov.au/system/files/2022-</u> 01/Western_Australian_Climate_Projections_Summary.pdf

- The decline in this region has been larger than anywhere else in Australia;
- Decreases in annual, winter and spring rainfall are projected with high confidence;
- By 2030 under all emission scenarios, winter rainfall is projected to decrease by up to 15%;
- By 2090 rainfall is projected to decrease by:
 - up to 25 per cent under intermediate emissions (RCP4.5); and
 - up to 45 per cent under high emissions (RCP8.5).
- Increased intensity of heavy rainfall events;
- Drought duration to increase; and
- Increased evaporation rates, reduced soil moisture and runoff.

The impacts of climate change on biodiversity are likely to include:

- Reduced water availability in wetlands and other groundwater dependent ecosystems, and deterioration of water quality causing negative ecological impacts;
- Changes to wildlife migration patterns;
- Changes to critical seasonal timing of reproduction;
- Movement of species to areas of adequate rainfall, impacting on local biodiversity;
- Damage to natural areas causing hazards for wildlife; and
- Erosion and inundation of sensitive dune ecosystems threatening coastal and estuarine biodiversity.

Impacts of climate change on local biodiversity and the City's current and proposed actions are outlined in Table 15.

TABLE 15: IMPACTS OF CLIMATE CHANGE - PROPOSED ACTIONS

Impacts	• Climate change has the potential to adversely affect biodiversity in the City by:
	• Altering the quality, extent, and distribution of native vegetation and habitat.
	 Reducing or modifying the range of numerous species.
	• Changing hydrology (the natural wetting and drying cycles, along with the frequency and duration of inundation) of wetlands and watercourses.
	• Affecting the diversity and abundance of wildlife that rely on those habitats.
Current	The City is developing a Water Strategy, which will guide:
Responses	Holistically managing surface water resources to improve water quality and natural values.
	• Identification and use of fit-for-purpose water resources and using technology to attain water use efficiencies.
	The City has a Climate Change Declaration which includes actions targeted at reducing organisational greenhouse gas emissions and maintaining and improving local biodiversity despite the impacts of climate change.

Additional responses	• Examine development proposals and support actions that increase climate resilience and enhance the linkage and biodiversity outcomes of LNA across the municipality.
	• Develop a Climate Change Action Plan consistent with the ALBS, which includes:
	• Developing thresholds for unacceptable change in the condition of natural areas and appropriate corrective actions.
	 Designing Public Open Spaces to provide increased resilience and biodiversity.
	• Landscaping Public Open Spaces to incorporate species suited to projected conditions (high number of species for biodiversity resilience, drought-tolerance and resilience to heat).
	Develop a Water Management Strategy to guide:
	 Implementation of a program for converting areas of irrigated turf that are not essential to amenity or recreation to eco-zoning and biodiversity plantings with reduced water needs.
	 Sustainable irrigation, enhanced urban greening, canopy cover and community wellbeing.
	Other actions:
	• Work with partners to undertake a climate risk assessment to identify the impact of climate change on keystone species and natural areas within the City, to increase resilience to climate change.

7.3 FIRE REGIMES

Fire has been part of the Western Australian landscape for thousands of years – long before humans arrived – and has shaped the evolution of plants and animals. South-western Australia is among the most fire-prone regions globally, thanks to its Mediterranean climate with hot, dry summers and the extensive areas of flammable native vegetation.

Bushland in the south-western region of Western Australia was subjected to mosaic burns by Noongar people (DBCA, 2022¹⁴) using fire to shape the forest structure. However, some areas appear to have been rarely burnt. Areas with varying ages since fire provide more diverse habitats. Mosaic burning has the potential to mitigate the catastrophic impacts of wildfires in the current landscape.

Fire regimes in Australia have changed since European arrival and now often consist of large, hot, intense fires with shorter intervals between them. Although native plants are well adapted to fire, the alteration or intensification of burning regimes can dramatically modify the composition and condition of the natural vegetation. This is particularly evident where native vegetation now forms fragmented 'islands'.

¹⁴ DBCA (2022) Cultural and Contemporary Burning in Western Australia

https://www.dbca.wa.gov.au/media/567/download#:~:text=For%20thousands%20of%20years%20Aboriginal% 20people%20have,protect%20plants%20and%20animals%20vulnerable%20to%20fire.&text=Cultural%20burni ng%20in%20parts%20of%20the%20Kimberley,which%20has%20reduced%20the%20severity%20of%20bushfire <u>s</u>.

Altered fire patterns can cause changes in the structure and composition of vegetation¹⁵. If fires occur too frequently, species that are sensitive to fire may struggle to grow and reproduce. Conversely, if fires happen too infrequently, species that depend on fire for reproduction may have difficulty setting seeds or germinating. These changes not only affect the vegetation itself but also impact the habitat resources available for animals. Intense fires can damage populations of sensitive species, while frequent fires can hinder population recovery and encourage the growth of invasive weed species.

Fires that are excessively intense will affect the populations of sensitive species, and fires that occur too frequently will limit population recovery¹⁶. The frequency of bushfires has increased in the past decade due to a drying climate, likely resulting in reduced native species populations and causing local extinctions. The effects of bushfires on biodiversity within the City include:

- Reduction in recruitment of native species due to vegetation patches functioning as islands;
- Increased weed infestation;
- Decreased success of native plant re-sprouting following each fire;
- Significant reduction in above-ground materials, including leaf litter and logs, which provide essential habitats for native fauna; and
- High mortality rates among native fauna species.

Managing the risk of bushfires entails a careful balance between safeguarding lives and infrastructure while also preserving biodiversity. Achieving this balance can be difficult, as strategies aimed at reducing bushfire risk may occasionally conflict with efforts to uphold ecosystem values.

The Shedley fire management principles (2007¹⁷) aim to enhance biodiversity conservation:

- 1. **Fire as a Natural Factor:** Fire has long influenced the landscapes and biodiversity of the southwest and will continue to do so.
- 2. **Species and Fire:** Species and ecological communities vary in their response to fire. Life histories and fire dependencies should inform fire management of these organisms.
- 3. **Ecosystem Response:** Ecosystems often shift to new states following fire due to factors such as topography, species life histories, and climatic events, making it difficult to attribute changes solely to fire.
- 4. **Dual Purpose of Fire Management:** Fire management should balance two primary goals: conserving biodiversity and reducing the occurrence of large, intense wildfires.
- 5. **Fire Intensity and Impact:** The intensity and size of a fire are directly linked to its biological impact and the difficulty of suppression, as well as the rate of ecosystem recovery.
- 6. **Fire Diversity Promotes Biodiversity:** Diverse fire regimes, including variations in frequency, seasonality, intensity, and scale, contribute to biodiversity at the landscape level.

¹⁵ Bushfire Cooperative Research Centre and the Australasian Fire and Service Authorities Council (2010). Fire intervals and biodiversity responses in the south-west of WA. <u>https://www.afac.com.au/docs/default-source/fire-and-hazard-notes/064.pdf?sfvrsn=10&download=false</u>

¹⁶ Department of the Environment and Energy 2016. *Australia State of the Environment 2016;* Biodiversity, Commonwealth of Australia. <u>https://soe.dcceew.gov.au/sites/default/files/2022-05/soe2016-biodiversity-launch-version2-24feb17.pdf</u>

¹⁷ Shedley, E 2007, Fire and Biodiversity Guidelines for the Avon Basin, Consultant report to the Avon Catchment Council and the Department of Environment and Conservation, August 2007.

- 7. **Avoid Extreme Fire Regimes:** Applying the same fire regime over large areas or using extreme intervals (either too frequent or too infrequent) should be avoided.
- 8. **Mosaic Patterns:** Fire-induced mosaics should facilitate the movement of young animals, enhance boundary habitat, and promote connectivity across landscapes.
- 9. **Integrating Knowledge:** Fire regimes should be based on a thorough understanding of species life histories, attributes of native plants and animals, and traditional Nyoongar fire practices.
- 10. **Fire History and Landscape Context:** A region's fire history, vegetation complexes, and landscape units should inform the mix of fire intervals.
- 11. **Wildfire Risk:** Wildfire can damage both conservation and societal values; therefore, fire management requires a systematic and structured approach to assess and mitigate risks.
- 12. Adaptive Management: Fire management practices should evolve with new scientific knowledge, community expectations, and insights gained from ongoing monitoring and research.

Much of Albany is prone to bushfire (DFES, 2025; Figure 11). Since the introduction of the Western Australian Bushfire Guidelines in 2015, regular updates have been made to the requirements aimed at reducing bushfire risk. In some cases, these updates have increased the local vegetation modification requirements. The clearing requirements within asset protection zones are now incorporated into the State planning framework and building regulations. While they may be reviewed and adjusted over time, they are not expected to be withdrawn.



FIGURE 10: BUSHFIRE PRONE AREAS

Source: DFES (2025). <u>https://www.albany.wa.gov.au/services/building-planning/development-in-a-bushfire-prone-area.aspx</u>

Aurora Environmental CAL-AP00714-BIO_001_mp_V5 7 July 2025 The City can exercise a degree of autonomy in setting local standards through the annual Fire Load and Fire Break Notice (Section 33(1) Notice under the Bush Fire Act 1954) for established dwellings. The City continues to participate in and monitor State policy and regulation to ensure that reasonable and appropriate local standards are maintained. However, if perverse outcomes are proposed, such as the loss of biodiversity assets for bushfire protection, the City can object to developments likely to result in poor biodiversity outcomes.

The impacts of unsuitable fire regimes on local biodiversity, along with the City's current and proposed actions, are outlined in Table 16.

Impacts	Potential decline in native species and increased weed infestation.
	• Possible decrease in the success of re-sprouting of native plants following each fire.
	 Significant loss of above-ground material, including leaf litter and logs, which provide crucial habitats for native fauna.
	High mortality rates among native fauna species.
	Opportunities rely on maintaining high-quality natural areas
Current responses	 State Planning Policy 3.7 Planning in Bushfire Prone Areas and the Guidelines for Planning in Bushfire Prone Areas are applied through the planning and development approval process to ensure appropriate separation between new development and vegetated areas.
	 Annual Fire Management Notice. Each year, the City issues a Fire Management Notice that outlines the minimum requirements for all landowners and occupiers to prepare for the bushfire season. The Fire Management Notice is issued under Section 33 of the Bush Fire Act 1954, and the requirements include maintaining emergency access and reducing fire hazards.
Additional responses	• Consult with technical experts in fire management, fire ecologists, and local Indigenous representatives to determine a mutually agreed approach for managing fire in areas of high ecological value
	• Apply fire management principles in accordance with the South Coast Natural Resource Management (2018 ¹⁸) <i>Fire and Biodiversity Landholder Information Guide.</i>
	Map fire history of City reserves.

TABLE 16: IMPACTS OF FIRE MANAGEMENT - PROPOSED ACTIONS

7.4 DISEASES AND PATHOGENS

One of the most serious current threats to the natural vegetation of south-west Australia is the spread of a root disease known as *Phytophthora* dieback¹⁹. This is caused by over 60 species of the water mould including the most known and destructive species, *Phytophthora cinnamomi*.

 ¹⁸ South Coast Natural Resource Management (2018) *Fire and Biodiversity Landholder Information Guide*.
 <u>https://southcoastnrm.com.au/wp-content/uploads/2019/05/FIRE_BIODIVERSITY_WEB-VERSION.pdf</u>
 ¹⁹ DBCA (2024) *Phytophthora* dieback <u>https://www.dbca.wa.gov.au/management/threat-management/plant-diseases/phytophthora-dieback</u>

The effects of the disease were first observed in the Jarrah forests in 1940, but the cause was not identified until 1965. By that time, thousands of hectares of forest had been infested. The root disease is now widespread in areas with rainfall over 800 mm per year. In Albany, it is present in locations such as Torndirrup National Park, Mount Martin, Ledge Point, Millbrook Nature Reserve, Betty's Beach, and Mount Manypeaks, where it has caused mortality among susceptible plants like the Balga (Xanthorrhoea spp.) and members of the Proteaceae, especially *Banksia* species.

Important areas that are susceptible but not yet completely infested include parts of Gull Rock National Park, Millbrook Nature Reserve, Bakers Junction Nature Reserve, Down Road Nature Reserve, Cheyne Road Nature Reserve, and Water Corporation's Angove water supply area.

There is no cure for the disease, so minimising spread is crucial for reducing its impact. South Coast NRM and the Dieback Working Group maintain the WA dieback mapping database – Dieback Information Delivery Management System [DIDMS] to enhance disease management. This project has previously received funding from the Western Australian Government's State NRM Program.

Potential incursions of plant diseases such as Myrtle rust also threaten myrtaceous plant species already under threat from Phytophthora dieback. Myrtle rust is not yet present in Western Australia but could have an enormous impact on native plants.

In Marri (Corymbia calophylla), Marri canker has been identified as a major driver of its decline. In other species, such as karri (Eucalyptus diversicolor), Armillaria Root Disease has been implicated in their death and decline in some areas.

The impacts of plant diseases on local biodiversity and the City's current and proposed response are identified in Table 17.

Impacts	Plant pathogens can cause loss of biodiversity due to changes to plant community structures and loss of habitat (e.g. nectivorous birds are at high risk of significant decline due to the spread of dieback).
Current responses	 Dieback warning signage at designated City-managed reserves. Providing information about dieback on the City's website. Implementing dieback hygiene practices for works in City reserves
Additional responses	 Implement dieback hygiene procedures for all City operations (e.g., roadworks, infrastructure development, and maintenance). Ensure that relevant staff and contractors receive 'Green Card Training' for dieback and biosecurity awareness. Update and distribute information to private landholders and contractors regarding best practice natural area management

7.5 UNCONTROLLED ACCESS

Uncontrolled access to natural areas for recreational activities such as trail bike riding and four-wheel driving presents a problem for the City, as these activities can cause significant damage to landscapes if not adequately managed. People use vehicles in bushland and along the coast for transport and recreational purposes, which can harm landscapes through physical removal of vegetation, soil compaction, erosion, the introduction and spread of dieback, soil disturbance, and disruption to fauna.

Uncontrolled pedestrian access within natural areas can lead to trampling of vegetation, disturbance of soil surfaces, resulting in erosion and a reduction in the aesthetic values of the natural landscape.

The impacts of uncontrolled access on local biodiversity and the City's current and proposed actions are outlined in Table 18.

TABLE 18: IMPACTS OF UNCONTROLLED ACCESS - PROPOSED ACTIONS

Impacts	Loss of biodiversity can occur from uncontrolled vehicle and pedestrian access due to:
	Physical removal of vegetation.
	Introducing weed species and pathogens.
	• Disturbing soil surfaces, which leads to erosion or compaction.
	• Disturbance, injury, or death of fauna.
	Rubbish dumping.
	Reducing the aesthetic value of the natural landscape.
	 Loss of economic opportunities reliant on high-quality natural areas.
	Illegal firewood gathering.
Current	• Supporting community volunteers involved in the management of bushland reserves.
responses	Installing fencing, gates, and/or signage in priority reserves.
	Cleaning up areas as needed or reported
Additional responses	• Install and maintain access control, gates, and/or signage for reserves with high biodiversity value.
	• Engage the broader community to become stewards of local bushland by reporting activities that threaten biodiversity values.

7.6 WEEDS, PESTS AND FERAL ANIMALS

Invasive species threaten biodiversity and can diminish populations of native flora and fauna due to alterations in competition, predation, mortality, or habitat degradation.

It has been estimated that invasive species affect 82% of threatened taxa in Australia in 2018 (Australian Government, 2021²⁰). Foxes, cats and rabbits are among the invasive species most destructive to flora and fauna within the City.

Emerging threats such as the polyphagous shot-hole borer and potential threats such as myrtle rust need to be considered by the City, in consultation with other organisations which are responsible for biosecurity (e.g. Department of Primary Resources and Regional Development).

²⁰ Australian Government (2021) State of the Environment 2021.

https://soe.dcceew.gov.au/biodiversity/pressures/invasive-species-problematic-native-species-anddiseases#:~:text=Invasive%20species%20are%20the%20most,(see%20the%20Land%20chapter).
Weed species often establish following disturbances such as clearing, rubbish dumping, trampling, and fire. They may lead to biodiversity loss by competing with native species and modifying or disrupting ecosystem processes²¹.

The City has an Environmental Weed Management Plan (City of Albany, 2019²²) and has worked with the community for many years to manage environmental weeds.

The twelve most unwanted weeds identified are²³:

1.	Pampas Grass (Cortaderia selloana);	7.	Blackberry (<i>Rubus</i> spp.);	
2.	Watsonia (<i>Watsonia</i> sp.);		Arum Lily (Zanthedeschia aethiopica);	
3.	Sydney Golden Wattle (Acacia longifolia);		Gorse (<i>Ulex europaeus</i>);	
4.	Victorian Teatree (Leptospermum	10.	Holly-leaved Senecio (Senecio glastifolius);	
	laeviegatum);	11. Ye	Yellow-flowered Stinkwort (Dittrichia	
5.	. Taylorina (Psoralea pinnata);		viscosa); and	
6.	. Dolichos Pea (Dipogon lignosus);		Bridal Creeper (Asparagus spp.)	

The impacts of weeds, pests, and feral animals on local biodiversity, along with the City's current and proposed responses, are detailed in Table 19.

TABLE 19: IMPACTS OF WEEDS, PESTS AND FERAL ANIMALS - PROPOSED ACTIONS

Impacts	•	Weeds compete with native vegetation by inhibiting growth and can displace native species over time, thereby reducing biodiversity.
	•	Riparian native vegetation along wetlands and waterways can become choked with weed species, which can be transported downstream as seeds.
	•	Grassy and other flammable weeds elevate the risk of bushfires.
	•	Fauna habitat can be significantly altered by weed species overtaking native vegetation.
	•	Weeds negatively impact the economic viability of agriculture, tourism, and bushland restoration programs.
	•	Predation by foxes and cats significantly contributes to the decline of small mammals, native birds, and lizards.
	•	The loss of nesting hollows is due to more aggressive introduced birds and feral bees.
	•	Pests and feral animals compete for the limited food sources available.
	•	Feral animals cause degradation through trampling, soil disturbance, and erosion.
Current responses	•	Implement weed control in accordance with the City's priorities and the City of Albany Environmental Weed Management Plan.
	•	Support community volunteers undertaking weed control in priority reserves.
	•	Manage landscaping practices through development approval processes.

²¹ DBCA Weeds 2024 <u>https://www.dbca.wa.gov.au/management/threat-</u>

management/weeds#:~:text=The%20impact%20of%20weeds%20on%20WA's%20biodiversity&text=Weeds%2 0may%20lead%20to%20biodiversity,nutrients%2C%20water%2C%20space%20and%20sunlight ²²City of Albany Environmental Weed Management Plan

https://www.albany.wa.gov.au/documents/469/environmental-weed-management-plan

²³ Albany's 12 Most Unwanted Weeds <u>https://www.albany.wa.gov.au/documents/13966/12-of-albanys-most-unwanted-weeds</u>

	 Educate the community on suitable native and introduced species for planting. Update the City's Weed Control Strategy. Provide information on pest control through the City's website. Develop and distribute educational materials on responsible cat ownership and property
	management to discourage feral animals
Additional responses	 Targeted control of feral animals in priority reserves. Gazettal of a new Cat Local Law and enforcement of 'Inside Cats Only' zones in areas designated for Environmental Conservation.
	• Update and distribute information to private landholders on best practices for natural area management.
	• Work with neighbouring local government areas and DBCA on coordinated feral animal control.
	• Update and distribute information to private landholders on best practices for natural area management.

7.7 ALTERED HYDROLOGY

Land uses such as agriculture and urbanisation have led to soil disturbance, groundwater drainage, the construction of roads and impervious surfaces with traditional piped drainage networks, altered topography, and modified hydrological regimes. Water then flows through rural and urban areas into natural waterways, carrying rubbish, chemicals, nutrients, and sediments that affect water quality in wetlands and waterways. Groundwater-dependent ecosystems can also suffer from fluctuations in groundwater levels, pollution, and nutrients.

Hydrology, or the properties and movement of water on land, is influenced by land clearing, modifications to watercourses, and pressures like land fill and overuse of fertilisers.

The impacts of altered hydrology on local biodiversity, along with the City's current and proposed response, are detailed in Table 20.

TABLE 20. INFACTS OF ALTERED FITDROLOGT - PROPOSED ACTIONS
--

Impacts	•	Loss of habitat and biodiversity.
	•	Changes in water quality within water catchments.
	•	Land degradation (erosion, soil acidification).
	•	Reduced resilience of protected areas to other threatening processes.
Current responses	•	The City has developed a Draft Water Management Strategy to guide activities that are the responsibility of the City with regards to the management of water resources across the municipality in the medium term (next 10 years). It will also provide a platform to facilitate collaborative action with external stakeholders to optimise delivery of shared values, objectives and outcomes.

	•	Work with relevant State Government agencies to integrate water management into planning and development via Better Urban Water Management (WAPC, 2008 ²⁴) particularly for developments likely to impact on hydrology. Showcase projects such as streamlining of Yakamia Creek.
Additional responses	•	Restore native vegetation along priority waterways, drains and drainage basins.

²⁴ WAPC (2008) Better Urban Water Management. <u>https://www.wa.gov.au/system/files/2021-07/GD_Better_Urban_Water_Management_0.pdf</u>

8 OPPORTUNITIES

There are opportunities for the City and the community to protect, retain, and enhance biodiversity values. These include:

- Increase awareness and responsibility of City of Albany Staff through induction and ongoing training;
- Manage the City's biodiversity assets at a higher intensity than currently and in a more integrated way (e.g. multiple management methods simultaneously: weed control, pest control, revegetation) through partnerships with biodiversity focused organisations and individuals.
- Managing more of the City's Crown Reserve assets in partnership with the community and aligned organisations;
- Using legislative tools available to local government, such as planning controls;
- Forming partnerships with organisations, tertiary educational institutions, community groups, and individuals to promote biodiversity outcomes and build on knowledge;
- Providing assistance to landowners who wish to retain and/or enhance biodiversity values;
- Advocating for biodiversity outcomes and providing advice to regulators and decision-makers (e.g., to DWER for Part V vegetation clearing legislation under the EP Act);
- Seeking and providing funding for projects that contribute to improved biodiversity outcomes; and
- Promoting community involvement in biodiversity outcomes through education, raising awareness, and citizen science projects.

8.1 MANAGEMENT OF CITY OF ALBANY CROWN RESERVES

The City is responsible for managing some of the most significant biodiversity assets in the municipality. This includes areas such as Sandpatch, Cosy Corner, coastal and foreshore reserves, road reserves, and public open space. To ensure the maintenance and enhancement of biodiversity, the City will:

- Actively protect and manage high-value areas, particularly those facing threats such as uncontrolled access, weeds, dieback, and feral predators.
- Review and consolidate the City's environmental strategies and plans for threat mitigation (e.g. Weed strategy, reserve management).
- Enhance resilience to threats at the landscape level.
- Consider the current purposes of reserves and incorporate biodiversity protection and environmental conservation aims, where relevant.
- Manage roadside vegetation (including unconstructed road reserves) as biodiversity corridors.
- Promote fire regimes that support biodiversity outcomes while also ensuring the protection of life and property.

Table 21 outlines opportunities for reserve management and proposed actions.

TABLE 21: OPPORTUNITIES - RESERVE MANAGEMENT - PROPOSED ACTIONS

Impacts	 Protect biodiversity. Increase resilience. Reduce threatening processes. Promote sustainable use and enjoyment.
Current Responses	 Management of access, signage, interpretation and threatening processes for priority Reserves. Form partnerships with community for management of Reserves with a focus on weed management and enhancing ecological functions (e.g. replanting of part of Yakamia Creek and drains).
Additional Responses	 Re-evaluate priority reserves based on biodiversity and other values to achieve on- ground outcomes to reduce threatening processes and increase ecological permeability. Identify linkage opportunities (road reserves – made and unmade and other linear features) to enhance ecological permeability. Develop fire regimes based on biodiversity and cultural aspects while also considering protection of life and property.

8.2 SERVICES, EVENTS AND DEVELOPMENT BY THE CITY OF ALBANY

The City provides services and hosts events that benefit the community. It also undertakes development for the community, including the construction of roads, civic projects, and other infrastructure. Even when organisations host events on behalf of the City or subcontractors carry out on-ground work, the City can set an example by carefully considering the biodiversity impacts for each project, requiring consideration of potential biodiversity effects, and ensuring that threatening processes are appropriately addressed.

Table 22 shows potential impacts of services, events, and civic works, along with proposed actions.

TABLE 22: OPPORTUNITY - SERVICES, EVENTS, CIVIC WORKS - PROPOSED ACTIONS

Opportunity	• By providing services, hosting events, and undertaking civic works, the City can convey appropriate messaging and consider biodiversity outcomes while reducing
	threatening processes.
Current Responses	Undertaking environmental impact assessment of proposed works.
Additional Responses	• Consideration of biodiversity and the inclusion of environmental impact assessment clauses in tender documents, grant applications, and event requirements, as applicable.

8.3 LEGISLATIVE TOOLS FOR LOCAL GOVERNMENT

As discussed in Section 5, the City has control over certain biodiversity outcomes related to planning and development approvals under LPS2 and other legislation directly under its jurisdiction (e.g., rezoning and structure plans). The City can make planning decisions based on the information in this Strategy, knowing that the community supports it.

The City will consistently apply legislation to protect biodiversity and implement existing policies and guidelines.

Table 23 shows potential impacts of legislative tools and proposed actions.

TABLE 23: IMPACTS OF LEGISLATIVE TOOLS - PROPOSED ACTIONS

Impacts	• The City is part of a legislative system with the ability to influence the protection and enhancement of biodiversity assets.
Current	• The City makes decisions relating to areas of legislation under its control including
current	The endy makes decisions relating to dreas of registration and in the control, melading
Responses	development applications, rezoning and preparation of Structure Plans.
•	
	• The City also has input and can provide advice relating to other regulators for
	development such as subdivision.
Additional	• The City will provide consistent advice and consider development processes in line
	with logislation and this Stratogy, where appropriate
Responses	with registation and this strategy, where appropriate.

8.4 ADVOCACY AND PROVISION OF ADVICE

Local governments play a crucial role in advocating for biodiversity by directly managing public lands and indirectly influencing land management practices on private land. They achieve this through strategies like the ALBS, supporting community initiatives, and advocating for improved biodiversity outcomes at higher levels.

The City provides advice to State government agencies regarding subdivision, development, and native vegetation clearing applications. The City can provide advice based on the information within this Strategy, which reflects the values of the Albany community.

The City also offers advice and input to State and Commonwealth organisations concerning assessments for development based on the outcomes of the ALBS. The main organisations include::

- Department of Planning, Lands and Heritage (*Planning and Development Act*).
- Environmental Protection Authority (Part IV of EP Act).
- Department of Water and Environmental Regulation (Part V of EP Act).
- Commonwealth Department of Climate Change, Environment, Energy, and Water (DCCEEW) (EPBC Act).

Table 24 shows potential impacts of advocacy gaps and proposed actions.

TABLE 24: IMPACTS OF ADVOCACY AND PROPOSED ACTIONS

Impacts	 As a 'grassroots' level of government, the City can proactively advocate for biodiversity protection on behalf of its community. Provision of advice relating to biodiversity protection and enhancement reflects the Albany community's desire for a more sustainable, resilient and biodiverse future.
Current Responses	• The City provides advice to DWER, DPLH and DCCEEW as required.
Additional Responses	• Based on the ALBS, the City can advocate and provide advice on biodiversity values in the municipality, which the community and Council have endorsed.

8.5 PARTNERSHIPS

One of the most productive actions the City can take is to foster partnerships with other organisations, education providers, community groups, and individuals. This approach enhances the capacity and leverage of existing programs. For instance, if there are workshops, fencing, and rehabilitation projects, the City will ask, 'How can the City provide value and support?' The City can assess the needs of various organisations and establish partnerships with groups including (but not limited to):

- South Coast NRM;
- Gondwana Link;
- Bush Heritage Australia;
- The Nature Conservancy Australia;
- Greening Australia;
- Australian Conservation Foundation;
- Conservation Council of WA;
- Catchment Groups such as Torbay and Oyster Harbour Catchment Groups;
- Indigenous custodians, including for shared land management;
- Educational institutions and organisations (schools, technical and further education (TAFE), Universities, Centre for Excellence Natural Resource Management).

Table 25 shows potential impacts of partnerships and proposed actions.

TABLE 25: IMPACTS OF PARTNERSHIPS - PROPOSED ACTIONS

Impacts	• By forming partnerships with the community and organisations, each contributing their unique strengths, biodiversity protection and enhancement will significantly increase through collaborative efforts to achieve tangible outcomes.
Current Responses	Partnerships with bushcare groups:

	• Collaboration with organisations like South Coast NRM, Green Skills, and catchment groups.
Additional Responses	 Increase support for volunteers, Bushcare, and Friends groups. Offer green waste rebates or tip passes to landowners removing weed species. Provide vouchers for hiring a mulcher for weed management.
	• Identify potential partnerships with groups and organisations that have biodiversity goals.

8.6 FUNDING

The City will make resources available to seek funding to enhance biodiversity outcomes, such as:

- Dedicated resources within the City of Albany's Planning and Reserves Teams to effectively implement the ALBS on City-managed lands. Without adequate internal resourcing, delivery of on-ground actions will be significantly constrained
- Education and training of staff.
- Provision of staff to implement the ALBS.
- Support and coordination for research and citizen science projects.
- Offering grants for 'Biodiversity Assessment and Management Planning'.
- Developing a funding program for groups and landowners, e.g. Environmental Management Fund (EMF) Grants.
- Leveraging on the knowledge of the presence of threatened species for funding.
- Supporting landowners who actively manage valuable biodiversity assets by having rates waived or reduced.

Table 26 shows potential impacts of funding and proposed actions.

TABLE 26: IMPACTS OF FUNDING AND PROPOSED ACTIONS

Impacts	• Seeking funding with partners can greatly enhance in-kind contributions and lead to effective biodiversity protection and enhancement outcomes.
	• Providing seed funding to landowners and organisations for biodiversity projects is likely to yield outputs worth significantly more than the small amounts invested.
Current Responses	Community organisation funding for various causes.Support for groups through in-kind assistance.
Additional Responses	• Create an annual fund of \$20,000 for up to five landowners who wish to assess the biodiversity values on their land and develop a management plan to reduce threatening processes or enhance biodiversity.
	• Investigate rate relief for landowners who demonstrate biodiversity stewardship (e.g. formally protect and enhance biodiversity values).

• Fund citizen science events such as 'Bioblitz' in City of Albany reserves.

8.7 COMMUNITY INVOLVEMENT, EDUCATION AND AWARENESS

The City is a grassroots organisation operating at the community level. It plays a key role in community education and raising awareness. To promote the importance of biodiversity, the City will::

- Support initiatives and businesses that promote sustainable development through awards, public recognition, and other forms of support.
- Raise awareness by supporting and funding biodiversity projects, especially citizen science, which will enhance knowledge and protection of biodiversity assets (e.g. Bioblitz).
- Collaborate with traditional custodians to manage and conserve biodiversity, including the dual management of Crown reserves alongside traditional custodians and rangers.
- Introduce incentives to safeguard biodiversity e.g. rate reduction for biodiversity protection and management on private property.

Table 27 shows potential impacts of community involvement and proposed actions.

TABLE 27: IMPACTS OF COMMUNITY INVOLVEMENT AND PROPOSED ACTIONS

Impacts	• An engaged, informed, and involved community will support the City in its biodiversity efforts and provide assistance for projects.
	• Recognition and awareness will establish a high benchmark by rewarding biodiversity champions.
	• Involvement of traditional custodians will enhance biodiversity outcomes, preserve ancient knowledge, and provide a solid foundation for reconciliation.
Current Responses	Involvement of volunteers in bushcare activities.
Additional Responses	• Introduce a process to recognise and reward businesses, organisations, and individuals who achieve biodiversity outcomes.
	Support and conduct Bioblitz projects in City of Albany reserves.
	• Involve traditional custodians in biodiversity projects and the management of reserves, including cultural practices (e.g. fire management).
	• Consider incentives, including rate reductions, for formal biodiversity protection and management on freehold land.

9 CONSTRAINTS

The City faces several hurdles in addressing threats to biodiversity. These include:

- Limited resources for personnel and funding of biodiversity initiatives.
- Previous planning decisions, demand for cleared land and ongoing incremental land clearing, degradation and fragmentation.
- Competing objectives (e.g. growth of Albany population, fire risk regulations, approved development, minor clearing) and historical land use planning decisions.
- Gaps in knowledge include:
 - Impacts of climate change;
 - How to build resilience;
 - Threatened species on private land or unsurveyed areas;
 - Keys to adaptation and building resilience at the landscape scale; and
 - Values of non-native habitat (blue gum plantations, pines, weeds, drains).

9.1 LIMITED RESOURCES

The most constraining factor for protecting biodiversity is the lack of resources to address knowledge gaps, fund planning, and provide people and tools for on-the-ground work.

In the biodiversity protection sphere, much of the work is either voluntary, underpaid, or poorly recognised compared to more economically mainstream ventures. An adequate level of resourcing doesn't have to be expensive but needs to be targeted and sustained based on priorities in this Strategy.

Table 28 shows potential impacts of resourcing and proposed actions.

Impacts	• With proper resourcing, the Albany community will receive regarding biodiversity outcomes for a relatively small amount of money.
Current Responses	Resourcing for volunteers in biodiversity activities.
Additional	Resourcing for training of City of Albany Staff.
Responses	• Raise awareness in the community of simple but effective ways to protect and enhance biodiversity.
	• Set aside funding in the annual budget for biodiversity projects and outcomes based on the priorities in the ALBS.
	• Seek funds for biodiversity related projects in partnership with key stakeholders.

TABLE 28: IMPACTS OF ADEQUATE RESOURCING - PROPOSED ACTIONS

9.2 PREVIOUS PLANNING DECISIONS AND DEMAND FOR CLEARED LAND

Albany is experiencing significant population growth, with the latest Regional Movers Index report ranking Albany as one of the top cities in Australia for capital city to regional area migration²⁵.

According to the report²⁶, Albany had the third highest share of net internal migration in Western Australia at 10.8% but experienced the second highest growth in net capital-regional migration in the country as more people choose to call our idyllic coastal city home. This reflected a remarkable more than five-fold annual growth rate, or a 465% increase in net capital-regional migration to Albany over the 12 months preceding June 2024. Albany experienced a 15.8% rise in capital-regional migration for the June 2024 quarter alone.

Albany's positive increase in internal migration is being driven by a combination of factors, including its mild climate, coastal lifestyle, steady job market and growing remote working opportunities.

Although previous planning decisions have been made for areas that will become urbanised in the years to come, there are still opportunities to retain and enhance biodiversity through the planning and development process. For example, older structure plans will expire in 2025, which will allow for review and consideration of biodiversity values.

Table 29 shows potential impacts of planning decisions and proposed actions.

TABLE 29: IMPACTS OF PLANNING DECISIONS - PROPOSED ACTIONS

Impacts	• While some bushland areas have been earmarked for development, there are others to which the planning process can consider the protection and enhancement of biodiversity features.
Current Responses	• Assessment of development proposals by the City of Albany and input into the planning and environmental processes run by other regulators.
Additional Responses	• Use information generated in this Strategy to assist in decision-making related to planning and development applications within the City's processes and provide advice to other regulators, as appropriate.

9.3 KNOWLEDGE GAPS

Increasing knowledge and awareness of local biodiversity within the community is essential for improving sustainable behaviours and attitudes towards the natural environment. An informed community fosters a more receptive, sustainable, and engaged society.

This is crucial since many environmental issues need action from individuals and groups to be effectively addressed. The City itself also has gaps in knowledge regarding the LNA it manages and how best to handle biodiversity interactions.

²⁶ Regional Movers Index June 2024

²⁵ Albany's population swells with internal migration *Published on Monday, 16 September 2024 at 11:14:15 AM* <u>https://www.albany.wa.gov.au/news/albanys-population-swells-with-internal-migration/1233</u>

https://regionalaustralia.org.au/common/Uploaded%20files/Files/2024/Regional%20Movers%20Index/RMI%2 0June%2024%20Report.pdf

The City has an essential role in promoting environmental awareness, engaging people in biodiversity conservation and advocating for awareness to all age groups and sections of the community (including residents, businesses and educational facilities).

Gaps in knowledge include:

- 1. Effective ways to enhance biodiversity.
- 2. Relationships between species.
- 3. Impacts of combinations of threats.

Table 30 shows potential impacts of knowledge gaps and proposed actions.

TABLE 30: IMPACTS OF KNOWLEDGE GAPS - PROPOSED ACTIONS

Impacts	Gaps in knowledge can prevent practical actions and management.
Current Responses	Advice from technical experts.
Additional Responses	 Strengthen partnerships to increase knowledge. Implement the precautionary principle. Do not delay positive actions in the absence of concrete knowledge. Increase knowledge by hosting Bioblitz and other citizen science initiatives. Highlight and celebrate community champions and biodiversity initiatives.

10 RANKING AREAS OF BIODIVERSITY

10.1 PRIORITY LOCAL NATURAL AREAS

The Albany Local Biodiversity Strategy (ALBS) is a local planning policy, developed following the Local Government Biodiversity Planning Guidelines (Del Marco *et. al.* 2004²⁷) designed to identify and prioritise LNA for conservation. ALBS meets the requirements of a Local Bushland Protection Strategy, as referred to in State Planning Policy 2.8 (Government of Western Australia 2010²⁸).

Community consultation indicates that all LNA are considered essential and should be preserved or enhanced. However, it is helpful to know which areas are particularly valuable to apply the highest levels of protection or to invest resources for management.

The ecological criteria categories used to rank biodiversity values by the State Government of Western Australia include:

- Areas of recognised international, national or regional values, which could include areas of scientific or evolutionary importance.
- Representation of ecological communities, including vegetation unique to the Local Government area.
- Diversity priority species and communities.
- Rarity threatened species and ecological communities.
- Maintenance of ecological processes or natural systems (connectivity), noting that stepping stones are also important.
- Protection of wetlands, streamlines, estuarine and coastal vegetation.

TYPES OF LOCAL NATURAL AREAS

Protected LNA are natural areas within the City that are considered to have a level of biodiversity protection and include:

- Natural areas occurring on Crown land vested with the State Government, managed for conservation and/or reserved as Environmental Conservation;
- Natural areas occurring on Crown land vested with the City and managed for the purpose of conservation; and
- Private land over which a conservation covenant is applied.

Partially protected LNA refer to all natural areas that exist outside of the areas defined above. Partially protected natural areas are considered to have partial protection because they are subject to clearing or land use controls, even if the City does not directly control these.

Some land use planning and environmental assessment processes are conducted under:

 ²⁷ Del Marco *et. al.* (2004) Local Government Biodiversity Planning Guidelines.
 <u>https://www.albany.wa.gov.au/Profiles/albany/Assets/ClientData/WALGA_LBP_Overview2023.pdf</u>
 ²⁸ Government of Western Australia (2010). State Planning Policy 2.8 State Planning Policy 2.8.
 <u>https://www.wa.gov.au/system/files/2021-06/SPP_2-8_bushland_policy_perth_metro.pdf</u>

- Parts IV and V of the Environmental Protection Act 1986 (EP Act);
- Biodiversity Conservation Act 2016 (BC Act); and
- Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act).

The City has opportunities to advocate for an increase in the protection level in this category through planning and environmental process decisions.

Poorly protected LNA are those areas where planning decisions have indicated an area will be cleared for development or areas that are subject to threatening processes without abatement.

10.2 CONSERVATION SIGNIFICANCE CRITERIA

Background

The ALBS project is fortunate to have spatial data available to assist in the identification and ranking of features, such as native vegetation, watercourses, wetlands, and locations of Threatened and Priority species and communities. These data align with the ecological criteria categories used by the State Government of Western Australia to rank biodiversity values. Figure 12 shows types of biodiversity criteria.



FIGURE 11: BIODIVERSITY CRITERIA

During the stakeholder engagement process (Workshop 1²⁹), LNA were defined as:

"areas with value to natural systems across all land tenures, including non-vegetated areas with value for ecosystem processes."

Attendees included people with technical knowledge about biodiversity parameters, were asked how they would weigh criteria for biodiversity ranking and planning. The results are shown in Table 31.

²⁹ Held with key stakeholders on 29 August 2024.

Connectivity and physical features (e.g., waterways) were considered the most significant features, followed by rarity, vegetation condition, international or other significant status, vegetation type representation, presence of threats, and size of patch.

At Workshop 2³⁰ stakeholders were asked if the weighted criteria would make a valuable tool for ranking areas of biodiversity. Attendees asked if the City could work on creating an example of a tool for testing. A tool was developed and was received favourably by the stakeholders who tested it. The tool will be available for testing by the community during advertising of the Draft ALBS.

RANKING	CRITERIA PRIORITIES	WEIGHTING	IMPORTANT BECAUSE				
1	Connectivity - Maintenance of ecological processes	40	Movement through the landscape, permeability - not just connectivity i.e. hydrological process, renewal regimes, stepping-stones, linear, flowering, life cycles, species dispersal methods, nature link				
2	Presence of wetlands, streamlines and estuarine vegetation	20	Closely linked with connectivity				
3	Rarity (threatened and priority species)	10 - 15	Threatened and priority flora, fauna and communities are rare or not well understood				
4	Vegetation condition (could not be used as data is not available for the entire municipality)	10	Good return on effort made. It is easier and cheaper to keep vegetation in good condition than improve degraded habitat. Development approval state – The City can implement more localised assistance (e.g. protection of habitat trees). Weeds (e.g. wattles). Regenerate and restore				
5	Areas of recognised international, national or regional value	35	Links to social criteria Migratory shorebirds				
6	Representation	3 - 5	Need at least 30% of each vegetation type to have a comprehensive and representative array of biodiversity – Best if it can be protected and managed.				
7	Threats	4	Incomplete data for the municipality.				
8	Size of patch	1 - 5	Large size is good but smaller areas can also be significant. Score: 20 ha – 5, 10 – 20 ha – 4, 4 – 10 ha – 3, 1 – 4 ha -2, less than 1 ha - 1				

TABLE 31: RANKING OF BIODIVERSITY SIGNIFICANCE CRITERIA – STAKEHOLDER WEIGHTING

³⁰ Held with key stakeholders on 10 December 2024

10.3 METHODOLOGY

The LNAs within the City have been ranked using multi-criteria spatial analysis based on a set of weighted ecological criteria (Table 32). These ecological criteria were derived from the *Local Government Biodiversity Planning Guidelines for the Perth Metropolitan Region* (Del Marco et al., 2004³¹) and incorporate biodiversity considerations including connectivity, presence of wetlands and water courses, rarity, representation, areas of recognised international, national or state significance and size.

Through a series of workshops with key stakeholders, biodiversity criteria were discussed and assigned weightings based on their importance in biodiversity conservation and protection. Weightings are shown in Table 32.

Statistical analyses were performed by the City of Albany using ArcGIS Pro 3.3.0, where input source data (primarily spatial) was combined and processed in ArcGIS models to generate maps and tabulated results. The analysis created scores for all patches of native vegetation (LNA) mapped within the City.

Data output has been collated in a mapping tool (see Section 10.5), which was tested by DBCA, DPLH, South Coast Natural Resource Management Inc. and City of Albany staff to see if the ranking predicted biodiversity values. There was agreement that, given the relatively limited data, the outputs adequately reflected biodiversity values in the various LNA.

Analysis to identify and rank areas of biodiversity has relied on digital data provided by WALGA and the State government (including the DBCA). A list of the data is available in Appendix J.

The LNA mapping represents a snapshot in time and should be used in conjunction with on-the-ground assessments of biodiversity values. Some areas mapped with a low ranking score may be assigned this ranking due to a lack of survey effort rather than the absence of biodiversity values.

10.4 RESULTS

The results of the analysis include:

- The City of Albany area is 430,807 ha;
- Native vegetation remaining (Pre-European): 154,022 ha or 35.8% of original extent; and
- Areas protected with the purpose of 'Conservation' (reserve status): 77,541 ha, 18% of the original extent, 50.3% of the remaining vegetation.

The top 100 ranking biodiversity areas are shown in Figure J and described in Table 32.

The priority areas from ARVS2 (Figure K and Appendix K) are important areas for biodiversity protection, and many overlap with the top 100 ALBS areas.

While LNA have been defined broadly to be 'areas with value to natural systems across all land tenures, including non-vegetated areas with value for ecosystem processes'—the mapping and ranking have been applied only to vegetated areas. This means a significant portion of the urban landscape has been excluded from ranking and may be overlooked for biodiversity actions. This aspect will require attention when implementing actions.

³¹ Del Marco *et. al.* (2004) Local Government Biodiversity Planning Guidelines. <u>https://www.albany.wa.gov.au/Profiles/albany/Assets/ClientData/WALGA_LBP_Overview2023.pdf</u>

TABLE 32: TOP 100 RANKING BIODIVERSITY AREAS

RANK	SCORE	NAME	TENURE/OWNERSHIP	ZONE	PURPOSE
1, 9 and 44	100 - 154	Gull Rock National Park (including Mount Martin) and Voyagers Park (Reserves 16688, 27107, 21792) and City of Albany Reserve 44938	Conservation Commission/ DBCA	Environmental Conservation	National Park, Trigonometrical Station, Recreation, Gravel
2, 3, 10 and 26	121 - 136	Two Peoples Bay Nature Reserve (Reserve 27956), Angove Water Reserve (13802) City of Albany Reserve 2031 and bushland on adjacent freehold land	Conservation Commission/DBCA, City of Albany and private landowners	Environmental Conservation	Water Supply Catchment Area, Conservation of Fauna, Parkland and Recreation
4	126	Tinkelup Nature Reserve Reserves 26234 and 9406 and bushland on adjacent freehold land, Green Range	Conservation Commission/ DBCA and private landowners	Environmental Conservation and Rural	Conservation of Flora and Fauna, Trigonometrical Station
5 and 7	126	South Sister Nature Reserve (27139), North Sister Nature Reserve (26385) and Lake Pleasant View Nature Reserve (36550) and bushland on adjacent freehold land, Palmdale and Manypeaks	Conservation Commission/ DBCA	Environmental Conservation and Rural	Conservation of Flora and Fauna
6, 8, 21 and 40	101 - 126	Torndirrup National Park (Reserve 24258), Rifle Range (Reserve 23524), Sand Patch (Reserve 13773), Water Corporation Reserve (Reserve 22735), Prison (Reserve 26117), Trig (Reserve 11966), Sand Patch and Muttonbird Reserve 1656), Trig (Reserve 11967) and bushland on adjacent freehold land	Conservation Commission/ DBCA and private landowners	Environmental Conservation, Recreational, Rural Small Holdings, Priority Agriculture, Infrastructure Services, Rural, Strategic Infrastructure, Road	National Park and Recreation, Rifle Range, Water, Prison and Telecommunications, Trigonometrical Station
11	121	Sandpatch Reserves 20367, 42256, 20367, 4732, 13773, 1656 and bushland on adjacent freehold land	City of Albany and private landowners	Environmental Conservation, Drainage/waterway, Priority Agriculture	Common for use of Settlers, Recreation and Drainage, Parklands and Recreation, Conservation, Recreation and Water, Defence
12	120	Reserve 931 and Chinjannup Reserve (27052), Big Grove	City of Albany	Environmental Conservation, Public Purposes, Residential and Recreational	Government Requirements, Recreation
13	119	Mill Brook Nature Reserve (18739) and bushland on adjacent freehold land	Conservation Commission/ DBCA and private landowners	Environmental Conservation and Priority Agriculture	Conservation of Flora and Fauna
14 and 16	116 - 119	West Cape Howe National Park (Reserve 17464), Wilson Inlet and Nullaki foreshore (Reserve 30883), Water Corporation Drainage (Reserve 42784), Lake Saide and Lowlands (Reserve 17464), Browns Road (Reserve 49829), Drain (Reserve 42785) and bushland on adjacent freehold land, Lowlands, Nullaki and Youngs Siding	Conservation Commission/ DBCA, City of Albany, Water Corporation and private landowners	Environmental Conservation, Rural, Drainage/ Waterway, Priority Agriculture	Foreshore Management and Recreation, Drainage, Recreation and Landscape Protection
15 and 54	98 - 116	Bakers Junction Nature Reserve (30463) and bushland on adjacent freehold land	Conservation Commission/ DBCA and private landowners	Environmental Conservation, Priority Agriculture, Rural, Infrastructure Services	Conservation of Flora and Fauna
17	116	Cheyne Road Nature Reserve (27157), Mullocullop Nature Reserve (16367), Waychinicup National Park (Reserve 27502), Hassell Beach (Reserve 30033), Waychinicup River Catchment Area (29883) and bushland on adjacent freehold land	Conservation Commission/ DBCA, City of Albany and private landowners	Environmental Conservation, Rural, Road and Recreation	Waychinicup River Catchment Area, Conservation of Flora and Fauna, Water, Camping and Conservation, National Park, Government Requirements, Mining
18	115	The Wesley Maley Reserve (38157) and Yakamia Creek (Reserves 15879and 6862) Lot 1457 Emu Point Drive and UCL Lot 1328 Collingwood Road, Emu Point and Collingwood Park	City of Albany, DPLH and private landowners	Environmental Conservation, Rural, Public Purposes, Road	Recreation and Parklands, Recreation
19	114	Reserves 11972, 22353, 31240, 33257, 1010, 14987, 14943, 22353, 31240 Wellstead including Boat Harbour and Cape Riche and bushland on adjacent freehold land	City of Albany, DPLH, Private landowners	Environmental Conservation, Rural, Priority Agriculture, Rural Residential, Public Purposes, Primary Distributor Road	Recreation and Camping, Government Requirements, Parklands and Recreation, Trigonometrical Station
20	113	Pallinup River and Surrounds (Reserves 22353, 43087, 33257) Wellstead	City of Albany, Main Roads	Environmental Conservation, Rural, Primary Distributor Road	Landscape Protection, Parklands and Recreation, Recreation and Camping
22	111	Vegetation on Lot 6833 South Coast Highway, Mettler	Privately owned	Rural	N/A
23	111	Reserves 45850, 31240, 14943, Mettler and Wellstead and bushland on adjacent freehold land	City of Albany and private landowners	Rural, Infrastructure Services and Environmental Conservation	Parkland, Government Requirements, Parklands and Recreation, Trigonometrical Station
24	110	Lake Pleasant View Nature Reserve (15107) and bushland on adjacent freehold land	Conservation Commission/ DBCA and private landowners	Environmental Conservation, Heritage, Rural Townsite and Rural	Water and Conservation of Flora
25	110	Naaranyirrup/ Lake Vancouver (Reserve 48916) Reserves 11964, 28111 and 25295 Vancouver Peninsula, Goode Beach and Big Grove and bushland on adjacent freehold land	City of Albany and private landowners	Environmental Conservation, Special Use, Residential, Rural Residential, Recreational, Infrastructure Services	Recreation, Public Recreation, Trigonometrical Station
27, 82 and 84	90 - 109	Waychinicup National Park (Reserves 27502, 25865, 11971), Cheyne Road Nature Reserve (27157), Mount Many Peaks Nature Reserve (29883), Hassell National Park (Reserve 26650) City of Albany Reserves 2031 and 41252 and bushland on adjacent freehold land	Conservation Commission/ DBCA, City of Albany and private land owners	Environmental Conservation, Rural, Special Use and Roads	National Park, Recreation, Parkland and Recreation
28	108	Reserve 931 Little Grove and Big Grove and surrounding freehold land	DPLH	Environmental Conservation, Residential and Public Purposes	Government Requirements
29	108	Mount Lindsay National Park (Reserve 23579) and surrounding freehold land, Youngs Siding and Redmond West	Conservation Commission/ DBCA and private land owners	Environmental Conservation, Drainage/ Waterway, Priority Agriculture and Rural	Camping and Recreation
30	106	Cheyne Road Nature Reserve (27157), Hassell National Park (26650), Waychinicup River Catchment Area (Reserve 29883), bushland on adjacent freehold land, Cheynes and Green Range	Conservation Commission/ DBCA and private land owners	Environmental Conservation, Rural and Roads	Waychinicup River Catchment Area, Conservation of Flora and Fauna, National Park

RANK	SCORE	NAME	TENURE/OWNERSHIP	ZONE	PURPOSE
31	106	Crown and freehold land (Lots 3835 and 3836 Warriup Road, Lots 3, 24 and Wilwarri Road, Lots 6472 Venns Road) Green Range and Mettler	Private land owners	Environmental Conservation and Rural	N/A
32	106	Torndirrup National Park (Reserves 11967 and 21337) and bushland on adjacent freehold land, Frenchman Bay	Conservation Commission/ DBCA and private land owners	Environmental Conservation, Recreational, Roads, Infrastructure Services, Rural	Trigonometrical Station, Recreation Pleasure Resort and Caravan Park
33	105	Mettler Lake Nature Reserve (26894)	Conservation Commission/ DBCA	Environmental Conservation	Conservation of Flora and Fauna
34	104	Reserves 33257 and 28687 Gnowellen	DPLH and Conservation Commission/ DBCA	Environmental Conservation and Rural	Parklands and Recreation, Conservation of Flora and Fauna
35	104	West Cape Howe National Park 231 and 275 Tennessee South Road, Lowlands	Conservation Commission/ DBCA	Environmental Conservation and Priority Agriculture	National Park
36	102	West Cape Howe National Park Reserve 26177 on Shepherds Lagoon Road and Malima roads, Bornholm and Kronkup	Conservation Commission/ DBCA	Environmental Conservation, Rural, Rural Residential and Priority Agriculture	National park
37	101	Freehold (Lot 500 Norwood Road) and Crown Land (567 Lower King Road), Norwood and Lower King roads, Foreshore to King River, Lower King	Private land owners	Environmental Conservation, Rural, Residential, Neighbourhood Centre	N/A
38	101	Hassell National Park (Reserve 26650), Green Range	Conservation Commission/ DBCA	Environmental Conservation, Road	National Park
39	101	Reserves 20948 and 16969 in Drome and Railway Reserve in Redmond	Conservation Commission/ DBCA and Public Transport Authority	Environmental Conservation, Railways	Conservation of Flora and Fauna, Great Southern Railway
41	101	Cozy Corner (Reserve 37086) Kronkup and bushland on adjacent freehold land	City of Albany and private landowners	Environmental Conservation, Rural, Rural Residential	Recreation and Bushland Management
42	100	Reserves 37696, 16871, Mead and Nanarup Roads and surrounding vegetation on freehold land, Kalgan	City of Albany, Lower Kalgan Progress Association and private landowners	Environmental Conservation, Rural Residential, Recreational, Rural, Tourism	Public Recreation, Recreation
43	100	Reserve 23579 and 47891 Mount Lindsay National Park and bushland on adjacent freehold land, Youngs Siding and Redmond West	Conservation Commission/ DBCA and private landowners	Environmental Conservation, Priority Agriculture, Rural	Camping and Recreation, National Park
45	100	Reserve 18739 and bushland on adjacent freehold land	Conservation Commission/DBCA and private land owners	Environmental Conservation and Priority Agriculture	Conservation of Flora and Fauna
46	100	Reserve 23923 Chester Pass and Yungup roads and vegetation on adjacent freehold land, Green Valley, Millbrook and Napier	Conservation Commission/ DBCA and private land owners	Environmental Conservation and Priority Agriculture	Conservation of Flora and Fauna
48	100	Wesley Maley Reserve 38157, 44232, 30971, 45052 and vegetation on adjacent freehold land, Bayonet Head and Collingwood Heights	City of Albany and private landowners	Environmental Conservation, Residential, Rural, Infrastructure Services, Public Purposes, Urban Development, Rural, Public Open Space, Drainage/ Waterway	Recreation and Parklands, Foreshore Management, Public Recreation
49	100	Reserves 45837, 32177, 50652 and vegetation on adjacent freehold land, Kalgan Townsite	City of Albany and private landowners	Environmental Conservation, Roads, Rural, Rural Townsite,	Recreation and Foreshore Protection, Parklands, Public Recreation
50	100	Mount Lindsay National Park, Reserves 47891 and bushland on adjacent freehold land, Redmond West	Conservation Commission/ DBCA and private land owners	Environmental Conservation, Rural, Rural Townsite, Roads, Priority Agriculture	National Park, Camping and Recreation
51	100	Reserve 35381 Simpson Road and adjacent freehold land, Napier	City of Albany and private landowners	Environmental Conservation, Road, Priority Agriculture	Recreation
52 and 53	99	Reserve 33520, 33521, 26264, 5976 and bushland on adjacent freehold land, Gnowellen	Conservation Commission/ DBCA, City of Albany and private landowners	Environmental Conservation, Rural, Drainage/ waterway	Conservation of Flora and Fauna, Recreation and Parklands Water
55, 74 and 84	90 - 98	Reserves 34934 and 18779, Prideaux and Bon Accord Road, Kalgan. Reserve 28686 Riverview Golf Club, Reserve 30469 Bon Accord Nature Reserve, King River	City of Albany and lease to Riverview Golf Club	Environmental Conservation, Rural, Road, Recreational	Parklands, Recreation
56	98	Reserve 16871, Nanarup Road, Kalgan and bushland on adjacent freehold land	Lower Kalgan Progress Association	Environmental Conservation, Tourism, Recreational, Rural Residential	Recreation
57	98	Vegetation on 51064 South Coast Highway, Riparian vegetation on 51172 South Coast Highway, Lot 12 Belmore Road, South Coast Highway and Belmore Road, Youngs Siding	Private land owners	Rural, Drainage/ Waterway, Road	N/A
58	96	Reserves 24991 and 13802 Angove Water Reserve Two Peoples Bay Road and Dempster Road, Kalgan	Conservation Commission/ DBCA, Minister for Water Resources	Environmental Conservation, Priority Agriculture and Infrastructure Services	Water and National Park, Water Supply and Catchment Area
59	96	Reserve 16969 (Railway), Reserve 801 and bushland on adjacent freehold land, Elleker, Redmond and Marbelup	City of Albany, Public Transport Authority and private land owners	Environmental Conservation, Railways, Priority Agriculture, Road	Parklands and Recreation, Great Southern Railway
60	96	Reserve 33520, UCL (Pallinup River) and bushland on adjacent freehold land (no road access)	City of Albany, DPLH and private landowners	Environmental Conservation, Rural	Recreation and Parklands
61	96	Reserve 31240 and 45545 Green Range and Mettler	City of Albany and private landowners	Environmental Conservation, Rural	Public Recreation, Government Requirements
62	96	Reserve 14943, 1010, 31240 Cape Riche and bushland on adjacent freehold land	City of Albany, DPLH and private landowners	Environmental Conservation, Rural, Rural Residential, Public Purposes	Parklands and Recreation, Recreation and Camping, Government Requirements
63	96	Reserve 17464, 46320 and 30883 and bushland on adjacent freehold land, Nullaki	City of Albany	Environmental Conservation	Recreation and Landscape Protection, Foreshore Management and Recreation
64	96	Reserve 43568, 30791 and 54243 on Kalgan River and bushland on adjacent freehold land, Kalgan	Conservation Commission/ DBCA, City of Albany and private landowners	Environmental Conservation, Rural	Public Recreation, Conservation of Flora and Fauna, Recreation and Foreshore Protection

DRAFT Albany Local Biodiversity Strategy – Technical Report - City of Albany 2025 – 2035

RANK	SCORE	NAME	TENURE/OWNERSHIP	ZONE	PURPOSE
65, 66	01 00	Reserves 2217 (Muttonbird Beach), 24548 and 24514 (Torbay Inlet) 25556 (adj Torbay Drain),	Water Corporation, City of Albany and	Environmental Conservation, Drainage/ Waterway,	Camping and Public Utility, Drain, Recreation and
and 76	91 - 96	42256 (Lake Powell) and vegetation on adjacent freehold land, Kronkup, Elleker and Torbay	private landowners	Priority Agriculture, Road	Drainage, Camping and Recreation
67	95	Reserve 2031 (Betty's Beach). Manypeaks	City of Albany	Environmental Conservation and Rural	Parkland and Recreation
68	94	54 and 174 Vungemere Road and 1744 Kuch Road. Gnowellen	Private land owners	Environmental Conservation and Rural	N/A
00	74	Percence 2000 2000 2000 2000 2000 2000 2000 20	Thvate land owners		
69	94	Torndirrup and Little Grove	City of Albany and private landowners	Environmental Conservation and Residential	Recreation
70	94	Reserves 14792 Stirling Range National Park and bushland on adjacent freehold land,	Conservation Commission/ DBCA and	Environmental Conservation and Rural	National park
		Foreshere Dushy Depart Decensor 25754, 27967 and 22507 and hushland an adjacent freehold	private landowners		
71	94	land, Little Grove	City of Albany and private landowners	Environmental Conservation and Residential	Recreation, Public Recreation
72	92	905 Homestead Road, Manypeaks	Private land owners	Rural	N/A
73	91	Reserves 24891 (Marbelup Nature Reserve) and 16969 (Railway) and bushland on adjacent freehold land, Marbellup, Elleker and Redmond	Conservation Commission/ DBCA, Great Southern Railway and private landowners	Environmental Conservation, Priority Agriculture, Road, Railways	Conservation of Flora and Fauna, Great Southern Railway
75	91	Reserves 49649, 37651, 48747, 37368, 6909, 47950, 43573, 6869, 48747 King River Foreshore and bushland on adjacent freehold land, Wilyung, King River, Millbrook	City of Albany and private landowners	Environmental Conservation, Drainage/ Waterway, Residential, Rural Residential, Recreational, Public Purposes, Tourism, Civic and Community, Road,	Foreshore Management, Public Recreation, Recreation, Pedestrian Accessway,
77	91	Reserve 26688 South Stirling Nature Reserve	Conservation Commission/DBCA	Environmental Conservation, Rural	Conservation of Flora and Fauna
		Kalgan Foreshore Reserves 45837, 22720, 22720, 52012 and bushland on adjacent freehold		Environmental Conservation, Rural Townsite, Rural,	Recreation and Foreshore Protection, Recreation,
78	91	land	City of Albany and private landowners	Public Purposes	Pedestrian Accessway
79	91	Reserve 32597 Marine Terrace Little Grove	City of Albany	Environmental Conservation	Public Recreation
	51	Foreshore of Kalgan and King Rivers Reserves 50506, 28277, 9888 and hushland on adjacent		environmental Conservation Residential Rural	Foreshore Management Protection of Aboriginal
80	90	freehold land, Lower King and Kalgan	City of Albany and private landowners	Residential, Road, Tourism, Education,	Culture, Recreation
81	90	Oyster Harbour Foreshore, Reserves 39238 and 49826 and bushland on adjacent freehold land, Kalgan	City of Albany and private landowners	Environmental Conservation, Rural Residential, Public Purposes, Rural	Public Recreation, Pedestrian Accessway
86	90	Reserve 27679 Mount Lindsay National Park and the bushland on adjacent freehold land	Conservation Commission/ DBCA, City of Albany and private landowners	Environmental Conservation, Special Purpose, Priority Agriculture	Camping and recreation, gravel
87	90	Kalgan River Foreshore and Townsite Reserves 15658 and 48746, and bushland on adjacent freehold land, Kalgan	City of Albany and private land owners	Environmental Conservation, Rural Townsite, Priority Agriculture, Road	Recreation and Public Recreation
88	89	King River Foreshore, Reserve 33415 and v bushland on adjacent freehold land, Lower King	City of Albany and private land owners	Environmental Conservation and Residential	Foreshore Management
89	89	King River Foreshore, Reserves 47951, 12680, 47951, 12680, 24561 and bushland on adjacent freehold land, King River and Lower King	City of Albany and private land owners	Environmental Conservation, Drainage/ Waterway, Recreational, Rural, Residential	Foreshore Management, Camping, Drainage
90	89	Reserve 45052 and 48199 and bushland on adjacent freehold land, Bayonet Head and Lower King	City of Albany and private land owners	Environmental Conservation, Residential, Urban Development, Rural, Public Open Space, Car Park	Public Recreation, Boat Ramp and Parking
91	89	Reserve 54725 (Wilson Inlet Foreshore) Bushland on adjacent freehold land: 51253, 51269 and 51331 South Coast Highway, Youngs Siding (Adjacent to Wilson Inlet)	DPLH and Private land owners	Environmental Conservation and Rural	N/A
92	88	567 Lower King Road, Lower King (freehold land forming foreshore to King River)	Private land owners	Environmental Conservation	N/A
93	88	Riggs Road and Kalgan River Foreshore - Reserves 23194, 40100 and bushland on adjacent freehold land. Nanier and Palmdale	Conservation Commission/ DBCA, City of	Environmental Conservation, Priority Agriculture,	Gravel, Parklands, Conservation of Flora and Fauna
04	00	F6 42 and 00 East Pank Poad. Kalgan (freehold land)	Drivate land owners	Dialitage/ Waterway,	NI/A
94	00	JU, 42 ANU JU EAST DANK RUAU, RAIBAN (NEENUU IANU)	City of Albony Kalaan Cattlen	nuidi	
95	88	Kalgan Townsite, Reserve 13909 and 14910 and bushland on adjacent freehold land, Kalgan	Association and private land owners	Environmental Conservation, Rural Townsite, Rural	Recreation and Church Site
96	87	830 Chester Pass Road and 64 Bon Accord Road, King River (freehold land)	Private land owners	Environmental Conservation, Rural	N/A
97	87	King River Foreshore, Reserve 43573, Wilyung	City of Albany	Environmental Conservation, Tourism and Road	Public Recreation
99	87	Kalgan River Foreshore Reserve 45837, 30791 and 54243 Kalgan	Conservation Commission/ DBCA, City of Albany	Environmental Conservation, Rural Townsite, Rural	Recreation and Foreshore Protection, Conservation of Flora and Fauna
100	87	Oyster Harbour Foreshore, Reserve 39238, Kalgan	City of Albany	Environmental Conservation, Rural Residential, Rural	Public Recreation

10.5 MAPPING TOOL

A mapping tool has been created and will be hosted on the City of Albany website at: <u>https://www.albany.wa.gov.au/ALBSmappingtool</u>

Data included in the mapping tool:

- ARVS Survey Area;
- City of Albany Boundary;
- LPS2 Urvan Development Zone;
- Local Planning Strategy Urban Growth Zone;
- Non DBCA Crown Reserves with a Conservation Purpose;
- DBCA Legislated Lands and Waters;
- LPS2 Environmental Conservation Zones and Reserves;
- Ranking Matrix Stakeholder Weighting;
- P1.1 Within Zone A and B of Macro Corridor;
- P2.1 Within 50 m of a South Coast Significant Wetland;
- P2.2 Within 50 m of a 'Directory of Important Wetlands' wetland;
- P2.3 Within 50 m of a waterway;
- P3.1 Contains Priority Fauna;
- P3.2Contains Priority Flora;
- P3.3 Contains Threatened Fauna;
- P3.4 Contains Threatened Flora;
- P3.5 Contains Priority Ecological Communities (PEC);
- P3.6 Contains Threatened Ecological Communities (TEC);
- P4.1 DBCA Legislated Land and Water;
- P5.1 Less than 30% Pre-European Vegetation remaining;
- P5.2 Less than 10% Pre-European Vegetation remaining;
- P6.1 Size of Patch;
- Pre-European Vegetation Native Vegetation Extent;
- LPS2 Zones and Reserves (Native Vegetation Extent); and
- WANow Aerial photographs.

The mapping tool ranks LNAs by biodiversity values (scores and mapping), which will allow the community and decision makers to see the relative values and context of vegetation patches. While all native vegetation is considered important, the ranking process indicates areas with the highest values.

The mapping tool comes with the following disclaimers:

- Priority LNA mapping represents a snapshot in time, and the data has some limitations (such as accuracy of linework, some patches have not been surveyed, etc.). On-ground assessments will be needed in addition to digital data to establish the value of an area.
- The analysis does consider the quality of the vegetation in the LNA. Vegetation quality should be an additional consideration during planning assessments.
- Priority should not *only* be afforded to areas of highest ecological value (i.e. those areas with a high score), but to all LNAs as far as reasonably practicable.

10.6 PRIORITISING ACTIONS FOR LOCAL NATURAL AREAS

The ranking tool can be used for prioritising the following actions:

Reduce Threats in Highest Ranking Areas

- In highest ranking crown reserves managed by the City with a Conservation purpose or 'Environmental Conservation' reserve status under LPS2 - Protect and manage to reduce threatening processes.
- In crown reserves managed by other organisations or in private ownership advocate for protection and management.

Identify Areas with the Highest Priority to Retain and Manage

- In Crown reserves managed by the City Protect and manage to reduce threatening processes.
- In crown reserves managed by other organisations or in private ownership advocate for retention and management with input through the planning process.

Identify Key Areas with Low Level of Protection to Protect and Enhance

- Many areas are not protected by zoning or reservation and may have land uses not consistent with protection or preservation. The ranking tool can be used to identify the most significant areas to protect values.
- Conversely, lower-ranking areas can be identified to improve values by managing threatening processes, improving connectivity, controlling land uses through planning and environmental processes, and potentially providing funding or partnership pathways to enhance or restore.
- Some LNA have not been mapped as they do not comprise native vegetation or other mapped features (e.g drains, cleared areas). This means that biodiversity action planning will need to consider areas that may have biodiversity value, or would benefit from enhancement activities regardless of mapping.

11 ACTION PLAN

Feedback received during consultation indicated that key stakeholders and the community would like to see:

- Actions that strengthen the planning framework.
- On-ground protection of LNAs.
- Increased appreciation in the broader community regarding the importance of biodiversity.

Key stakeholders support actions that address the following:

- Funding, information, coordination, and support for biodiversity initiatives.
- Nature Positive How to move beyond concepts of 'no net loss' into positive territory.
- Aim to turn around the trend line of loss and degradation.
- Natural capital, ecological services calculate these to show the importance of biodiversity to our everyday lives.
- Show how our investment in biodiversity is paid back.
- Can the City and partners create a tool for natural capital?
- Rather than 'connectivity' promote concepts of 'ecological permeability' Nature link.
- Articulate relationships and social dynamics.
- Set targets for involvement and collaboration.
- Set revegetation targets.
- Weed management needs a different approach to consider biodiversity enhancement.
- LNA what can we protect (e.g. bushland, wetland watercourse) vs what can we enhance (e.g. drain, road reserve)

Actions in this plan are linked to biodiversity protection, enhancement and awareness, including:

Control

- Control matters directly within the City's area of concern for example, assessment of planning and development proposals, rezoning and structure plans.
- Matters within the City's direct control such as the protection and management of City parks and reserves and the discharging of statutory responsibilities for which the City has a decision-making role.

Concern

 Relates to issues over which the City has limited influence or control, such as international agreements, broader societal trends, or the introduction of strategies by the State government that seek to support growth while balancing social and economic outcomes. The City can monitor these changes and respond strategically.

- Appreciating concerns articulated by key stakeholders and the community.
- Actively managing areas of biodiversity for which the City has direct control.
- Where there is limited direct responsibility, advocate for greater concern about biodiversity outcomes.

Influence

- Taking a 'shared responsibility' approach to improving planning frameworks and implementation to protect and enhance biodiversity.
- Influence awareness in the community by sharing information about the importance of biodiversity.
- Matters outside the City's direct control, but over which it has a degree of influence. These include the management of biodiversity on private land through education and support, community initiatives, and advocacy to influence state and federal policies and initiatives. The City could influence the retention of biodiversity values by permitting higher density within urban areas and reducing demand for urban sprawl into areas of higher biodiversity
- The City has limited influence or control over some aspects of biodiversity, such as international agreements, broader societal trends, or the introduction of strategies by others. However, the City can decipher these activities and how they apply at the local level, showing concern by monitoring changes and responding strategically.

Through its actions, the City can achieve the following goals:

- Goal 1: Retain and protect natural areas.
- Goal 2: Learn about biodiversity interactions, threats and opportunities to increase resilience.
- Goal 3: Manage and enhance Improve condition, reduce threats and link natural areas.

Goal 4: Engage – Increase synergies with community support and partnerships.

Table 33 outlines how to achieve the four goals listed above and outlines strategies, actions, responsibilities, priorities and timing to support the best biodiversity outcomes.

TABLE 33: GOALS, STRATEGIES, ACTIONS, OUTCOMES, RESPONSIBILITY, PRIORITY AND TIMING

Goal 1: Retain	Goal	Retain and protect natural areas (with consideration of biodiversity criteria, including								
And Protect	Description:	representation)								
	Strategies	 Retain and protect ecological values on City land by actively managing crown reserves and freehold land under City control. Maximise retention and protection of biodiversity values through strengthening the planning and development framework. 								
	Target:	2. Maximise recention and protection of biodiversity values in ough screngthening the planning and development namework.								
	Turget.	policies—while balancing future infrastructure needs.								
Action Code	Action Area	Action	Status	Measurable Target/ Outcomes	Responsibility	Priority	Resourcing/ Difficulty			
Retain and	Compliance	Investigate introducing a requirement in Local Planning Scheme 2 for rehabilitating land where	Does the	Number of non-	City of Albany	High	Challenging.			
Protect 1.1		an owner or occupier has caused or allowed land to be cleared or degraded.	City have	compliances/rectifications.	Infrastructure,					
			this power		Development and					
			already?		Environment					
Retain and	Internal	Establish an operational environmental impact assessment process within City departments to	Existing	All projects have appropriate	City of Albany,		Costs related to the preparation and			
Protect 1.2	Process - EIA	maximise retaining and protecting biodiversity in the planning and implementation of City		plans and reporting.	Infrastructure,	Llink	implementation of plans.			
		projects, comprising a checklist and internal guideline covering due diligence, project			Environment	High				
		outcomes.			LIVIIOIIIIEIIt					
Retain and	Land Use	Examine development proposals and support actions that increase net positive biodiversity	Ongoing	All development proposals are	City of Albany,		This needs to be determined on a case-by-case			
Protect 1.3	Planning	outcomes, climate change resilience, enhance linkage outcomes of LNA across the municipality.		to increase resilience, enhance	Infrastructure,	High	basis, but it is already being considered in light of			
	Approvals			linkage and biodiversity	Development and	Figit	various planning factors.			
				outcomes.	Environment					
Retain and	Land Use	Change the purpose (management order) of reserves containing priority LNAs to include	New	Number of reserves with the	City of Albany,		It may not be needed if a designation of			
Protect 1.4	Planning	Conservation.		Purpose to include	Intrastructure,	Low: By	Environmental Conservation local reserve under			
				conservation.	Environment	EOFY 2031	management provides the most significant			
					Livitoninent		outcomes to biodiversity protection.			
Retain and	Land Use	When requested, the City will provide input and advice relating to processes under the control	Existing	Number of advice letters	City of Albany,		Achievable. In line with the current workflow.			
Protect 1.5	Planning	of other regulators (e.g. for development, including subdivision).		including biodiversity advice.	Infrastructure,	High: By				
	Advice				Development and	EOFY 2027				
					Environment					
Retain and	Land Use	Use the ranking data/ mapping tool for LNAs in the assessment of development proposals.	New	Number of assessments	City of Albany,		Achievable. Information is accessible.			
Protect 1.6	Planning			including biodiversity ranking	Infrastructure,	High: By				
	Approvais			uata.	Environment	LOFT 2027				
Retain and	Land Use	Make decisions with consideration of biodiversity outcomes in areas of legislation under City	Existing	The number of decisions with	City of Albany,	_	Achievable, but advice must be consistent and, on			
Protect 1.7	Planning	control, including development applications, rezoning and preparation of Structure Plans.	5	biodiversity outcomes aligns	Infrastructure,		a case,-by-case basis.			
	Approvals	Provide consistent, evidence-based advice and consider development processes in line with		with ALBS.	Development and	High: By				
		legislation and this Strategy, where appropriate.			Environment	EOFY 2027				
		Consider biodiversity advice from agencies who administer biodiversity legislation, such as								
Datain and	Stratagia	Department of Biodiversity, Conservation and Attractions (<i>Biodiversity Conservation Act 2016</i>)	Now	Lindotod LD Stratogy and LD	City of Albany		Challenging but passes are to most the			
Retain and Protect 1.8	Strategic	Planning Strategy and Local Planning Scheme, and express the expectation that the planning	New	Scheme incorporate	Infrastructure	Lirgent: By	chanenging but necessary to meet the			
11010001.0		process will achieve a 'net positive' outcome for biodiversity.		biodiversity considerations with	Development and	FOFY 2026	requirements of blouwersity buttomes.			
		······································		net positive outcomes.	Environment					
Retain and	Strategic	Link ALBS to the City of Albany Water Management Strategy.	New	Cross reference between	City of Albany,	High: By	The Water Management Strategy is currently in			
Protect 1.9				strategies.	Infrastructure,	EOFY 2027	draft form.			
					Development and					
Dotoin cord	Church '			Number of projects including	Environment		Derteorchie is koute achieving automore in an			
Retain and	Strategic	work with relevant State Government agencies to integrate water management into planning	Existing	Number of projects, including	Lity of Albany,	High: Dy	Partnership is key to achieving outcomes in areas			
FIDIELL 1.10		developments likely to impact on hydrology		considerations	Development and	FOFY 2027	Refer to the City of Albany Water Management			
		developments intervite impact on nydrology.			Environment	2011/2027	Strategy			
Retain and	Strategic	Develop Coastal Hazard and Risk Management and Adaptation Plans (CHRMAPs) for areas likely	Existing	Number of CHRMAPs that allow	City of Albany,		Achievable and ongoing for priority areas.			
Protect 1.11	_	to be subject to sea level rise and associated erosion and inundation, allowing for continued	_	for resilience and adaptation for	Infrastructure,	High: By				
		ecological processes and biodiversity protection.		biodiversity outcomes.	Development and	EOFY 2027				
					Environment					

Goal 2: Learn	Goal Description:	Learn – about biodiversity interactions, threats and opportunities to increase resilience						
	 Strategies Identify and secure adequate resources to implement the Strategy. Improve knowledge of the ecological values within the City's LNAs and understand their threatening processes. Establish biodiversity mapping tool for internal and external use. Collaborate with land management agencies and research institutions to examine best practice management and education relating to biodiversity. 							
	Targets	Up to date mapping tool (annual). Periodically report on new partnerships. Periodically report on activities with partners.	ool (annual). I new partnerships.					
Action Code	Action Area	Action	Status	Measurable Target/ Outcomes	Responsibility	Priority	Resourcing/ Difficulty	
Learn 2.1	Mapping Tool	Maintain and add to the existing biodiversity mapping tool to inform the City's decision-making.	New	Mapping tool is used, useful and updated.	City of Albany, Corporate and Commercial Services and Infrastructure, Development and Environment	High: By EOFY 2027	Reliant on data availability from the State Government. However, existing data is an acceptable snapshot (recognising inherent shortcomings of data sets).	
Learn 2.2	On-ground Surveys	Undertake on-ground surveys of priority LNAs on land managed by the City to confirm and record environmental values and threatening processes.	Ongoing	Number of on-ground surveys.	City of Albany, Infrastructure, Development and Environment	Low: By EOFY 2031	Potentially time-consuming and costly. Utilise Citizen Science projects for priority areas.	
Learn 2.3	Partnerships	Look for opportunities to partner with other agencies, universities, the private sector, NGOs, and community groups to deliver research projects that improve understanding and best-practice management of biodiversity, such as studies on rehabilitation, threatened species and communities, ecological linkages, climate change's impact on biodiversity, and weed, pest, and feral fauna management.	Ongoing	Number or partners and projects with positive biodiversity outcomes and learning.	City of Albany, Infrastructure, Development and Environment	Urgent: By EOFY 2026	Partnerships are key to outcomes in areas where the City may not have dedicated resources. Take advantage of opportunities as they arise.	
Learn 2.4	Resourcing Research	Investigate and actively pursue new resourcing (human, funding and data) and research opportunities to enable further investment and improvement in on-ground actions on public and private land to manage and protect local biodiversity.	Ongoing	Number of new resources secured to facilitate biodiversity outcomes.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Resources are notoriously scarce, so focus on priority areas.	

Goal 3: Manage and Enhance	Goal Description:	Improve condition, increase connectivity and reduce threats						
	Strategies	1. Plan and implement managing, enhancing and rehabilitating biodiversity values on City owned and 2. Work collaboratively with other public land managers and knowledge holders for cohesive manager	ing, enhancing and rehabilitating biodiversity values on City owned and managed land in line with best industry practice. Ther public land managers and knowledge holders for cohesive management of LNAs.					
	Targets	Develop and implement an Offset & Revegetation Plan. Periodically report on revegetation activities where applicable.						
Action Code	Action Area	Action	Status	Measurable Target/ Outcomes	Responsibility	Priority	Resourcing/ Difficulty	
Manage and Enhance 3.1	Best practice management	 Follow the Principles outlined in the Environmental Code of Conduct. Update Natural Reserves Strategy and Action Plan using information in the ALBS Strategy. Include clauses in tender documents, grant applications and event requirements, relating to biodiversity protection and best practice management. Designing Public Open Spaces to provide increased resilience, connectivity and biodiversity. Landscaping Public Open Spaces to incorporate species suited to projected conditions (e.g. a high number of species for biodiversity resilience, drought tolerance, and heat resilience). Implement a program of converting areas of irrigated turf that are not essential to amenity or recreation to eco-zoning and biodiversity plantings with reduced water needs. 	Ongoing	Number of projects with demonstrated use of best practice management for on- ground outcomes.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Best practice guidance is readily available, but resources must be available for implementation. There is currently a focus on the maintenance of existing infrastructure, the environment, and visitor management.	
Manage and Enhance 3.2	Climate Change Action	 Develop a Climate Change Action Plan consistent with ALBS, including thresholds for unacceptable change in the condition of natural areas and appropriate corrective actions. Conduct a climate risk assessment to determine the impact of climate change on keystone species and LNA within the City, aiming to increase resilience to climate change. 	New	Adoption and implementation of Climate Change Action Plan	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Already planned by City.	

Action Code	Action Area	Action	Status	Measurable Target/ Outcomes	Responsibility	Priority	Resourcing/ Difficulty
Manage and Enhance 3.3	Connectivity	 Review and implement the City of Albany Greenways Plan to identify areas that maintain and/or strengthen connectivity. When assessing planning proposals, work to include ecological linkage as an outcome of the approvals process. 	New	Number of projects that implement the Greenways Plan, length and area of greenways.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	The existing plan is still relatively current for today's needs.
Manage and Enhance 3.4	Education	Update and distribute information to private landholders and contractors on best practices in natural area management, including the management of threatening processes (such as weeds, dieback, etc.).	New	Updated material and the frequency of information distribution. Feedback on information and implementation.	City of Albany, Infrastructure, Development and Environment	Low: By EOFY 2031	Best done in partnership with other stakeholders.
Manage and Enhance 3.5	Fauna	Work with partners to identify opportunities for fauna management and habitat enhancement on City- managed land, such as installing black cockatoo nesting hollows, water stations, fauna road crossings, and educational signage.	Ongoing	Number of projects, area of habitat enhanced, number of features (e.g. nesting hollows), records of follow-up monitoring	City of Albany, Infrastructure, Development and Environment	Medium: By EOFY 2029	Best done in partnership with other stakeholders.
Manage and Enhance 3.6	Implementati on of ALBS	Develop an Annual Biodiversity Implementation Action Plan and identify and secure third-party funding to support the City in implementing the Strategy. This may include grant applications, third-party environmental offsets (EP Act, EPBC Act), other funding and partnerships.	New	Development and implementation of an annual plan.	City of Albany, Infrastructure, Development and Environment	Urgent: By EOFY 2026	The ALBS will not be implemented without this.
Manage and Enhance 3.7	Other Strategies	 Implement the Urban Forest Strategy to guide revegetation and landscaping that utilises local native and other appropriate species on City-managed land, including public open spaces, drains and drainage basins, street verges, and other suitable City-managed assets. This applies to urban areas. Support projects that enhance connectivity in rural and hinterland areas. 	Ongoing	Number of actions implemented from the Urban Forest Plan.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Already planned by City.
Manage and Enhance 3.8	Partnerships - Threatening Processes	Investigate opportunities to require the protection and improvement of habitat values on City-owned or managed land that is leased to community groups and other organisations for recreation or similar purposes, through the lease conditions (e.g., landscaping, weed management).	New	Number of leases reviewed with biodiversity outcomes included.	City of Albany, Infrastructure, Development and Environment	Medium: By EOFY 2029	Achievable but will require case-by-case consideration of leases.
Manage and Enhance 3.9	Partnerships - Threatening Processes	Explore multi-tenure land management partnership programs for drainage management, targeted control of feral animals, pests, weeds, and diseases, as well as fire management and roadside reserve restoration works.	New	Number of multi-tenure areas managed cooperatively.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Significant opportunity for the reconciliation process and overall management of biodiversity.
Manage and Enhance 3.10	Priorities	 Revaluate priority reserves based on biodiversity and other values to achieve on-ground outcomes, reduce threatening processes and increase ecological permeability. Identify linkage opportunities (road reserves – made and unmade, and other linear features such as drains) to enhance ecological permeability. Develop fire regimes based on biodiversity and cultural aspects while also considering the protection of life and property. 	New	Review the priorities of reserve management of the City of Albany reserves.	City of Albany, Infrastructure, Development and Environment	Medium: By EOFY 2029	As always, the City must consider biodiversity values, risks, and threats to processes and use in reserves.
Manage and Enhance 3.11	Restoration	Restore native vegetation in priority reserves and along priority waterways, drains and drainage basins.	Ongoing	Number of projects, area of planting.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Best done in partnership with other stakeholders. Also refer to City of Albany Water Management Strategy.
Manage and Enhance 3.12	Threatening processes	Install and maintain access control, gates and/or signage for high biodiversity value reserves, especially those susceptible to dieback or damage from inappropriate access.	Ongoing	Number of reserves managed, number of access points controlled and signed.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	As always, the City must consider biodiversity values plus risks, threatening processes and use in reserves.
Manage and Enhance 3.13	Threatening processes	Develop and implement best-practice operational hygiene procedures (e.g. weeds, dieback) for all City staff and contractors working near and accessing natural areas and managing infrastructure assets. Ensure that applicable staff and contractors working in dieback susceptible areas have 'Green Card Training' for dieback and biosecurity awareness.	Ongoing	Number of projects where hygiene procedures are implemented.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	As always, the City must consider biodiversity values plus risks, threatening processes and use in reserves.
Manage and Enhance 3.14	Threatening processes	 Fire: Consult with fire management experts, fire ecologists and local Indigenous representatives to: 1. Determine an agreed way forward for managing fire in areas of high ecological value, in accordance with the Bushfire and Biodiversity Management Guidelines South Coast Natural Resource Management (2018). 2. Establish reference ecological burn sites trials in priority City reserves. 3. Map the fire history of City reserves and make it available on the City mapping tool. 	Ongoing	Number of meetings, number of trials, number of reference ecological burn sites per year, mapping of fire history and display on the City of Albany mapping tool.	City of Albany, Infrastructure, Development and Environment and Corporate and Commercial Services	Urgent: By EOFY 2026	This is a very worthy area of effort. It could potentially engage Indigenous Custodians, but progress may take a while.

Action Code	Action Area	Action	Status	Measurable Target/ Outcomes	Responsibility	Priority	Resourcing/ Difficulty
Manage and Enhance 3.15	Threatening processes	 Update City of Albany Environmental Weed Management Plan. Implement and map weed management, aligning with the City's priorities. Provide support for community volunteers to undertake weed control in City reserves. Control landscaping practices via development approval processes. Provide community education material via the City website, including advice on appropriate pest control and native and introduced species to plant. Develop educational messaging on responsible cat ownership (City website). Consider implementing a new Cat Local Law and enforcement of 'Inside Cats Only' zones in areas zoned for environmental conservation. City Rangers are currently preparing this. Update and distribute information on best practice natural area management for private landholders. Work with neighbouring local government areas and DBCA on coordinated feral animal control. 	Ongoing	Areas of weeds treated, number of volunteers involved, number of landscaped areas approved, number of interactions to provide advice on weeds, pests and feral animals, adoption of cat control laws, preparation and distribution of best practice management pamphlets or pages on the City of Albany website, number of projects with neighbours.	City of Albany, Infrastructure, Development and Environment, Corporate Services	High: By EOFY 2027	A challenging management area, but very rewarding for bush carers who can see improvement. Needs to be supported in the long term for success.

Goal 4: Engage	Goal Description:	Increased community involvement and contribution to biodiversity conservation						
	Strategies	2. Provide opportunities for members of the community (e.g., residents, education providers, and th	. Provide opportunities for members of the community (e.g., residents, education providers, and the private sector) to learn and engage about the importance of maintaining and					
		nproving local biodiversity and effective land management techniques to manage and enhance LNAs on public and private land.						
		4. Engage members of the community, including youth in education programs, to improve knowledg	e and provid	le inspiration for private landholders.				
Action Code	Action Area	Action	Status	Measurable Target/ Outcomes	Responsibility	Priority	Resourcing/ Difficulty	
Engage 4.1	Communicat ion	Communicate the expectation of 'net positive' outcomes for LNA across the Albany landscape. Net positive means having a better result than the current status.	New	Number and breadth of communication' net positive' outcome objective	City of Albany	Urgent: By EOFY 2026	The City needs to put its position forward to the community and developers.	
Engage 4.2	Advocacy	Advocate, based on the ALBS and provide advice about biodiversity values in the City of Albany.	Ongoing	Number of advocacy events	City of Albany	Urgent: By EOFY 2026	The City needs to put its position forward to the community and developers.	
Engage 4.3	Awareness	Raise awareness in the community of simple but effective ways to protect and enhance biodiversity.	Ongoing	Number of awareness-raising campaigns.	City of Albany, Infrastructure, Development and Environment	Urgent: By EOFY 2026	Advertise ALBS through targeted programs. Work with South Coast NRM and catchment groups.	
Engage 4.4	Consultation	Support targeted consultation with landowners and land managers regarding retaining, protecting, managing and enhancing priority LNAs.	New	Number of targeted interactions and records of outcomes.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Best done in partnership with other stakeholders.	
Engage 4.5	Education	Support educational programs with schools, early learning centres, and community groups to initiate improvements in biodiversity (e.g. revegetation and installing nest boxes) on City reserves or on school grounds, especially those next to existing LNA/ areas of native vegetation. This is best done in partnership with key stakeholders.	New	Number of educational partnerships and events.	City of Albany, Infrastructure, Development and Environment	Medium: By EOFY 2029	Best done in collaboration with other stakeholders, including DBCA, DWER, South Coast Natural Resource Management Inc. and catchment groups.	
Engage 4.6	Information	Provide information, including signage to inform visitors of the risk of introducing polyphagous shot hole borer, myrtle rust and other invasive species	New	Partnership with DPIRD Information on City website. Signage at entry to City.	City of Albany, Infrastructure, Development, Environment	Low: By EOFY 2031	Best done with advice and liaison with the Department of Primary Industry and Regional Development.	
Engage 4.7	Engagement	 Build on the City's existing Environmental Policy by developing an education campaign and coordinating biodiversity planning (ecological communities, local ecological linkages, etc.), including: a. Updated environment module on public Intramaps b. Building stewardship of LNA c. Best-practice land management for biodiversity d. Weed identification and control e. Sustainable landscaping – ecological linkages f. Benefits of biodiversity and the value of bushland to the broader community g. Recognising community efforts in managing and enhancing biodiversity 	New	Number of items provided on the City of Albany web page. Number of projects, records of activities and outcomes.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	Best done in partnership with other stakeholders.	

Action Code	Action Area	Action	Status	Measurable Target/ Outcomes	Responsibility	Priority	Resourcing/ Difficulty
Engage 4.8	Engagement	Engage with local Indigenous custodian representatives to explore opportunities for their involvement in managing biodiversity and promoting the cultural values of natural areas within the City (e.g., promoting guided biodiversity walks led by Aboriginal people or an Indigenous Ranger traineeship program).	Ongoing	Number of meetings, recording of outcomes.	City of Albany, Infrastructure, Development, Environment and Corporate and Commercial Services	Urgent: By EOFY 2026	This important action should be a priority for the City. It may take a while to progress.
Engage 4.9	Engagement	Expand the bush care program.	Ongoing	Number of groups, number of events, and area of bushcare activities.	City of Albany, Infrastructure, Development and Environment	Urgent: By EOFY 2026	This critical action should be a priority for the City. It may take a while to progress.
Engage 4.10	Engagement	Contact landowners of freehold land with a high biodiversity ranking to identify opportunities for engagement.	New	Number of landowners contacted and outcomes.	City of Albany, Infrastructure, Development and Environment	Low: By EOFY 2031	It will be time-consuming and potentially challenging. Combine with grant opportunities for biodiversity projects on freehold land.
Engage 4.11	Funding and Resources	 Fund community organisations for biodiversity-based projects. Support volunteers in bushcare activities. Support community groups with in-kind assistance (advice, equipment etc). Create an annual fund of \$20,000 for up to five landowners who wish to assess the biodiversity values on their land and develop a management plan to reduce threatening processes or enhance biodiversity. Seek funds for biodiversity-related projects in partnership with key stakeholders. 	New and Ongoing	Number of organisations/ projects/ community groups/ volunteers funded and/ or supported. Number of grants, dollar value and outcomes, funding received by City of Albany.	City of Albany, Infrastructure, Development and Environment	Urgent: By EOFY 2026	This action will provide the best outcomes for biodiversity.
Engage 4.12	Incentives	 Identify and implement opportunities to incentivise retaining, protecting, managing, and enhancing LNAs on private land. Incentives may include: Fiscal incentives where the City can secure funding; Local Planning Scheme provisions that allow incentives in a planning context; Educating rural landowners on existing incentives to protect biodiversity on private land (e.g. conservation covenant programs/ tax offsets). Investigate rate relief for landowners who demonstrate biodiversity stewardship (e.g. formally protect and enhance biodiversity values). 	New	Value of fiscal incentives, number of incentives.	City of Albany, Infrastructure, Development, Environment and Corporate and Commercial Services	High: By EOFY 2027	This may be costly or not favoured by the Council.
Engage 4.13	Information	Provide an advice service on LNA management for private landholders, potentially in partnership with partners.	New	Number of landowners or managers advised. Record of outcomes.	City of Albany, Infrastructure, Development and Environment	Low: By EOFY 2031	Best done in partnership with other stakeholders.
Engage 4.14	Partnerships	 Grow partnerships with bush carer groups. Collaborate with organisations such as South Coast NRM, Green Skills and catchment groups. Increase support of volunteers, Bushcare and Friends groups. Provide green waste rebate or tip passes to landowners who are removing weed species. Provide vouchers for the hire of a mulcher for weed management. Identify potential relationships with groups and organisations with biodiversity goals. 	New and Ongoing	Number of partnerships, record of outcomes. Number of volunteers Number of green waste vouchers or other services provided.	City of Albany, Infrastructure, Development and Environment	Urgent: By EOFY 2026	This action will provide the best outcomes for biodiversity.
Engage 4.15	Recognition	 Introduce or support an existing process to recognise and reward businesses, organisations and individuals who achieve biodiversity outcomes. Support and run Bioblitz projects in City of Albany reserves in partnership with organisations such as South Coast NRM and catchment groups. Involve traditional custodians in biodiversity projects and reserve management, including cultural practices (e.g., fire management). Showcase biodiversity projects such as streamlining of Yakamia Creek. 	New and Ongoing	Number of businesses, events and outcomes. Number of Bioblitz or other Citizen Science events.	City of Albany, Infrastructure, Development and Environment	High: By EOFY 2027	This action will incentivise businesses, organisations, and individuals but may be time- consuming. Also, there may be other awards and processes that are relevant to tap into.
Engage 4.16	Technical Working Group	Establish a Technical Working Group comprising City of Albany staff, a councillor, and key stakeholders to assist in preparing Annual Biodiversity Action Plans, six monthly updates, and yearly Monitoring and Evaluation Reports for consideration by City executives and Councillors. Outcomes from ALBS will be tied to key performance indicators of the City of Albany CEO.	New	Formation of group, number of meetings, records of meeting outcomes, projects, etc.	City of Albany, Infrastructure, Development and Environment	Urgent: By EOFY 2026	This will be necessary to implement the ALBS effectively. Updates and reporting could coincide with budget cycle.
Engage 4.17	Review	Review the Albany Local Biodiversity Strategy after 10 years (2035), with annual modifications to facilitate adaptive management.	Ongoing	Review in 2035.	City of Albany, Infrastructure, Development and Environment	Low: By EOFY 2031	Review in 2035.

12 MONITORING, REPORTING AND ADAPTIVE MANAGEMENT

12.1 ANNUAL LOCAL BIODIVERSITY ACTION PLAN

The ALBS will inform an Annual Biodiversity Action Plan detailing actions to be implemented in the following year. The action plan will be developed by a Technical Working Group formed by the City, in collaboration with key stakeholders who have expertise in biodiversity and ecology, environmental management, planning, and operations.

The annual action plan will include quantifiable, time-based, and prioritised actions, and will outline the resources required to implement them for the year. The list of priority actions will be published on the City's website for each implementation year, along with the proposed measures of success determined by the Monitoring and Evaluation Program outlined below.

The internal working group will seek feedback from the Technical Working Group regarding the annual action plan and Monitoring and Evaluation Plan. It will provide progress reports through updates to the Corporate Business Plan.

12.2 MONITORING AND REPORTING

The Technical Working Group will set up a Monitoring and Evaluation Program to track the progress and relative success of the ALBS actions and assess whether the City is achieving the goals and strategic objectives. The objectives of the ALBS are specific, measurable, actionable, realistic, and time-bound to ensure that progress toward targets can be effectively measured, reported, and adapted if necessary. Each year, the City will monitor and report against:

- 1. Progress toward the aspirational target to increase the conservation protection status of poorly protected biodiversity assets of native vegetation.
- 2. Progress toward the focus area goals of Retain and Protect, Learn, Manage and Enhance, and Engage.
- 3. Progress toward the ALBS vision and goals.
- 4. Achieving the actions and their determined, measurable targets under the Annual Local Biodiversity Action Plan for the given year.

Annual reporting will occur each year, with results included in the subsequent year's annual action plan. Reporting on the progress and success measures of the ALBS actions will be conducted through the City's Corporate Business Plan and included in the following year's annual action plan. Additionally, key updates on the ALBS will be available on a Local Biodiversity landing page on the City's website. The current native vegetation extent mapping has limited utility in tracking changes in native vegetation over time due to the different data collection parameters employed between years. When the State Government updates data, new information will be integrated into the Mapping Tool.

12.3 RESOURCING

To achieve the ALBS's target, goals, and strategic objectives, the City will need to adequately resource the action items. This will include reviewing and enhancing existing natural area management and community programs, as well as developing new initiatives aligned with the Actions. Achieving these actions will involve increasing the amount of land managed for biodiversity, and effectively implementing the ALBS will require significant funding and human resources.

The ALBS includes a target of increasing the conservation protection status of areas with significant biodiversity that are currently poorly protected. This may slightly increase the reserves the City currently manages and conserves; however, where possible, this will be done in partnership with existing landowners or as part of planning approvals. Future planning decisions may result in new LNAs being transferred into the City's management.

Funding is a key determinant of the amount of land the City can realistically manage and conserve, particularly where on-the-ground management is necessary.

The community values the protection and management of LNAs, and the City is committed to prioritising resources to support biodiversity protection and management. This may involve exploring the community's perspective on an environmental levy to assist in funding the proposed expansion of the City's conservation estate.

The City will continue to monitor and apply for government or other environmental grants as opportunities arise to support its aims of protecting, growing, and enhancing local biodiversity.

Resources will be required to maintain the mapping tool and data in the City's GIS system.

Table 34 outlines the benefits of monitoring, reporting, and adaptive management.

TABLE 34: IMPACTS OF MONITORING, REPORTING AND ADAPTIVE MANAGEMENT - PROPOSED ACTIONS

Impacts	• Appropriate Governance, including monitoring, reporting and adaptive management, will ensure the successful implementation of the Albany Local Biodiversity Strategy.
Actions	• Establish a Technical Working Group comprising City staff, a councillor and key stakeholders with a role of assisting in the preparation of Annual Biodiversity Action Plans (including budget plans), quarterly updates and yearly Monitoring and Evaluation Reports for consideration by City executive and Councillors.
	• Outcomes from ALBS will be tied to key performance indicators of the City CEO.
	• The City to budget funding and human resources for the Annual Biodiversity Action Plan preparation and implementation.

12.4 REVIEW

The ALBS will be reviewed every year to enable for adaptive management, with a major review in 10 years (or when significant legislative changes affecting the Strategy occur) to analyse changes in native vegetation extent and associated ecological values, and to determine if the ALBS needs adjustment to address any new issues or actions that have not been effective.

13 GLOSSARY AND ACRONYMS

TERM	DEFINITION	REFERENCE
Aboriginal people	Aboriginal and Torres Strait Islander people. We acknowledge that many Aboriginal people prefer to be referred to by their language group, nation, tribe, or clan, as there are many distinct groups across Western Australia.	<u>Government of Western</u> <u>Australia (2022[1])</u>
Biodiversity	 Biodiversity means the variability among living organisms and the ecosystems of which those organisms are a part, and includes the following: (a) diversity within native species and between native species; (b) diversity of ecosystems; (c) diversity of other biodiversity components. 	WALGA (2023) An introduction to Local Biodiversity Planning for Local Government in the South-west of Western Australia
Bushland	Land on which there is vegetation that is either a remainder of the natural vegetation of the land or, if altered, is still representative of the structure and floristics of the natural vegetation and provides necessary habitat for fauna.	
Clearing	Refers to the killing or destruction of; the removal of; the severing or ringbarking of trunks or stems; of the doing of any other substantial damage to some or all the native vegetation in an area. Clearing includes the draining or flooding of land, the burning of vegetation, the grazing of stock, or any other act to activity that causes the killing or substantial damage to some or all the native vegetation in an area.	
Comprehensive, adequate and representative (CAR) reserve system	 A reserve system characterised by the following: Comprehensive: includes the full range of ecosystems recognised at an appropriate scale within and across each bioregion Representative: areas that are selected for inclusion in reserves reasonably reflect the biotic diversity of the ecosystems from which they derive. Adequate: maintains the ecological viability and integrity of populations, species and communities 	Department of Conservation and Land Management (2004)
Condition	Refers to vegetation condition as assessed using published methodologies. The methodologies of Keighery (1994) are widely used.	
Connectivity	Refers to the degree of connection between natural areas.	
Conservation Purpose	Conservation purpose (e.g., nature conservation) or private lands where the biodiversity values are secured for conservation under zoning or covenanting.	

TERM	DEFINITION	REFERENCE
Corridors	Contiguous natural areas or revegetated areas that directly connect larger natural areas allowing the movement of organisms between larger areas over time.	
Ecological Community	A naturally occurring group of plants, animals, and other organisms interacting in a unique habitat.	
Ecological Linkage	Non-contiguous natural areas that connect larger natural areas by forming steppingstones that allow the movement of organisms between larger areas over time.	
Ecosystem Services	The role played by organisms in creating a healthy environment for human beings, for example the production of oxygen, soil formation, and maintenance of water quality.	
Edge Effects	Threatening processes acting at the edges of natural areas. Examples of edge effects include weed invasion, grazing and trampling, increased sun and wind exposure, pollutants (fertiliser, pesticide, toxin, excess water) drift or runoff, air pollution from traffic or industry, noise, artificial lighting at night, rubbish accumulation or dumping and exposure to feral animals, pests, and diseases from surrounding land uses.	
Endemic	A species having a natural distribution confined to a particular geographical region.	
Environmental Weeds	Plants that establish themselves in natural ecosystems and proceed to modify natural processes, usually adversely, resulting in the decline of the communities they invade.	
Floristic Community Type	Floristic assemblages as defined by Gibson et al. (unpub. 1994). The presence or absence of individual taxa in standard areas (plots, sites, quadrats) is used to define floristic groupings based on shared species.	Gibson N., Keighery, B., Burbidge, A. and Lyons, M. (1994) A Floristic Survey of the Southern Swan Coastal Plain. Unpublished report for the Australian Heritage Commission prepared by Department of Conservation and Land Management and the Conservation Council of Western Australia Inc.
Freehold	Property tenure where an estate of inheritance in fee simple or fee tail or for life is held. It refers to a landholding that is owned by a landholder having certain rights over that land, for example, private land or Council-owned land that can be sold.	
Habitat	The natural environment of an organism or community, including all biotic (living) or abiotic (non- living)	

TERM	DEFINITION	REFERENCE
	elements; a suitable place for an organism or community to live.	
Habitat Fragmentation	The process of isolating (usually by land clearing) a once continuous habitat into smaller isolated natural areas.	
Indigenous	That which is naturally existing within a given region as a result of natural processes, with no human intervention.	Government of Western Australia (2022[2])
Local Natural Areas	Local natural areas (LNAs) are defined as natural areas that exist outside lands managed by the Department of Biodiversity, Conservation and Attractions and regionally significant areas. Note: In Albany, 'regionally significant areas' has not been defined.	Del Marco et al, 2004. WALGA, 2023
Monitoring	The regular collection and analysis of information to assist timely decision-making, ensure accountability and provide the basis for evaluation and learning.	
Native Vegetation	Indigenous aquatic or terrestrial vegetation. It does not include vegetation that was intentionally sown, planted or propagated unless that vegetation was sown, planted, or propagated as required under the <i>Environmental Protection Act 1986</i> or another written law; or that vegetation is of a class declared by regulation to be included in this definition. Native vegetation does not include dead vegetation unless that dead vegetation is of a class declared by regulation to be included in this definition. Native non-vascular plants (for example, mosses, fungi, algae) and marine plants (seagrass, macro algae [seaweed]). Native vegetation is more than trees and includes understorey and groundcover plants.	
Natural Area	A naturally vegetated area or non-vegetated area such as a water body (generally a river, lake or estuary), bare ground (generally sand or mud), rock outcrop.	EPA Guidance Statement 33 (2008)
Natural Area	Describes an area that contains native species or communities in a relatively natural state and hence contains biodiversity. Natural areas can be areas of native vegetation, vegetated or open water bodies (lakes, swamps), or waterways (rivers, streams, creeks – often referred to as channel wetlands, estuaries), drains, springs, rock outcrops, bare ground (generally sand or mud), caves, coastal dunes, or cliffs.	
Net Positive	A net positive environmental impact means that an organization's or activity's overall effect on the environment is beneficial, going beyond simply minimizing harm to actively creating a positive contribution. It's about giving back more to nature and society than is taken away, resulting in a net gain for the environment. This can involve restoring ecosystems, reducing pollution beyond what's required, and	Australian Government, Department of Climate Change, Environment, Energy and Water. Nature Positive Plan: better for the environment, better for business December 2022

TERM	DEFINITION	REFERENCE
	contributing to the overall health and well-being of the planet.	https://www.dcceew.gov.au /sites/default/files/documents/ nature-positive-plan.pdf
Priority Local Natural Area	LNAs that demonstrate one or more prioritisation criteria defined by the Perth Biodiversity Project (2012).	
Protection	Refer to natural areas that are secured for conservation either as public lands bested for a	
Regionally significant natural area	a component of remnant native vegetation, rock outcrop or water body that collectively aims to form a comprehensive, adequate and representative system of conservation areas. In order to establish whether an area falls into this category it needs to be part of the existing or proposed conservation system or to meet (in part or whole) a range of agreed criteria (EPA 2003a).	EPA Guidance Statement 33 (2008)
Rehabilitation	The restoration of a natural area that has been temporarily and grossly disturbed and no natural components are present.	
Reserves	Areas of Crown land reserved for various public purposes, for example, parks, recreation, drainage, or church sites.	
Restoration	The return of a community to its pre-disturbance or natural state in terms of abiotic (non-living) conditions, community structure and species composition with the aim to reinstate a long-term self-regenerating natural ecosystem.	
Retention	The process of ensuring a natural area is retained but not necessarily afforded protection to ensure its continued existence and viability. For example, a natural area may be retained through Council refusing or conditionally approving a development application.	
Revegetation	The planting or direct seeding of native species in areas that have been cleared or highly modified. The mix of species may not be the same as originally occurring in that patch of vegetation. In and around natural areas, local native species of local provenance should be used. Revegetation should only occur in areas within or around natural areas where there is no potential for using regeneration techniques to assist natural regeneration processes.	
Tenure	Commonly referred to as ownership. However, land differs from goods in that no one person can possess land in absolute ownership. Tenure is the system of holding land for the Crown.	
Threatening Processes	Any occurrence, activity or institutional process or structure, that threatens, or may threaten, the survival,	

DRAFT Albany Local Biodiversity Strategy – Technical Report - City of Albany 2025 – 2035

TERM	DEFINITION	REFERENCE
	abundance or evolutionary development of a native species or ecological community.	
Traditional Owners	Aboriginal people who are native title claimants, native title holders or who have otherwise been recognised as having a right and responsibility to speak for country.	Government of Western Australia (2022[3])
Viability	(as in ecological viability): the likelihood of long-term survival of a particular ecosystem or species.	

14 **REFERENCES**

Australian and New Zealand Environment and Conservation Council (ANZECC) & Ministerial Council on Forestry, Fisheries and Aquaculture (MCFFA) (1997) Nationally agreed criteria for the establishment of a comprehensive, adequate and representative reserve system for forests in Australia.

AustralianGovernment(2021)StateoftheEnvironment2021.https://soe.dcceew.gov.au/biodiversity/pressures/invasive-species-problematic-native-species-and-
diseases#:~:text=Invasive%20species%20are%20the%20most,(see%20the%20Land%20chapter)

Australian Institute of Health and Welfare (2022) <u>https://www.aihw.gov.au/getmedia/b73768bf-</u> <u>9cd7-4ca8-b391-78a780974e4f/aihw-phe-311.pdf?v=20230605184427&inline=true</u>

BOM, Bureau of Meteorology (2024) Weather Observations for Albany Airport. <u>https://www.bom.gov.au/products/IDW60801/IDW60801.94802.shtml</u>

Del Marco *et. al.* **(2004)** Local Government Biodiversity Planning Guidelines. <u>https://www.albany.wa.gov.au/Profiles/albany/Assets/ClientData/WALGA_LBP_Overview2023.pdf</u>

Department of Biodiversity, Conservation and Attractions (2020) Priority Ecological Communities For Western Australia Version 29. Species and Communities Program. 5 May 2020. https://www.dbca.wa.gov.au/wildlife-and-ecosystems/threatened-ecological-communities/list-threatened-ecological-communities

Department of Climate Change, Environment, Energy, and Water (2021) State of the Environment https://soe.dcceew.gov.au/

Environment Australia (2001a) National Objectives and Targets for Biodiversity Conservation. <u>https://library.dbca.wa.gov.au/FullTextFiles/020395.pdf</u>

Environmental Protection Authority, EPA (2000) Environmental Protection of Native Vegetation in Western Australia Clearing of Native Vegetation. Position Statement No. 2. <u>https://library.dbca.wa.gov.au/FullTextFiles/019983.pdf</u>

 Environmental Protection Authority, EPA (2008)
 Environmental Guidance 33 for Planning and

 Development.
 https://www.epa.wa.gov.au/sites/default/files/Policies_and_Guidance/GS33-270508.pdf

Katherine A Barraclough, Marion Carey, Kenneth D Winkel, Emily Humphries, Brooke Ah Shay and Yi Chao Foong (2023) Why losing Australia's biodiversity matters for human health: insights from the latest State of the Environment assessment. Med J Aust || doi: 10.5694/mja2.51904 Published online: 17 April 2023. <u>https://www.mja.com.au/journal/2023/218/8/why-losing-australias-biodiversitymatters-human-health-insights-latest-state</u>

CityofAlbany(2006)CityMountsManagementPlan.https://www.albany.wa.gov.au/documents/536/city-mounts-management-plan-may-2006

City of Albany (undated) 12 of Albany's most unwanted weeds. <u>https://www.albany.wa.gov.au/documents/13966/12-of-albanys-most-unwanted-weeds</u>
DRAFT Albany Local Biodiversity Strategy – Technical Report - City of Albany 2025 – 2035

City of Albany (2010 and amended 2024) Environmental Policy. <u>https://www.albany.wa.gov.au/documents/431/environmental-policy-(126)</u>

CityofAlbany(2019a)CityofAlbanyReservesReport.https://www.albany.wa.gov.au/documents/539/city-of-albany-reserves-report-april-2019

City of Albany (2019b) Environmental Weed Management Plan. https://www.albany.wa.gov.au/documents/469/environmental-weed-management-plan

City of Albany (2022) Environmental Land Management Guidelines (Code Of Conduct) Version: 12 April 2022. <u>https://www.albany.wa.gov.au/documents/310/environmental-land-management-guidelines</u>

City of Albany (2021) City of Albany Community Strategic Plan 2032. <u>https://www.albany.wa.gov.au/facilities/community/community-strategic-plan-2032.aspx</u>

City of Albany (2023) How to identify Sydney Golden Wattle. <u>https://www.albany.wa.gov.au/documents/13965/how-to-identify-sydney-golden-wattle</u>

City of Albany (2013 Amended 2024) Environmental Impact Assessment Policy. <u>https://www.albany.wa.gov.au/documents/430/environmental-impact-assessment-policy-</u> (125)#:~:text=The%20Environmental%20Impact%20Assessment%20Procedure,%2C%20upgrade%2C %20and%20maintenance%20works.

Commonwealth of Australia (1996) The National Strategy for the Conservation of Australia's Biological Diversity. Department of Environment Sport and Territories, Canberra.

Critical Ecosystem Partnership Fund (2025) South-West Western Australia. https://www.cepf.net/node/1996

Department of Biodiversity, Conservation and Attractions (2017) Best practice guidelines for bird scaring in orchards. Available at <u>www.dpaw.wa.gov.au/images/documents/plants-animals/animals/livingwith-wildlife/best practice guidelines for bird scaring in orchards.pdf</u>

 Department of Climate Change, Energy, the Environment and Water (2025) Directory of Important

 Wetlands.
 https://www.dcceew.gov.au/water/wetlands/australian-wetlands-database/directory-important-wetlands

Department of Water (2007) South Coast Significant Wetlands. Unpublished report. Data available via DataWA (DBCA-018). <u>https://catalogue.data.wa.gov.au/dataset/south-coast-significant-wetlands</u>

Gilfillan, S., Mitchell, P., Newell, J., Danks, A. & Comer, S. (2009) South Coast Threatened Species and Ecological Communities Strategic Management Plan, Department of Environment and Conservation, Albany. <u>https://library.dbca.wa.gov.au/FullTextFiles/923605.pdf</u>

Government of Western Australia (2019) 2018 Statewide Vegetation Statistics incorporating the CAR Reserve Analysis (Full Report). Current as of March 2019. WA Department of Biodiversity, Conservation and Attractions, Perth, <u>https://catalogue.data.wa.gov.au/dataset/dbca-statewide-vegetation-statistics</u>

Government of Australia (2020) State of the Climate 2022. Available from: <u>www.bom.gov.au/state-of-the-climate/2022/documents/2022-state-of-the-climate-web.pdf</u>

Government of Western Australia (2022) Western Australia Native Vegetation Policy.

Heddle, E. M., Loneragan, O. W., & Havel, J. J. (1980) Vegetation of the Darling System. In: DCE 1980 Atlas of Natural Resources, Darling System Western Australia. Department of Conservation and Environment, Perth, Western Australia.

Marselle, M. R., Martens, D., Dallimer, M, & Irvine, K. N. (2019) Review of the Mental Health and Well-being Benefits of Biodiversity. In: Marselle, MR, Stadler, J, Korn, H, Irvine, KN and Bonn, A, (eds.) Biodiversity and Health in the Face of Climate Change. Springer, Cham, Switzerland, pp. 175-211. ISBN 978-3-030-02317-1

Murphy, H., & van Leeuwen, S. (2021) Australia State of the Environment 2021: Biodiversity, Independent report to the Australian Government Minister for the Environment, Commonwealth of Australia, Canberra. DOI:10.26194/ren9-3639.

Prober SM, Raisbeck-Brown N, Porter NB, Williams KJ, Leviston Z & Dickson F (2019) Recent climatedriven ecological change across a continent as perceived through local ecological knowledge. PLOS ONE 14(11):e0224625.

Sandiford, E.M., Barrett S. (2010) Albany Regional Vegetation Survey: Extent, Type and Status. A project funded by the Western Australian Planning Commission (EnviroPlanning "Integrating NRM into Land Use Planning" and State NRM Program), South Coast Natural Resource Management Inc. and City of Albany for Department of Environment and Conservation. Unpublished report. Department of Environment and Conservation, Western Australia. https://www.epa.wa.gov.au/sites/default/files/Publications/Albany-RVS-report aug 2010.pdf

Secretariat of the Convention on Biological Diversity (2020) Global Biodiversity Outlook 5 – Summary for Policy Makers. Montréal. Sourced at: <u>https://www.cbd.int/gbo/gbo5/publication/gbo-5-spm-en.pdf</u>

Shepherd, D P, Beeston, G R, and Hopkins, A J. (2002), Native vegetation in Western Australia: extent, type and status. Department of Primary Industries and Regional Development, Western Australia, Perth. Report 249. <u>https://library.dpird.wa.gov.au/cgi/viewcontent.cgi?article=1234&context=rmtr</u>

United Nations Development Program (UNDP), UNEP World Conservation Monitoring Centre (UNEP-WCMC) and Secretariat for the Convention on Biological Diversity (SCBD)(2021) Creating a Nature Positive Future: The Contribution of Protected Areas and Other Effective Area-Based Conservation Measures. <u>https://www.undp.org/sites/g/files/zskgke326/files/2021-11/UNDP-UNEP-Creating-a-Nature-Positive-Future-EN.pdf</u>

R Thackway and I D Cresswell (1995) An Interim Biogeographic Regionalisation for Australia: a framework for setting priorities in the national reserves system cooperative program. https://www.dcceew.gov.au/environment/land/nrs/publications/ibra-framework-setting-prioritiesnrs-cooperative-program

Thackway, Richard & Lesslie, Rob. (2005). Vegetation Assets, States, and Transitions: accounting for
vegetationvegetationconditionintheAustralianlandscape.http://researchgate.net/publication/255588401VegetationAssetsStatesandTransitionsaccountingtingforvegetationconditionintheAustralianlandscape

Western Australian Planning Commission WAPC (2008) Better Urban Water Management. https://www.wa.gov.au/system/files/2021-07/GD Better Urban Water Management 0.pdf Wilkins, P., Gilfillan, S., Watson, J. and Sanders, A. (ed). (2006). The Western Australian South Coast Macro Corridor Network – a bioregional strategy for nature conservation, Department of Conservation and Land Management (CALM) and South Coast Regional Initiative Planning Team (SCRIPT), Albany, Western Australia. <u>https://southCity_of_Albanystnrm.com.au/wp-content/uploads/2022/05/WA-MacroCorridorReport-Full-WEB.pdf</u>

Wood, E., Harsant, A., Dallimer, M., de Chavez, A. C., McEachan, R. R. C., & Hassall, C. (2018) Not all green space is created equal: Biodiversity predicts psychological restorative benefits from urban green space [Article]. Frontiers in Psychology, 9, 13. doi:10.3389/fpsyg.2018.02320

FIGURES

Figure A



Figure B







Figure D



Figure E















Figure I



City of Albany Boundary Ranking Matrix - Stakeholder Weighted	
Score	
1.0	
150	
0 15	





Figure K







APPENDIX A

Community Survey Analysis

Local Biodiversity Community Survey

Prepared July 2024

A community survey was conducted by the City of Albany in 2024 to collect community feedback on local biodiversity and urban forest in the City of Albany. The information collected will be used to guide the development of the new Local Biodiversity Strategy and the revised Urban Forest Strategy.

A combined survey was implemented as the two strategies are closely related, but with different purposes and geographical ranges. A combined survey was used to avoid confusion between the topics and reduce survey effort. The results have been analysed separately.

Key Findings

Survey Effort	 The high number of responses received, and effort taken to complete the survey signify that Biodiversity and Urban Forest are important community issues. Responses received from 42 localities within the City of Albany, with 84% stating that they lived in urban Albany.
Biodiversity Conservation	 93% of respondents feel that biodiversity conservation in the City of Albany is Important to Very Important There was a strong desire amongst respondents for better protections on native bushland with the municipality.
Biodiversity Loss	 96% of respondents are concerned about biodiversity loss within the City of Albany 56.7% of respondents believe that biodiversity is Declining or Declining Significantly in the City of Albany The highest perceived threats by respondents were: Clearing for land subdivision Non-native animals (feral cats, foxes, rabbits) Weeds Dieback Tree canopy loss Climate change impacts Uncontrolled pet cats was also a concern for multiple respondents in the open-ended response.
Biodiversity Values	 The highest ranked values for biodiversity were: To preserve the biodiversity of life and ecosystem processes Living close to nature The role biodiversity plays in mitigating climate change Respondents recognise the value of native vegetation for preserving and enhancing corridors or wildlife and protecting plants, animals and other organisms. Respondents value the location of native vegetation for enhancing biodiversity values.
Actions by the City of Albany	 Strong support for more action by the City of Albany to protect biodiversity. In general, there was slightly higher support for direct actions such as managing weeds and pests and slightly less support for changes to policy and community education. The exception was for the Council to consider

nature and biodiversity in all decision making. 85% of respondents believed this was Very Important which was the highest ranked action.
 Concerns included: The council would take away rights of property owners to manage vegetation on their private property.
 Biodiversity values would take precedence over bushfire management and safety.

Background

The following background information has been taken from the summary of the Urban Forest Community Survey.

The survey for Local Biodiversity and Urban Forest Survey included contextual information on the purpose of the two strategies, and maps to define areas of interest. A variety of question types were used to gather a comprehensive range of insights and maximize respondent engagement. These included: multiple-choice, open-ended questions, Likert scale to indicate their level of agreement or disagreement, rating scale and matrix questions.

The survey was promoted and accessed via:

- City of Albany website Public Comment page
- Media Release 6/3/24
- Social media posts- City of Albany Facebook and Instagram pages,
- Facebook Boosting (19 March to 12 April 2024)
- Quarter Page Advertisement -The Extra (22 March and 5 March 2024).
- City of Albany E-newsletter
- Albany Advertiser Community Pages
- Radio Advertisement -Great Southern FM (25 March to 12 April 2024)
- Hard copies were available at the North Road Administration, with one response received
- via this method.

The survey was open from 6 March through to 14 April 2024:

- 693 responses were received.
- 88% completion rate.
- Average time taken to complete survey 14 minutes.

Compared to other recent City of Albany surveys, the number of responses received is to be considered as high. Only one paper copy was received, indicating that the online survey was an accessible and convenient option for respondents to have their say. The average time taken to complete the survey and the completion rate demonstrate a high level of effort and signify that Biodiversity and Urban Forest are important community issues.

Results

Demographics

The following data on demographics has been taken from the summary of the Urban Forest Community Survey.

84% of survey respondents stated that they lived in urban Albany and 16% did not. A map of the Urban Area of Interest was provided for survey respondents to refer to.

Albany has numerous localities that contain areas of urban and semi-rural lots, so it is difficult to simply classify each locality as urban or rural.

Survey respondents came from 42 localities within the City of Albany, with representation from urban and rural zoned areas.

Less than 2% of survey respondents did not reside in the City of Albany.

Suburb	# Respondents	% Respondents
Bayonet Head	58	8.6
Mira Mar	48	7.1
Spencer Park	43	6.3
Mt Melville	41	6
Yakamia	39	5.7
Lower King	36	5.3
Little Grove	33	4.8
Mt Clarence	32	4.7
Central/Port Albany	30	4.4
Milpara	29	4.2
McKail	27	3.9
Kalgan/Kalgan Heights	23	3.4

The top 12 suburbs with the highest number of respondents are listed in the table below:

The following analysis relates to the Local Biodiversity Survey Questions (20 – 26).



20. How would you rate the importance of biodiversity conservation in the City of Albany?

- Biodiversity conservation is a significant value for the City of Albany community
- 625 respondents described the importance of biodiversity conservation in the City of Albany as Very Important (79%), Important (14%), Unimportant (2%) or Very Unimportant (1%).



21. How concerned are you about the loss of biodiversity in the City of Albany?

- Concern over biodiversity loss in the City of Albany was high amongst respondents
- 627 respondents described their attitude toward the loss of biodiversity in the City of Albany as Very Concerned (69%), Moderately Concerned (21%), Slightly Concerned (6%) and Not Concerned at All (4%).
- Open ended responses generally reflected a strong sentiment for the importance of native fauna in the local area and the retention of native vegetation.
- There were 106 open-ended responses to this question. These have been categorised into the following subcategories:
 - Importance of native bushland:
 - Vital for carbon storage
 - Albany is a biodiversity hotspot
 - Albany is home to threatened fauna such as the Western Ringtail Possum and Black Cockatoos
 - Concerns to local biodiversity include:
 - Not enough vegetated areas to encourage fauna
 - Existing vegetation is not adequately protected by the City, and what remains is zoned for development
 - Prescribed burning is causing damage to bushland areas and should be changed to suit the Albany area
 - Roaming pet cats
 - Weeds such as Sydney Golden Wattle, Taylorina, Blackberry Pampas Grass
 - Foxes
 - Noticeable decline in variety of native fauna
 - Climate change
 - Reserves are becoming increasingly isolated which prevents fauna movement
 - Leaves from non-native deciduous trees are messy and clog drainage systems
 - Streetlights are too bright for nocturnal fauna
 - Suggestions include:
 - Maximise use of already cleared land
 - Native vegetation should not be cleared except in extreme circumstances
 - Focus on restoration and recovery strategies not just retention of bushland
 - Positive feedback on the wetland development behind ALAC. Suggest more of these.
 - Specific areas of concern:
 - Weeds at Lake Seppings
 - Protecting Yakamia Forest from clearing
 - Loss of biodiversity in King George Sound
 - Comments against biodiversity:
 - Cities are not the places to retain biodiversity
 - There are already enough trees to retain biodiversity



22. In your view, how important are these biodiversity values?

	Very Important	Somewhat Important	Not Important
To preserve the biodiversity of life and ecosystem processes	92%	7%	1%
Living close to nature	81%	17%	2%
The role biodiversity plays in mitigating climate change	79%	15%	6%
Scientific research	67%	28%	5%
Recreation and tourism	64%	31%	5%
Interconnections between biodiversity, indigenous knowledge, and cultural practices	61%	28%	11%

- Preserving life and ecosystem processes was the highest ranked value of biodiversity by survey respondents (99% said it is very or somewhat important).
- Living close to nature was also highly ranked (99% said it is very or somewhat important) indicating a strong connection between respondents and the natural environment around them. It may also show a preference for natural bushland areas rather than artificial green spaces/parks.
- 95% of respondents believe that biodiversity plays a role in mitigating climate change.
- Scientific research and recreation/tourism were also considered important values of biodiversity, although fewer respondents ranked these as Very Important.
- There were 43 open-ended responses to this question. Other values included:
 - o Benefit of natural areas/biodiversity on physical and mental health
 - o Spiritual/religious connections to land (not just Indigenous)
 - Several respondents wanted to clarify that tourism and recreational uses of natural areas needs to be carefully managed to protect biodiversity
 - o Biodiversity is a strong tourist attraction and can help fund biodiversity projects
 - o Education
 - o Preserving natural areas will promote fauna biodiversity

- o Pollution control
- o Increases oxygen
- o Protection of water resources
- Albany is unique and beautiful, and we don't want it to become like suburban Perth
- While biodiversity is important, the City/planning also needs to protect properties and residents from fire, mould, shading neighbours' gardens.
- o There are already enough trees



Q23: Do you think that biodiversity across the City of Albany is:

- Over half (56.7%) of respondents believe that biodiversity in the City of Albany is declining.
- 20.6% believe that biodiversity is staying the same and 12.9% believe biodiversity is improving
- There were 112 open-ended responses to this question. The primary concern was that there is too much land clearing for housing developments or subdivisions and that there need to be better protections on native bushland with the municipality.
- Other responses included:
 - Biodiversity loss due to clearing, bushfires, dieback, weeds, feral animals, climate change, mountain biking (and other recreational uses).
 - Some respondents had seen improvements more street trees; planting at Centennial Park (replacing old trees), Lake Seppings and Middleton Road.
 - o Concern that City would impose unnecessary rules on private property owners
 - More effort should be made to preserve granite outcrop habitats (e.g. Mount Wilyung (quarry) and Mount Melville (rubbish tip)
 - o Concern over increasing habitat fragmentation
 - o Suggestion to prioritise urban infill



24. How concerned are you about these aspects of biodiversity conservation?

	Very Concerned	Moderately Concerned	Somewhat Concerned	Not Concerned
Protecting native plants, animals and other organisms	79%	14%	4%	3%
Protecting and enhancing foreshore environments	70%	22%	4%	3%
Preserving and enhancing green corridors for wildlife movement	82%	11%	5%	2%
Protecting areas of remnant vegetation	80%	13%	4%	3%

- The highest concern respondents had for biodiversity was preserving and enhancing corridors for wildlife.
- The second highest concern was for protecting plants, animals and other organisms.
- This indicates that respondents also value the location of native vegetation and recognise the importance of reducing habitat fragmentation. Although they highly value protecting remnant vegetation, there is some recognition (at least intellectually) of the strategic value of some locations over others.
- Only 3% of respondents were not concerned about protecting areas of native vegetation.
- Other concerns from the open-ended responses included:
 - Beaches and coastal environments (damage to seagrass, damage caused from surf reef and driving on beaches)
 - Existing reserves
 - o Habitat in front and back yards
 - Damage from pet cats, dumping of greenwaste in native bushland, weeds and dieback
 - Fire risk should be a priority
 - o Proactive in restoring bushland areas not just preserving



25: To what extent do you think the following biodiversity threats apply in the City of Albany?

The following questions are listed in their order of importance from respondents from highest threat at the top to lowest.

	Large	Medium	Small	No	Unsure
	Threat	Threat	Threat	Threat	
Subdivision and development of land	69%	21%	7%	2%	1%
Non-native animals (such as foxes, feral cats and rabbits)	65%	27%	6%	1%	1%
Weeds	57%	34%	6%	1%	2%
Dieback (such as introduced diseases, fungus and insects that kill native plants)	57%	33%	7%	1%	2%
Tree canopy loss in urban areas	53%	33%	10%	3%	1%
Climate change impacts (such as drought, extreme rainfall events, warmer temperatures)	54%	31%	8%	6%	1%
Waterway impacts (such as litter, sediment, erosion, flow)	47%	40%	10%	1%	2%
Illegal clearing of native vegetation	49%	32%	12%	3%	5%
Use of herbicides/pesticides	38%	37%	16%	5%	4%
Wildlife/traffic collisions (road kill)	34%	39%	21%	5%	2%
Pollution (air, soil or water)	27%	39%	25%	4%	5%
Mining	32%	27%	25%	9%	7%
Clearing of trees and vegetation to help protect homes from bushfire	22%	39%	26%	9%	4%
Increase in agricultural land	21%	34%	24%	14%	7%

- The first six threats were considered the highest threats, with over 50% of respondents identifying them as a Large Threat to biodiversity.
- Subdivision and development of land and non-native animals are considered the highest threats with 69% and 65% of respondents identifying them as a Large Threat respectively.
- Increase in agricultural land was considered the lowest threat to biodiversity and 14% of respondents did not believe it to be a threat at all.
 - Other threats mentioned in the open-ended section were:
 - Clearing for large roads/infrastructure
 - o People lighting fires, dumping rubbish and ablutions in bush and coastal dunes
 - o Pesticides
 - o Prescribed burns
 - o The way agricultural land is used
 - o Pet cats
 - o Clearing bush on rural blocks
 - o Polyphagus shothole borer
 - o Block sizes too small for tree planting
 - o Legal clearing
 - o Recreational vehicles and bike tracks
- There was some support for agricultural activities and that using agricultural land for housing developments was not sustainable.
- Some respondents stated that large-scale clearing for agriculture has not occurred in the region since the 1980's and therefore that question was unfair
- Comment that people should have the right to remove trees on their own property.

26. In your view, how important are the following actions that Council can take to protect and enhance biodiversity in the City of Albany?



	Very	Somewhat	Not
	Important	Important	Important
Advocate to State and Federal Governments to take			
biodiversity-supportive actions	76%	18%	6%
Consider nature and biodiversity in all Council			
decision making	85%	12%	4%
Strengthening planning policies and other			
regulations to protect trees/native vegetation and			
other biodiversity on private land	74%	18%	8%
Manage pest animals on Council land	77%	21%	2%
Manage weeds on Council land	80%	19%	2%
Increase urban tree canopy	81%	16%	2%
Rehabilitation	82%	16%	2%
Improve management practices	80%	18%	2%
Community education and awareness raising about			
protecting and enhancing biodiversity	77%	19%	3%

- There was strong support for more action from the City of Albany to protect biodiversity. All options were considered Very Important by >74% of respondents.
- In general, there was slightly higher support for direct actions such as managing weeds and pests and slightly less support for changes to policy and community education. The exception was for the Council to consider nature and biodiversity in all decision making. 85% of respondents believed this was Very Important which was the highest ranked action.
- Strengthening policies and regulations for private land owners had the lowest support.
- Other actions from the open-ended responses included:
 - Put aside significant natural reserves as part of bicentenary celebrations. Suggestions included Yakamia Forest and Bayonet Head
 - o Lawnmowers accidentally ringbarking verge trees
 - High quality school-based education programs
 - o Consequences to ensure people comply
 - o Fire threat needs to be considered
 - Listen to local experts
 - o Integrated weed management (not just glyphosate)
 - o Restricting vehicle access to beaches
 - o Deal with rabbits
 - o Ban plant nurseries from selling declared weeds
 - Weeds on private properties
 - o Dogs should always be on leads. Pet cats should be banned
 - o Council rates should go towards biodiversity projects
 - o Wildlife rehabilitation centre with paid staff
 - o No native vegetation clearing on council-managed land
 - o Don't take away people's rights to remove trees on their own property

APPENDIX B

Stakeholder Workshop Information













Outputs from Workshop 1

 A local natural area: vegetation in all land tenures, including non vegetated areas of value for ecosystem processes. Considers areas adjacent to CoA.



Stakeholders say:

- The CoA has an important role as an advocate and to facilitate collaboration.
- Clear partnerships with others such as:
 - Gondwana Link
 - South Coast NRM
 - Green Skills
 - Oyster Harbour Catchment Group
 - Torbay Catchment Group
 - Friend's groups
 - Community members
 - Educational institutions
- Educational role e.g. urban backyards
- CoA needs to make community more aware of efforts by reporting publicly
- How else can the CoA engage with interested people?
- Many groups and individuals are interested in weed management – e.g. review weed strategy?
- Review of other CoA environmental plans



7



8



9

Vision

- Short, aspirational and solutions focused
- What do we want to achieve?
- Based on our values...
- Key concepts: Other key words
 - Protection included:
 - Management
- Self sustaining
- Resilient

٠

•

- Connected
- Valued by the community
- Protected Connected

• Leadership

Biodiversity

Community

• Australia's Strategy for Nature 2019–2030

Australia's nature, now and into the future, is healthy and resilient to threats, understood, and valued both in its own right and for its essential contribution to our health, wellbeing, prosperity and quality of life.



Vision: Some Examples

- City of Canning: Over the next 20 years, the diversity of indigenous species and ecosystems is conserved, resilient to threats, restored and valued by the local community.
- City of Kalmunda: The City and its community will protect, manage, and value the local biodiversity to ensure a lasting legacy for future generations.
- City of Swan: Protect, retain and manage a network of natural areas that support the diversity of local indigenous biodiversity (plants, animals, fungi and microorganisms) in our region for the future
- Shire of Mundaring: Biodiversity and natural areas are protected, connected and cared for through informed community stewardship and Shire leadership, empowering a strong culture of conservation.
- Eastern Metropolitan Regional Councils: Urban biodiversity values are protected managed and enhanced in the Swan River Precinct of Perth's Eastern Region to enable future generations to experience continued social benefits and ecological services.



11

Vision – Some ideas

- Albany Where nature can thrive and adapt with minimal human management
- Albany Where community support ensures that nature thrives and adapts
- Albany Resilient and biodiverse network of natural systems
- Albany Where the community supports our natural environment and the environment supports us

Vision: Ideas from Group There were different ideas from the group, some of whom wanted

- There were different ideas from the group, some of whom wanted quite a comprehensive statement and others who wanted something very simple.
- Biodiversity and natural areas are protected, connected and cared for through informed community stewardship and City of Albany leadership, empowering a strong culture of conservation.
- Caring for Country Kinjarling where nature can thrive and adapt.
- The community of Kinjarling Albany values biodiversity and resilient natural areas which are protected, connected and cared for (through informed community stewardship and City leadership, empowering a strong culture of conservation)
- Kinjarling is a majestic landscape of resilient, revitalised and interconnected bushland, forests and waterways with rural and urban areas that support our unique wildlife.
- Where the community supports our natural environment and the environment supports us.
- Albany Kinjarling, a majestic landscape where nature and people thrive together.

Decided to collate ideas and send to group for input.





14

Ecological Criteria for Prioritising Areas of Local Natural Value

- Discussion regarding the difficulty of conceptualising the prioritising of parcels of vegetation.
- It was decided that the Project Team would develop a ranking system and then present it at the next workshop.



15

Opportunities

- City of Albany area: 430,807 ha
- Vegetation remaining (Pre European): 154,022 ha or 35.8%
- Areas protected with purpose of 'Conservation' (reserve status): 77,541 ha 18% of original, 50.3% of remaining vegetation
- Work with State and Commonwealth controls on clearing and environmental impacts
- Reviewing and consolidating CoA environmental strategies and plans for threat mitigation (e.g. Weed strategy, reserve management)
- Support of volunteers
- Forming partnerships and collaborations
- Protecting and managing high value and vulnerable areas
- Increasing resilience to threats at the landscape level and valuing environmental services
- Education and awareness raising
- Supporting initiatives and businesses that propose sustainable development
- Carbon sequestration and biodiversity projects
- Working with traditional custodians
- Offsets


Opportunities from Group

- Dual management with traditional custodians and rangers (leases, resourcing)
- Appropriate conservation purpose of reserves
- Incentives to protect biodiversity (carrot)
- Leverage on the knowledge of the presence of threatened species for funding
- Stronger legislation for protection (stick) and properly implement current rules
- Partnerships with other organisations (UWA, CENRM, SCNRM, catchment groups)
- Resourcing priorities
- Unconstructed road reserves as corridors



17

Constraints

- Land clearing, degradation and fragmentation
- Resources (personnel, funding)
- Competing objectives (growth of Albany population, fire risk regulations, approved development, minor clearing)
- Threats (weeds, disease, pests)
- Climate change (poorly known interactions and outcomes)
- Gaps in knowledge



Knowledge Gaps...

Input from group:

- Impacts of climate change
 - Overarching impacts
 - How to build resilience
- Threatened species on private land or unsurveyed areas
- What are the keys to adaptation at the landscape scale
- Use of non native habitat (blue gum plantations, pines, weeds, drains)
- Use of road reserves



19

Mechanisms for Protection

- Local Planning Strategy
- Local Planning Scheme
- Input into planning (Structure Plans, Development Applications)
- Input into clearing application decisions
- Purpose of Crown Land
- Management of Crown Land
- Offsets (CoA Freehold Land)
- Education awareness raising
- Engagement with stakeholders
- Assistance for landowners (mulcher and tip pass for weeds)





21

Next Steps

- Prioritise/ categorise areas of biodiversity
 using agreed criteria & weighting
- Mapping tools show biodiversity hotspots, linkages and score vegetation
- Additional engagement with the community (Workshop 3 and Draft Strategy)
- Set targets for protection, rehabilitation or other actions
- Identify framework for implementation
- Prepare draft LBS for advertising
- City of Albany Council to adopt LBS

Thank you Any questions?

Contact: Melanie Price 0447446343 or melanie.price@auroraenvironmental.com.au Adrian Nicoll: Adrian.Nicoll@albany.wa.gov.au

23

Evaluation	Seven evaluation	n sheets were returned	from 13 attendees.		al a los					1.00	
Liaidation	 Do you fee of biodiver 	I that this workshop w sity?	as useful in helping th	ne Gty of Albany pla	n for future management						
– feedback	1	2	3 (3)	4 (4)	5						
ICCUDACK	No value	Somewhat	Good value	Very Good	Excellent value			~	1.0		
from group	Comments:	valuable		value					K-		
	Woul Need Ahva Do you fee strategy w No value Comment: Need Need 3. Was the ov 1	d like to see local Men to have key stakehold ys good to discuss deau that the balances a about right? 2 (1) Somewhat valuable more stats and examp to be clear about wha erail conten pitched is 2 (2)	ang Elders attend and ershere to properly i i s. veen provision of info 3 (5) Good value vies of other biodivers t is evidence and what an appropriate leve 3 (2)	d SWALC reps too rnform discussion e.y (mmation and discuss 4 (1) Very Good value uity strategies e.g. 50 tat is ophion. 197 4 (2)	s SCNRM. Jon of the biodiversity 5 Excellent value CNRM 5(1)						
	No value	Somewhat valuable	Good value	Very Good value	Excellent value	- Bal	-		K.	and the	
	Comment: • Gettin 4. Was the fa	ng there. cilitation effective?					E and	1 22-			
	1	2	3 (4)	4 (3)	5			1			
	No value	Somewhat valuable	Good value	Very Good value	Excellent value	100		100			
	Comment: 5. What shem Comments: 1. Comments: 2. Comments: 3. Comment: 4. Suggest 5.	ents or sessions do yo infing opportunities wi dedge sharing to reach salon. and disosion among on. and disosion among on. a for inprovements? input by professionali gin evenings as oppor e provide food. participants to bring a evenity 2 (1) Somewhat valuable	u remember as partic ns good. s a shared understand st participants – good and university exper ed to business hours. a slide to tell us one in a slide to tell us one in a lave of the workshop 3 (4) Good value	ularly effective or w ling, d listening and respe ts in biodiversity. . Can we change to c mportant thing relev 7 4 (2) Very Good value	orked well? ct for each others lay time? ant to their work/ 5 (1) Excellent value					7	

Data and Maps Attendees were invited to view maps of data which is being used to inform the biodiversity strategy. Discussion included: • That there was a lot of data. Some data was only for ARVS area ٠ while some was for whole City of Albany. • As with most data, there are some short comings with data sets.

25



26

APPENDIX C

List of Conservation Significant Flora – City of Albany

THREATENED AND PRIORITY FLORA – CITY OF ALBANY

STATUS	NUMBER OF SPECIES	
Threatened Species	Biodiversity Conservation Act	EPBC Act
Cr – Critically endangered species (facing an extremely high risk of extinction in the wild in the immediate future)	12 species Banksia anatona Banksia brownii Banksia montana Banksia verticillata Calectasia cyanea Conospermum quadripetalum Daviesia ovata Daviesia pseudaphylla Drakaea confluens Grevillea maxwellii Isopogon uncinatus Scaevola macrophylla	6 Vulnerable
EN – Endangered species facing a very high risk of extinction in the wild in the near future	12 species Caladenia bryceana subsp. bryceana Caladenia granitora Diuris drummondii Drakaea micrantha Isopogon buxifolius var. buxifolius Microtis globula Myoporum cordifolium Sphenotoma drummondii Styphelia exilis Verticordia fimbrilepis subsp. australis Verticordia helichrysantha	
VU - Vulnerable species facing a high risk of extinction in the wild in the medium-term future	6 species Andersonia pinaster Banksia goodii Caladenia harringtoniae Chordifex abortivus Conostylis misera Kennedia glabrata Tribonanthes purpurea	
Priority Species		
Priority 1: Poorly-known species - known from few locations, none on conservation lands	21 species Acacia microneura Prasophyllum paulinae Prostanthera verticillaris Thomasia multiflora	

STATUS	NUMBER OF SPECIES	
Threatened Species	Biodiversity Conservation Act	EPBC Act
	Thomasia purpurea x solanacea	
	Trymalium litorale	
	Usnea pulvinata	
	Austrostipa everettiana	
	Caladenia evanescens	
	Calytrix djinda	
	Conospermum coerulescens subsp. coerulescens	
	Drosera grievei	
	Drosera paleacea	
	Hibbertia sandifordiae	
	Lasiopetalum hapalocalyx	
	Lepidosperma sp. Mt Chester (S. Kern et al. LCH 16596)	
	Netrostylis sp. Warren (M. McCallum Webster 23/2/1979)	
	Schoenus sp. Grey Rhizome (K.L. Wilson 2922)	
	Schoenus sp. Mt Barker (G.J. Keighery 9679)	
	Stackhousia sp. Stirling Range (W.R. Barker 2399)	
	Tetratheca affinis subsp. Cape Riche (T.D. Macfarlane TDM 1832)	
Priority 2: Poorly-known species -	47 species	
known from few locations, some		
on conservation lands	Acacia arcuatilis	
	Agrostocrinum scaprum subsp. littorale	
	Andersonia carinata	
	Chamelaucium oranum	
	Chamelaucium sp. Cape Riche (C.A. Gardher 2153)	
	Chordifex creature	
	Gurastamon thesioides	
	Schizaea runestris	
	Sovridium riperium	
	Stylidium daphneae	
	Stylidium falcatum	
	Thelymitra porphyrosticta	
	Amanita wadulawitu	
	Astartea transversa	
	Bossiaea sp. Mt Frankland (I., Graham 2174)	
	Caladenia applanata subsp. erubescens	
	Calandrinia sp. Torndirrup (S.D. Hopper et al. SDH 8712)	
		I

STATUS	NUMBER OF SPECIES	
Threatened Species	Biodiversity Conservation Act	EPBC Act
	Calectasia grandiflora	
	Carpobrotus sp. Lateral Flowers (N. Gibson & M. Lyons 973)	
	Conospermum spectabile	
	Gastrolobium ferrugineum	
	Gonocarpus keigheryi	
	Grevillea merceri	
	Hydrocotyle serendipita	
	Lasiopetalum maxwellii	
	Leucopogon acicularis	
	Melaleuca ordinifolia	
	Monotoca aristata	
	Petrophile carduacea	
	Scaevola xanthina	
	Schoenus sp. Grassy (E. Gude & J. Harvey 250)	
	Stenanthemum sublineare	
	Stylidium articulatum	
	Stylidium keigneryi	
	Styliaium oreophilum	
	Styphetia cymbrionnis	
	Theostaliana sp. Two Peoples Bay (G. Wardell-Johnson GWJ 114)	
Priority 3: Poorly-known species -	65 species	
known norm several locations	Andersonia setifolia	
	Andersonia sp. Mitchell River (B.G. Hammersley 925)	
	Calytrix pulchella	
	Chorizema carinatum	
	Gonocarpus trichostachyus	
	Juncus meianthus	
	Melaleuca pritzelii	
	Microcorys glabra var. pubescens	
	Poa billardierei	
	Styphelia rotundifolia	
	Synaphea incurva	
	Synaphea preissii	
	Verticordia huegelii var. tridens	
	Acacia ataxiphylla subsp. ataxiphylla	
	Acacia errabunda	
	Acacia keigheryi	
	Amanita drummondii	
	Amanita fibrillopes	
	Amanita preissii	
	Anzybas abditus	
	Austrostipa mundula	
	Banksia biterax	
	Boronia crassipes	
	Bossiaea lalagoides	

STATUS	NUMBER OF SPECIES	
Threatened Species	Biodiversity Conservation Act	EPBC Act
	Calectasia obtusa	
	Calycopeplus marginatus	
	Caustis sp. Boyanup (G.S. McCutcheon 1706)	
	Centrolepis milleri	
	Commersonia rotundifolia	
	Desmocladus biformis	
	Eucalyptus newbeyi	
	Goodenia sp. South Coast (A.R. Annels ARA 1846)	
	Hakea lasiocarpha	
	Hakea oldfieldii	
	Hibbertia argentea	
	Hopkinsia adscendens	
	Isopogon spathulatus subsp. obovatus	
	Kunzea micrantha subsp. hirtiflora	
	Lachnagrostis billardierei subsp. billardierei	
	Lasiopetalum parvulitiorum	
	Lasiopetalum sp. Denmark (B.G. Hammersley 2012)	
	Latrobea recurva	
	Leucopogon alternitollus	
	Leucopogon elegans subsp. psoropnyllus	
	Metaleuca micromera Netrostulis en Plackwood Piver (A.P. Annels 2042)	
	Opereulerie egelutenthe	
	Dimelea rosea subsp. annelsii	
	Schoenus henthamii	
	Scheerolobium validum	
	Spyridium oligocenhalum	
	Stylidium lenidum	
	Stylidium pseudohirsutum	
	Stylidium roseonanum	
	Synaphea intricata	
	Thelymitra jacksonii	
	Thomasia pygmaea	
	Thysanotus cymosus	
	Thysanotus gageoides	
	Tricostularia davisii	
	Tricostularia sandifordiana	
	Verticordia endlicheriana var. angustifolia	
Priority 4: Rare, Near Threatened	54 Species	
and other species in need of	Adepanthos x cuppinghamii	
monitoring	Andersonia sn. Jamesii (1. Liddelow 84)	
	Asnlenium decurrens	
	Ranksia narva	

STATUS	NUMBER OF SPECIES	
Threatened Species	Biodiversity Conservation Act	EPBC Act
	Bossiaea divaricata	
	Calothamnus robustus	
	Corysanthes limpida	
	Drosera fimbriata	
	Eucalyptus calcicola subsp. unita	
	Eucalyptus newbeyi	
	Eucalyptus x kalganensis	
	Gahnia sclerioides	
	Gonocarpus pusillus	
	Gonocarpus simplex	
	Kunzea pauciflora	
	Lysinema lasianthum	
	Microtis pulchella	
	Ornduffia submersa	
	Pleurophascum occidentale	
	Thomasia quercifolia	
	Trithuria australis	
	Verticordia harveyi	
	Acacia declinata	
	Adenanthos filifolius	
	Andersonia grandiflora	
	Banksia concinna	
	Banksia plumosa subsp. denticulata	
	Banksia seneciifolia	
	Banksia serra	
	Banksia sessilis var. cordata	
	Boronia virgata	
	Calothamnus microcarpus	
	Eucalyptus buprestium x staeri	
	Eucalyptus marginata x pachyloma	
	Eucalyptus melanophitra	
	Eucalyptus preissiana x staeri	
	Eucalyptus x missilis	
	Jacksonia calycina	
	Lepidium pseudotasmanicum	
	Marianthus granulatus	
	Microtis quadrata	
	Muiriantha hassellii	
	Myosotis australis subsp. australis	
	Pomaderris grandis	
	Rumex drummondii	
	Sphenotoma sp. Stirling Range (P.G. Wilson 4235)	
	Spyridium spadiceum	
	Stylidium gloeophyllum	
	Tecticornia uniflora	
	Thomasia solanacea	

STATUS	NUMBER OF SPECIES	
Threatened Species	Biodiversity Conservation Act	EPBC Act
	Thysanotus isantherus Thysanotus parviflorus Xanthosia eichleri	

Source: DBCA (2024) NatureMaps. Conservation significant species under *Biodiversity Conservation Act 2016*. *Note: Priority status is not a listing under the BC Act*.

APPENDIX D

Definitions of Conservation Categories



Department of **Biodiversity**, **Conservation and Attractions**



CONSERVATION CATEGORY DEFINITIONS

For Western Australian Fauna and Flora

Threatened, Extinct and Specially Protected fauna or flora¹ are species² which have been adequately searched for and are deemed to be, in the wild, threatened, extinct or in need of special protection, and have been gazetted as such.

Categories of Threatened, Extinct and Specially Protected fauna and flora are:

T <u>Threatened species</u>

Listed by order of the Minister as Threatened in the category of critically endangered, endangered or vulnerable under section 19(1), or is a rediscovered species to be regarded as threatened species under section 26(2) of the *Biodiversity Conservation Act 2016* (BC Act).

Threatened fauna is the species of fauna that are listed as critically endangered, endangered or vulnerable threatened species.

Threatened flora is the species of flora that are listed as critically endangered, endangered or vulnerable threatened species.

The assessment of the conservation status of threatened species is in accordance with the BC Act listing criteria and the requirements of <u>Ministerial Guideline Number 1</u> and <u>Ministerial Guideline Number 2</u> that adopts the use of the International Union for Conservation of Nature (IUCN) <u>Red List of Threatened Species Categories and Criteria</u>, and is based on the national distribution of the species.

CR Critically endangered species

Threatened species considered to be "facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with criteria set out in the ministerial guidelines".

Listed as critically endangered under section 19(1)(a) of the BC Act in accordance with the criteria set out in section 20 and the ministerial guidelines.

Examples of use:

- The western ringtail possum (*Pseudocheirus occidentalis*) is listed as a critically endangered threatened species under the *Biodiversity Conservation Act 2016.*
- Western ringtail possum is listed as critically endangered under the Biodiversity Conservation Act 2016.
- Listing reference in a table: column heading: BC Act, row text: CR.

EN Endangered species

Threatened species considered to be "facing a very high risk of extinction in the wild in the near future, as determined in accordance with criteria set out in the ministerial guidelines".

Listed as endangered under section 19(1)(b) of the BC Act in accordance with the criteria set out in section 21 and the ministerial guidelines.

Examples of use:

- Caladenia hopperiana is listed as an endangered threatened species under the Biodiversity Conservation Act 2016.
- Caladenia hopperiana is listed as endangered under the Biodiversity Conservation Act 2016.
- Listing reference in a table: column heading: BC Act, row text: EN.

VU Vulnerable species

Threatened species considered to be "facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with criteria set out in the ministerial guidelines".

Listed as vulnerable under section 19(1)(c) of the BC Act in accordance with the criteria set out in section 22 and the ministerial guidelines.

Examples of use:

- The forest red-tailed black cockatoo (*Calyptorhynchus banksii naso*) is listed as a vulnerable threatened species under the *Biodiversity Conservation Act 2016.*
- Forest red-tailed black cockatoo is listed as vulnerable under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: VU.

Extinct species

Listed by order of the Minister as extinct under section 23(1) of the BC Act as extinct or extinct in the wild.

EX Extinct species

Species where "there is no reasonable doubt that the last member of the species has died", and listing is otherwise in accordance with the ministerial guidelines (section 24 of the BC Act).

Examples of use:

- Acacia kingiana is listed as an extinct species under the Biodiversity Conservation Act 2016.
- Acacia kingiana is listed as extinct under the Biodiversity Conservation Act 2016.
- Listing reference in a table: column heading: BC Act, row text: EX.

EW Extinct in the wild species

Species that "is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; and it has not been recorded in its known habitat or expected habitat, at appropriate seasons, anywhere in its past range, despite surveys over a time frame appropriate to its life cycle and form", and listing is otherwise in accordance with the ministerial guidelines (section 25 of the BC Act).

Currently there are no fauna or flora species listed as extinct in the wild.

SP Specially protected species

Listed by order of the Minister as specially protected under section 13(1) of the BC Act. Meeting one or more of the following categories: species of special conservation interest; migratory species; cetaceans; species subject to international agreement; or species otherwise in need of special protection.

Species that are listed as threatened species (critically endangered, endangered, or vulnerable) or extinct species under the BC Act cannot also be listed as specially protected species.

MI Migratory species

Fauna that periodically or occasionally visit Australia or an external Territory or the exclusive economic zone; or the species is subject of an international agreement that relates to the protection of migratory species and that binds the Commonwealth; and listing is otherwise in accordance with the ministerial guidelines (section 15 of the BC Act).

Migratory species include birds that are subject to an agreement between the government of Australia and the governments of Japan (JAMBA)⁴, China (CAMBA)⁵ or The Republic of Korea (ROKAMBA)⁶, and fauna subject to the *Convention on the Conservation of Migratory Species of Wild Animals* (Bonn Convention)⁷, an environmental treaty under the United Nations Environment Program. Migratory species listed under the BC Act are a subset of the migratory animals, that are known to visit Western Australia, protected under the international agreements or treaties, excluding species that are listed as Threatened species.

Examples of use:

- The wedge-tailed shearwater (*Ardenna pacifica*) is listed as a specially protected migratory species under the *Biodiversity Conservation Act 2016.*
- Wedge-tailed shearwater is listed as migratory under the Biodiversity Conservation Act 2016.
- Listing reference in a table: column heading: BC Act, row text: MI.

CD Species of special conservation interest (conservation dependent)

Species of special conservation need that are dependent on ongoing conservation intervention to prevent it becoming eligible for listing as threatened, and listing is otherwise in accordance with the ministerial guidelines (section 14 of the BC Act).

Currently only fauna are listed as species of special conservation interest.

Examples of use:

- The wambenger, south-western brush-tailed phascogale (*Phascogale tapoatafa wambenger*) is listed as a specially protected species of special conservation interest under the *Biodiversity Conservation Act 2016.*
- Wambenger, south-western brush-tailed phascogale, is listed as conservation dependent under the *Biodiversity Conservation Act 2016.*
- Listing reference in a table: column heading: BC Act, row text: CD.

OS Species otherwise in need of special protection (other specially protected)

Species otherwise in need of special protection to ensure their conservation, and listing is otherwise in accordance with the ministerial guidelines (section 18 of the BC Act).

Currently only fauna are listed as species otherwise in need of special protection.

Examples of use:

- The dugong (*Dugong dugon*) is listed as a specially protected species otherwise in need of special protection under the *Biodiversity Conservation Act 2016.*
- Dugon is listed as other specially protected fauna under the Biodiversity Conservation Act 2016.
- Listing reference in a table: column heading: BC Act, row text: OS.

P Priority species

Priority is not a listing category under the BC Act. The Priority Flora and Fauna lists are maintained by the department and are published on the department's website.

All fauna and flora are protected in WA following the provisions in Part 10 of the BC Act. The protection applies even when a species is not listed as threatened or specially protected, and regardless of land tenure (State managed land (Crown land), private land, or Commonwealth land).

Species that may possibly be threatened species that do not meet the criteria for listing under the BC Act because of insufficient survey or are otherwise data deficient, are added to the Priority Fauna or Priority Flora Lists under Priorities 1, 2 or 3. These three categories are ranked in order of prioritisation for survey and evaluation of conservation status so that consideration can be given to potential listing as threatened.

Species that are adequately known, meet criteria for near threatened, or are rare but not threatened, or that have been recently removed from the threatened species list or conservation dependent or other specially protected fauna lists for other than taxonomic reasons, are placed in Priority 4. These species require regular monitoring.

Assessment of priority status is based on the Western Australian distribution of the species, unless the distribution in WA is part of a contiguous population extending into adjacent States, as defined by the known spread of locations.

1 Priority 1: Poorly-known species - known from few locations, none on conservation lands

Species that are known from one or a few locations (generally five or less) which are potentially at risk. All occurrences are either: very small; or on lands not managed for conservation, for example, agricultural or pastoral lands, urban areas, road and rail reserves, gravel reserves and active mineral leases; or otherwise under threat of habitat destruction or degradation.

Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements for threatened listing and appear to be under immediate threat from known threatening processes. These species are in urgent need of further survey.

Examples of use:

- Borya stenophylla is listed as a Priority 1 species by the Department of Biodiversity, Conservation and Attractions.
- Borya stenophylla is listed as Priority 1 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P1.

2 Priority 2: Poorly-known species - known from few locations, some on conservation lands

Species that are known from one or a few locations (generally five or less), some of which are on lands managed primarily for nature conservation, for example, national parks, conservation parks, nature reserves and other lands with secure tenure being managed for conservation.

Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements for threatened listing and appear to be under threat from known threatening processes. These species are in urgent need of further survey.

Examples of use:

- *Caladenia nivalis* is listed as a Priority 2 species by the Department of Biodiversity, Conservation and Attractions.
- Caladenia nivalis is listed as Priority 2 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P2.

3 Priority 3: Poorly-known species - known from several locations

Species that are known from several locations and the species does not appear to be under imminent threat or from few but widespread locations with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat.

Species may be included if they are comparatively well known from several locations but do not meet adequacy of survey requirements and known threatening processes exist that could affect them. These species need further survey.

Examples of use:

- Acacia nitidula is listed as a Priority 3 species by the Department of Biodiversity, Conservation and Attractions.
- Acacia nitidula is listed as Priority 3 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P3.

4 Priority 4: Rare, Near Threatened and other species in need of monitoring

(a) Rare. Species that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection but could be if present circumstances change. These species are usually represented on conservation lands.

(b) Near Threatened. Species that are considered to have been adequately surveyed and that are close to qualifying for vulnerable but are not listed as a conservation dependent specially protected species.

(c) Species that have been removed from the list of threatened species or lists of conservation dependent or other specially protected species, during the past five years for reasons other than taxonomy.

(d) Other species in need of monitoring.

Examples of use:

- *Banksia aculeata* is listed as a Priority 4 species by the Department of Biodiversity, Conservation and Attractions.
- Banksia aculeata is listed as Priority 4 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P4.

¹ The definition of flora includes algae, fungi, and lichens.

² Species includes all taxa (plural of taxon - a classificatory group of any taxonomic rank, e.g. a family, genus, species or any infraspecific category i.e. subspecies or variety, or a distinct population).

³Western Australia has assigned species to threat categories using the *IUCN Red List of Threatened Species Categories and Criteria* since 1996 (referencing all criteria).

⁴ JAMBA - first included in the WA migratory species list in 1980.

⁵ CAMBA - first included in the WA migratory species list in 2010.

⁶ ROKAMBA - first included in the WA migratory species list in 2010.

⁷ Bonn Convention (Birds) - first included in the WA migratory species list in 2015.

APPENDIX E

Albany Regional Vegetation Assessment – Vegetation Units

ALBANY REGIONAL VEGETATION SURVEY – VEGETATION UNITS

	Albany Vegetation Unit		Regional and local significance criteria								Threats					
Vegetation Unit	Vegetation unit name	No. of relevés Restricted to ARVS area		Rarity (<1500ha)	(mean species / relevé)	TEC/PEC	Threatened Flora	Priority flora species	Wetland/Damplan d /Riparian/buffer	Wetland of National significance	Estuarine	Coastal dune	<10% in IUCN Reserves	Phytophthora dieback	Hydrological change	Fire sensitive
1	Yate Coastal Forest	7		•	11.7											
2	Coastal Heath	10		•	21.1		•					•				
4	Coastal Banksia ilicifolia/ Peppermint Low	17		•	21.0		•	•						•		
4	Woodland	17		•	21.9		•	•						•		
5	Limestone Coastal Heath	18			14.6			•				•				5c
6	Mallee	4	0	•	18.8			•								
7	Leucophyta brownii Coastal	1		•	18								•			
8	Shrubland/Grassland	2		•	5.2			•								
9	Karri Forest	11		•	10.6			•				•	•			
10	Marri/Jarrah Forest/Peppermint Woodland	24			18.5			•	•				•			10b
11	Jarrah Woodland	8		•	20.3								•	•		126
12	Jarrah/Marri/Sneoak/Estgeri Sandy Woodland	40	0		25.7		•	•					•	•		120
14	Banksia coccinea Shrubland/ Eucalyptus		0	•	27.6	•	-	-						-		•
14	staeri/Sheoak Open Woodland Banksia coccinea Shrubland Melaleuca	41	0	•	27.0	•	•	•						•		-
15	striata/Leucopogon flavescens Heath	0	0	-	27.5		•									
16 17	weiaieuca striata/Banksia spp Coastal Heath	4 4	0	•	24.8 25 9	•		•						•		• 17a &h
17	Gardner/Hakea spp Shrubland	8	0	•	24.3			•					•	•		•
19	Hakea elliptica Shrubland/ Eucalyptus	3	n	•	10			•					•			•
20	doratoxylon Mallee	3	0	-	10			-								
20	Coastal Shrubland Complex	4 15		•	9.5 21.4			•					•	•		•
22	Hakea spp Transitional Shrubland	4		•	27.8											•
23	Gastrolobium bilobum/Hakea elliptica Granite	11	0	•	10.8								•			•
24	Shrubland/Yate Woodland Taxandria marainata Granite Shrubland	9		•	12.3		•	•						•		•
25	Acacia sulcata/Leucopogon assimilis Granite	0		-	1E 0			-								
25	Shrubland.	9		•	15.8			•								
26 27	Darwinia diosmoides Granite Shrubland Melaleuca viminea Granite Thicket	1		•	14 5			•					•			•
29	Jarrah Woodland/Eucalyptus falcata Mallee	1		•	28			•					•			
30	Eastern Jarrah/Sheoak Woodland	36	0	•	27.4			•					•	•		•
31	Hakea spp Shrubland/Woodland Complex	72			31.2		•	•						•		•
32	Fucalyptus patens Low Woodland	5	0	•	20 13	•		•	•				•	•		•
34	Banksia occidentalis/Kunzea clavata Shrubland	3	•	•	13.7	•			•				•			•
35	Eucalyptus megacarpa Riparian Forest	1		•	14				•	•			•			
36	Callistachys spp Thicket	1		•	6				•							
37	Transitional Heathland	2	0	•	18		•		•					•		•
38	Taxandria parviceps Transitional Shrubland	10		•	23.7				•					•		•
39	Pericalymma spongiocaule Low Heath	32	0	•	25.3				•					•		•
40	Takalarup Damp Heath	8		•	27.3			•	•				•	•		•
42	Lepidosperma longitudinale Sedgeland	1		•	5				•				•			
43	Banksia littoralis Open Woodland/ Anarthria laevis Sedgeland	1		•	9				•							
44	Banksia littoralis Woodland/ Melaleuca incana Shrubland	3	0	•	13	•			•					•	•	
45	Mixed Banksia littoralis Open Woodland	5		•	19.6			•	•					•		-
40	Homalospermum firmum/ Callistemon	40			10.0			•	•					•		
47	glaucus Peat Thicket	19			12.5				•	•				47b		•
48	Melaleuca microphylla Shrubland/ Low Forest	9		•	8.2			•	•							•
49 51	Gahnia trifidaSedgeland/Wet Shrubland	3	0	•	13.7			•	•					•		•
52	Melaleuca cuticularis/M. preissiana Open Woodland	10		•	17.9			•	•							•
53	<i>Kunzea recurva/Petrophile squamatua</i> Wet Shrubland	6		•	21.8			•	•				•			•
54	<i>Melaleuca spathulata/Melaleuca viminea</i> Swamp Heath	2		•	4.5	•			•				•			•
55	Melaleuca densa Swamp Heath	8		•	8.9				•				•			•
56	Astartea scoparia Swamp Thicket	9	0	•	6.9	•		•	•				•			•
57	Forest Complex	10		•	6.5				•							•
58 59	Woodland Taxandria juniperina Closed Forest	2		•	10 6.8				•	•			•		•	•
60	Coastal Melaleuca incana/ Taxandria	2	<u>^</u>	-	0.0	•			-	-	•					-
00	juniperina Shrubland)	U	•	5.1	•			•				•			-
62	ivielaleuca croxforalae Low Woodland	1		•	13				•				•			•
63	Mixed Sedgeland	0		•	n/a				•				•			•
64	Baumea articulata Sedgeland	1		•	2				•	•					•	•
65 65	Loastal Melaleuca cuticularis Low Forest	5		•	6				•	•	•		•			•
67	Coastal Saltmarsh	4		•	5.3				•	•	•		•			

APPENDIX F

Status and Recommendations – ARVS2

STATUS AND RECOMMENDATIONS FOR ALBANY REGIONAL VEGETATION SURVEY ALBANY VEGETATION UNITS

AVU	2010 ¹ EXTENT (HA)	% OF CURRENT EXTENT PROTECTED ²	COMMENTS AND ³ RECOMMENDATIONS
1	417 CE	21 60%	Further protection is dependent on conservation on private land (ARVS2_LNA1, ARVS2_LNA8 and ARVS2_LNA22).
1	417.05	21.00%	
2	1230.18	46.21%	Manage threats.
3	3735.69	54.45%	Manage threats.
4	505.08	42.45%	R25295 CoA is designated Environmental Conservation under LPS2 (ARVS2_LNA12) proposed due to the presence of other priority AVUs will increase the protection status of AVU4.
5	1848.00	53.37%	Manage threats.
6	29.21	100.00%	Manage threats.
7	0.07	100.00%	Manage threats.
8	22.22	32.33%	It is a widespread unit along beaches in south west WA. Manage threats.
9	884.50	1.56%	Climate refugial community, the eastern occurrences are the eastern limits of this ecological community, priority for consideration - retention and protection on private lands to maintain/improve connectivity between the Waychinicup National Park and Lake Pleasant Nature Reserve (ARVS2_LNA21). Private land conservation (ARVS2_LNA1 and ARVS2_LNA5), consider changing DBCA Timber (in ARVS2_LNA1) reserve to a conservation reserve.
			This AVU has >70% of its current extent in modified or transformed condition. Only 19% of its current extent is on reserved land, with small portion protected. 5.75ha is in the CoA R2031 for which change of vesting purpose is proposed. Further AVU10 occurs in several CoA reserves vested for recreation (ARVS2_LNA5), drainage, Fire station and DBCA Timber reserve. 36ha of AVU 10 will be retained in Parks & Recreation reserves in the Kalgan Rural Village. The full extent of AVU10 in the Conservation covenant L689873 and the adjoining the Waychinicup National Park should be investigated.
10	1594.34	4.20%	Opportunities to protect on Private lands should be investigated within ARVS2_LNA6 and ARVS2_LNA1.
11	169.93	10.10%	R12599 is designated Environmental Conservation under LPS2. Discuss opportunities as outlined for ARVS2_LNA5, Reserve vesting for R18012, R12012 & R42854 - refer to ARVS2_LNA1.

¹ Figures for ARVS1 (Sandiford and Barrett, 2010).

² Not including areas designated 'Environmental Conservation' local reserves in LPS2

³ ARVS2_LNA - areas where specific opportunities are identified to achieve improved level of protections for AVU. See Appendix L and Figure X)

2010 ¹ EXTENT (HA)	% OF CURRENT EXTENT PROTECTED ²	COMMENTS AND ³ RECOMMENDATIONS
13092.83	10.94%	Potentially restricted to the study area - high priority: 750ha in R13802 Water Catchment and 9ha in R2031; 114ha is designated Environmental Conservation under LPS2 in Kalgan Rural Village, R24000 (Timber, Firewood, CoA), R24661 (camping & Recreation CoA) is designated Environmental Conservation under LPS2. Opportunities for private land conservation within ARVS2_LNA9 should be investigated.
5120.93	27.29%	Potentially restricted to the study area & believed to be retained at <30% - high priority: 12ha in R2031 CoA, 263ha in R13802 Water catchment, R35381 (Recreation, CoA), R18779 (Gov requirement & use, CoA), R329 (Recreation, CoA) (if we assume that the current extent is approximately 25% of the original extent, 3482ha should be protected to achieve the 17% protection target. After considering the protected areas, additional 2084ha should be secured. The proposed changes to reserve vesting will not achieve this assumed target. In addition, as of the total mapped extent, only 70% or 3614ha is mapped as being in good condition (residual).
1324.95	45.96%	Manage threats, highly vulnerable, PEC, most occurrences observed to be affected by dieback. Further opportunities to protect this AVU should be sought. Opportunities exist: 57ha in R33308 (CoA, recreation & Botanical garden, 191ha in R13802 (Water catchment, Water Corporation). This AVU is considered restricted to the study area, with <30% of original extent remaining. If we assume that the current extent is approximately 25% of the original extent, 900ha should be protected to achieve the 17% protection target. After considering the protected areas, an additional 292ha should be secured. The proposed changes to reserve vesting will not achieve this assumed target. In addition as of the total mapped extent, only 76% or 1022ha is mapped as being in good condition (residual).
161.89	13.07%	55ha or 34% of the current extent is in R13802 (Water catchment, Water Corporation), 68ha or 42% of the current extent is in R2031 (vested in the City of Albany) and adjoining the R13802. Both of these reserves are Class C.
30.33	100.00%	Manage threats.
1237.57	35.38%	155ha in R13802 & 9ha in R2031, utilise opportunities to protect as considered potentially restricted to the study area.
138.46	0.00%	All in R2031 - CoA, is designated Environmental Conservation under LPS2.
24.68	0.00%	All in R2031 - CoA, is designated Environmental Conservation under LPS2.
34.32	0.00%	8ha in R 2031, CoA, and rest in ARVS2_LNA21.
32.84	66.42%	Manage threats.
33.05	58.95%	Manage threats
163.24 110.42	0.83%	11ha in R2031, CoA, R25295 - Recreation, CoA - is designated Environmental Conservation under LPS2, R33308 - CoA, Recreation & Botanical garden, ARVS2_LNA6 ARVS2_LNA12, ARVS2_LNA11, R27068 (Recreation, CoA), 3ha in R2031 (CoA).
	2010 ¹ EXTENT (HA) 13092.83 5120.93 5120.93 5120.93 1324.95 161.89 30.33 1237.57 138.46 24.68 34.32 32.84 33.05 163.24 110.42	20101 EXTENT (HA) % OF CURRENT EXTENT PROTECTED2 13092.83 10.94% 5120.93 27.29% 5120.93 27.29% 13092.83 10.94% 13092.83 10.94% 5120.93 27.29% 1324.95 45.96% 161.89 13.07% 30.33 100.00% 1237.57 35.38% 138.46 0.00% 34.32 0.00% 34.32 0.00% 33.05 58.95% 163.24 0.83% 110.42 18.58%

AVU	2010 ¹ EXTENT (HA)	% OF CURRENT EXTENT PROTECTED ²	COMMENTS AND ³ RECOMMENDATIONS
			R33308 (DBCA, 6.67ha -vested Recreation & Botanical Garden), R13802 (Water Corporation, 3.5ha), R27068 (CoA, Parks &
25	16.72	10.14%	Recreation), R2681 (CoA, Park & Telecommunication) & R26204 (Animal Welfare) - is designated Environmental Conservation under LPS2 so protection levels have increased to over 90% of the current extent.
26	2.55	40.86%	R25295 (CoA, recreation) is designated Environmental Conservation under LPS2
27	11.33	0.00%	R2031 is designated Environmental Conservation under LPS2 and protects all the extent of AVU27,
28	39.04	14.67%	R13802 (Water Corporation) includes 7ha, R33308 (DBCA) includes 8.8ha, R25295 (CoA, recreation), ARVS2_LNA8 (Parks & Recreation reserve).
29	5.93	100.00%	Manage threats.
30	1041.66	0.01%	It appears that all is within R13802, Water catchment.
31	2352.41	45.67%	Already well protected, another 971ha or 41% of current extent in R13802 and 90ha in the adjoining CoA reserve R2031. Includes 1 P1 flora and 3 P3 flora species.
32	303.70	0.00%	All in R13802, Water catchment vested in Water Corporation.
33	101.44	1.83%	ARVS2_LNA3, R26888 (CoA, recreation (4.6ha); R2000 (CoA, Recreation (3.3ha), private land conservation initiatives within ARVS2_LNA1.
34	11.67	0.41%	R24514, CoA, camping & recreation - 6.12ha (IHCVA2), R20367, CoA, common. Areas are designated Environmental Conservation under LPS2.
35	42.99	6.73%	Very limited opportunities exist for increased protection of AVU35 within already reserved lands. Largest occurrence of AVU35 is within ARVS2_LNA8, with small portion within a Drainage & Recreation reserve and the rest on private land zoned Rural. ARVS2_LNA12
			This AVU occurs naturally in small patches, but is vulnerable to weed invasion.
			As it is spread across the study area, changes to vesting purposes of larger reserves/ designation of Environmental Conservation
36	35.88	7.51%	ARVS2 LNA1.
37	5.62	100.00%	Manage threats.
			The AVU 38 is represented in 5 separate conservation reserves and further occurrences will be protected by designation of
38	108.75	40.04%	Environmental Conservation under LPS2 (e.g. R2031).
			This potentially restricted AVU is below the 30% protection threshold. It is represented in more than 5 conservation reserves, and 230 ha has been protected by designation of 'Environmental Conservation' under LPS2 (CoA R2031). R13802 Water catchment, would benefit from having an additional purpose of 'Environmental Conservation' which would increase the protection levels to nearly half of the current extent.
			If the current extent is approximately 25% of the original extent, 595ha should be protected to achieve the 17% protection target. After considering the protected areas, an additional 395ha should be secured.
39	875.82	22.93%	The proposed changes to reserve vesting will not achieve this assumed target. In addition, as of the total mapped extent, only 76% or 696ha is mapped as being in good condition (residual).

AVU	2010 ¹ EXTENT (HA)	% OF CURRENT EXTENT PROTECTED ²	COMMENTS AND ³ RECOMMENDATIONS
40	165.37	0.00%	All in R13802, Water catchment vested in Water corporation.
41	8.20	0.00%	 >70% of the current extent modified, with most of the low laying areas where it was recorded cleared in the study area. The only example on reserved land is within CoA reserves with purpose of Camping and Recreation. However, this area is designated Environmental Conservation under LPS2. Extending the purpose of the existing reserve to conservation and including adequate management action to conserve this AVU is recommended. All other occurrences are on private lands. Support for management
42	0.15	0.00%	Within a Fire Station/Recreation Reserve R32825 (CoA) and is designated Environmental Conservation under LPS2 which affords protection of the single occurrence of this vegetation type in the study area.
43	0.79	69.30%	The only other opportunity to improve protection levels of AVU 43 in the study area exist within a CoA reserve R15949, which is vested for gravel and sand but is designated Environmental Conservation under LPS2 . Other Priority AVUs in this reserve include PEC (AVU14), and potentially restricted AVU 12,13 &39.
44	3.86	23.45%	All occurrences are on reserved land, but only small portion is reserved for conservation, R931 vested for Government requirements, Dep. Of Regional Development, R 25550 vested for Water with Water Corporations and R35754 CoA recreation (0.42ha).
45	25.82	12.29%	R20367 CoA, vested for common use of settlers, R25295 CoA Recreation reserve (ARVS2_LNA12) R27068 CoA recreation reserve. ARVS report suggests that examples on private lands were highly degraded (Big Grove area).
46	1743.93	12.75%	Appears to be common outside the study area and its eastern extent is just east of the ARVS area. It is represented in more than 5 different conservation reserves. With the changing purpose of R13802 (Water Corporation) an additional 417ha of AVU46 will be protected.
47	2070.27	13.16%	Considered widespread. 58ha of AVU47 is mapped within R 13802 (Water catchment) considered for change of purpose. It is also represented in several CoA reserves where change of purpose or addition of conservation purpose should be investigated. As this AVU is one of few that provides habitat for Rakali (water rat), conservation on private land should be supported.
48	24.48	12.79%	Eastern limit of this AVU in the study area, further opportunities to protect in R2031 (CoA), R9888 CoA Recreation (3.4ha) within ARVS2_LNA1 but on private property fragmented, reduced to small isolated patches.
49	669.95	7.88%	Considered to be common in the Warren IBRA. Represented in more than 5 conservation reserves, additional 49ha could be added to protection by changing the vesting purpose of R13802 (Water Corporation).
50	258.56	8.74%	Seek retention to maintain ecological processes along creeklines.
51	20.61	100.00%	Manage threats.
52	257.90	37.91%	Distribution outside study are unknown, sensitive to increased salinity. Therefore, additional areas should be protected with opportunities in R25556 (Water Corporation)

AVU	2010 ¹ EXTENT (HA)	% OF CURRENT EXTENT PROTECTED ²	COMMENTS AND ³ RECOMMENDATIONS
53	19.01	1.79%	ARVS2 LNA1, where part of a mosaic, R23464 CoA recreation & fire station - is designated Environmental Conservation under LPS2.
			Likely to reach eastern limit in the study area, in mosaic with AVU52, 53, 57.
54	9.50	0.00%	5.5ha is in Major Road Reserve and on Rural zoned land (ARVS2_LNA2), ARVS2_LNAARVS2_LNA3 (Rural zoned land and Public Purpose Reserve (drainage).
55	22.12	5.71%	Nearly all in R13802, Water catchment vested in Water Corporation.
56	15.37	2.97%	Potentially restricted to the study area, R24548 Camping & recreation (ARVS2_LNA7), in ARVS2_LNA4 largest concentration but in fragmented patches on rural land or within a mosaic in a road reserve - limited opportunity to protect, the best opportunity in CoA Reserve R 15879 (Recreation) and adjoining Public Purposes land (not reserved yet) as part of large mosaic and adjoins a conservation reserve (ARVS2_LNA13). Assuming that the current extent is approximately 25% of the original extent, the original area would be less than 100ha. In addition, as of the total mapped extent, only 54% or 8.4ha is mapped as being in good condition (residual).
57	493.59	12.20%	>70% is considered modified or transformed, susceptible to weed invasion. This AVU is spread across the study area, with small patches in several reserves. Good opportunity to improve its protection status exists in R24514 (vested with the CoA) for recreation and camping). This area is designated Environmental Conservation under LPS2. Also R 42256 (Water Corporation, vested for recreation and drainage). AVU57 extends into the adjoining private lands zoned Rural, support for retention and management of this AVU should be provided.
58	24.56	100.00%	Manage threats.
59	777.76	10.20%	R13802, ARVS2_LNA4, ARVS2_LNA13.
60	8.35	0.00%	All occurrences are in one location adjoining Little Grove Structure Plan area, only 1.25ha in Parks & Recreation reserve, 1 ha spread over R22735 Water Corporation and R24747 CoA Fire Station. The rest has been approved for residential development in the Little Grove Structure Plan.
61	2.51	0.00%	All in R13802, Water catchment vested in Water Corporation.
62	3.89	0.00%	Occurs at its southern range, non reserved, private land conservation within ARVS2_LNA21 - part of a mosaic, the second occurrence is within a road reserve.
63	12.01	0.00%	All in R13802, Water catchment vested in Water Corporation.
64	56.10	37.12%	Represented in 3 conservation reserves, Typha infestations recorded as a problem, further opportunities to protect exist in ARVS2_LNA21.
65	206.78	9.46%	
66	70.34	19.92%	
67	78.25	12.35%	Mostly reserved for Environmental Conservation around Oyster Harbour, AVU 65 also within ARVS2_LNA7.
Total (HA)	43947.93	23.42%	

APPENDIX G

List of Conservation Significant Fauna

APPENDIX H

ARVS Fauna Habitat Matrix

ARVS PROJECT: FAUNA HABITAT MATRIX

Albany Vegetation Unit	Western Ringtail Possum #	Carnaby's Black Cockatoo #	Forest Red-tailed Black Cockatoo #	Baudin's Black Cockatoo #	Quenda #	Main's Assassin Spider #	Honey Possum	Western Yellow Robin	Firetail	Quokka #	Brush Wallaby	Grey-bellied Dunnart	Brush-tailed Phascogale	Water rat	Australasian Bittern #	Shorebirds (collective) #	Barking Owl & Masked Owl	Western Whipbird	Western Crested Shrike- tit *	Southern Emu Wren	Pill Millipede *	Chelodina oblonga	Total potential habitats
1	у	R	у		Y				Y								Y						6
2	у	F/R			у	у			Y					Y									6
3	у	F/R		F	у	у	у					Y								Y			8
4	у	F/R		F	у	у	у					Y								Y			8
5	у	F/R		F	у	у	у					Y								Y			8
6		F	F			у																	3
7					у																		1
8																							0
9	у	R/F/B	F/R	F/R	у	у		у	Y				Y				Y		Y		Y		12
10	у	F/R	F/R	F/R	у		у	у		Y				Y									9
11	у	F/R	F/R	F/R	у			у															6
12	у	F/R	F/R	F/R	у			у					у				Y		Y				9
13	у	F/R	F/R	F/R	у		у	у															7
14	у	F			у		у													Y			5
15	у	F			у		у													Y			5
16		F			у		у											Y		Y			5
17	у	F/R	F/R	F/R	у		у			Y	Y						Y	Y					10
18	у	F	F		у		у																5
19		F			у																		2
20					у																		1
21	у	F			у	у	у																5
22	у	F			у																		3
23	у	F/R	F		у				Y	Y													6
24		F			у																		2

Albany Vegetation Unit	Western Ringtail Possum #	Carnaby's Black Cockatoo #	Forest Red-tailed Black Cockatoo #	Baudin's Black Cockatoo #	Quenda #	Main's Assassin Spider #	Honey Possum	Western Yellow Robin	Firetail	Quokka #	Brush Wallaby	Grey-bellied Dunnart	Brush-tailed Phascogale	Water rat	Australasian Bittern #	Shorebirds (collective) #	Barking Owl & Masked Owl	Western Whipbird	Western Crested Shrike- tit *	Southern Emu Wren	Pill Millipede *	Chelodina oblonga	Total potential habitats
25																							0
26																							0
27																							0
28																							0
29		F/R			у																		2
30	у	F/R	F	F/R	у							Y					Y						7
31	у	F			у		у					Y						у		Y			7
32		F			у																		2
33	у	F/R		F	у			у	Y														6
34	у				у		у																3
35	у	F/R	F/R	R	у			у	Y								Y		Y				9
36	у				у				Y														3
37		F			у		у																3
38		F			у				Y														3
39					у																		1
40							Y																1
41																							0
42																							0
43		F			у		Y																3
44		F			у		Y																3
45					у		Y																2
46	у	F					у																3
47	у	F							Y					Y									4
48	у				у																		2
49	у	F			у																		3
50					у				Y														2
51																							0

Albany Vegetation Unit	Western Ringtail Possum #	Carnaby's Black Cockatoo #	Forest Red-tailed Black Cockatoo #	Baudin's Black Cockatoo #	Quenda #	Main's Assassin Spider #	Honey Possum	Western Yellow Robin	Firetail	Quokka #	Brush Wallaby	Grey-bellied Dunnart	Brush-tailed Phascogale	Water rat	Australasian Bittern #	Shorebirds (collective) #	Barking Owl & Masked Owl	Western Whipbird	Western Crested Shrike- tit *	Southern Emu Wren	Pill Millipede *	Chelodina oblonga	Total potential habitats
52					у																		1
53					у		у																2
54																							0
55																							0
56																							0
57	у				у				Y					Y								Y	5
58	у				у				Y														3
59	у	R			у				Y					Y								Y	6
60	у				у																		2
61					у																		1
62	у	R		R	у				Y								Y						6
63															у								1
64															Y							Y	2
65	у				у				Y					Y								Y	5
66																Y							1
67																Y							1
68															у							Y	2
Total Potential	41017	41252	24017	29464	39685	8270	20114	7922	6604	2994	1237	9499	13976	6370	108	148	4933	3619	14019	9955	884	1572	

= EBPC listed species

* = WA threatened and priority species

All others are locally significant species in the ARVS area

Y = potential habitat for selected species

For cockatoo species: R = roosting habitat; F = feeding habitat; B = breeding habitat

APPENDIX I

Protected Matters Search Tool – EPBC Act



Australian Government

Department of Climate Change, Energy, the Environment and Water

EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected. Please see the caveat for interpretation of information provided here.

Report created: 05-May-2025

Summary Details Matters of NES Other Matters Protected by the EPBC Act Extra Information Caveat Acknowledgements

Summary

Matters of National Environment Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the Administrative Guidelines on Significance.

World Heritage Properties:	None
National Heritage Places:	1
Wetlands of International Importance (Ramsar	None
Great Barrier Reef Marine Park:	None
Commonwealth Marine Area:	1
Listed Threatened Ecological Communities:	3
Listed Threatened Species:	115
Listed Migratory Species:	69

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at https://www.dcceew.gov.au/parks-heritage/heritage

A <u>permit</u> may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Lands:	27
Commonwealth Heritage Places:	None
Listed Marine Species:	94
Whales and Other Cetaceans:	31
Critical Habitats:	None
Commonwealth Reserves Terrestrial:	None
Australian Marine Parks:	None
Habitat Critical to the Survival of Marine Turtles:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have

State and Territory Reserves:	62
Regional Forest Agreements:	1
Nationally Important Wetlands:	3
EPBC Act Referrals:	39
Key Ecological Features (Marine):	None
Biologically Important Areas:	12
Bioregional Assessments:	None
Geological and Bioregional Assessments:	None

Details

Matters of National Environmental Significance

National Heritage Places		[Resource Information]
Name	State	Legal Status
Natural		
Stirling Range National Park	WA	Listed place

Commonwealth Marine Area

Approval is required for a proposed activity that is located within the Commonwealth Marine Area which has, will have, or is likely to have a significant impact on the environment. Approval may be required for a proposed action taken outside a Commonwealth Marine Area but which has, may have or is likely to have a significant impact on the environment in the Commonwealth Marine Area.

Feature Name

Commonwealth Marine Areas (EPBC Act)

Listed Threatened Ecological Communities

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

Status of Vulnerable, Disallowed and Ineligible are not MNES under the EPBC Act.

Community Name	Threatened Category	Presence Text
Empodisma peatlands of southwestern Australia	Endangered	Community likely to occur within area
Proteaceae Dominated Kwongkan Shrublands of the Southeast Coastal Floristic Province of Western Australia	Endangered	Community likely to occur within area
Subtropical and Temperate Coastal Saltmarsh	Vulnerable	Community likely to occur within area
Listed Threatened Species		[Resource Information]

Status of Conservation Dependent and Extinct are not MNES under the EPBC Act. Number is the current name ID.

Scientific Name

Threatened Category Presence Text



Aphelocephala leucopsis

Southern Whiteface [529]

Vulnerable

Species or species habitat may occur within area

[Resource Information]

[Resource Information]

Scientific Name	Threatened Category	Presence Text
Ardenna grisea		
Sooty Shearwater [82651]	Vulnerable	Species or species habitat may occur within area
Arenaria interpres		
Ruddy Turnstone [872]	Vulnerable	Roosting known to occur within area
Atrichornis clamosus		
Noisy Scrub-bird, Tjimiluk [654]	Endangered	Species or species habitat known to occur within area
Botaurus poiciloptilus		
Australasian Bittern [1001]	Endangered	Species or species habitat known to occur within area
Calidris acuminata		
Sharp-tailed Sandpiper [874]	Vulnerable	Roosting known to occur within area
Calidris caputus		
Red Knot, Knot [855]	Vulnerable	Species or species habitat known to occur within area
Calidris forruginoa		
Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
Calidris tenuirostris		
Great Knot [862]	Vulnerable	Roosting known to occur within area
Calvotorbynchus banksii naso		
Forest Red-tailed Black-Cockatoo, Karrak [67034]	Vulnerable	Species or species habitat known to occur within area
Cereopsis novaehollandiae orisea		
Cape Barren Goose (south-western), Recherche Cape Barren Goose [25978]	Vulnerable	Species or species

Recherche Cape Darren Goose [25976]

occur within area

Charadrius leschenaultii

Greater Sand Plover, Large Sand Plover Vulnerable [877]

Species or species habitat known to occur within area

Charadrius mongolus

Lesser Sand Plover, Mongolian Plover Endangered [879]

Roosting known to occur within area

Scientific Name	Threatened Category	Presence Text
Dasyornis longirostris Western Bristlebird [515]	Endangered	Species or species habitat known to occur within area
Diomedea antipodensis Antipodean Albatross [64458]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
Diomedea dabbenena Tristan Albatross [66471]	Endangered	Species or species habitat may occur within area
Diomedea epomophora Southern Royal Albatross [89221]	Vulnerable	Species or species habitat may occur within area
Diomedea exulans Wandering Albatross [89223]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
Diomedea sanfordi Northern Royal Albatross [64456]	Endangered	Species or species habitat may occur within area
<u>Falco hypoleucos</u> Grey Falcon [929]	Vulnerable	Species or species habitat likely to occur within area
Halobaena caerulea Blue Petrel [1059]	Vulnerable	Species or species habitat may occur within area
<u>Leipoa ocellata</u> Malleefowl [934]	Vulnerable	Species or species

occur within area

Limosa lapponica menzbieri

Northern Siberian Bar-tailed Godwit, Russkoye Bar-tailed Godwit [86432]

Endangered

Species or species habitat known to occur within area

Limosa limosa

Black-tailed Godwit [845]

Endangered

Roosting known to occur within area
Scientific Name	Threatened Category	Presence Text
Macronectes giganteus		
Southern Giant-Petrel, Southern Giant Petrel [1060]	Endangered	Species or species habitat may occur within area
Macronectes halli		
Northern Giant Petrel [1061]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
Numenius madagascariensis		
Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat known to occur within area
Pachyptila turtur subantarctica		
Fairy Prion (southern) [64445]	Vulnerable	Species or species habitat likely to occur within area
Phaethon rubricauda westralis		
Red-tailed Tropicbird (Indian Ocean), Indian Ocean Red-tailed Tropicbird [91824]	Endangered	Species or species habitat may occur within area
Phoehetria fusca		
Sooty Albatross [1075]	Vulnerable	Species or species habitat likely to occur within area
Pluvialis squatarola		
Grey Plover [865]	Vulnerable	Roosting known to occur within area
Psophodes nigrogularis nigrogularis		
Western Heath Whipbird [64449]	Endangered	Species or species habitat known to occur within area
Pterodroma mollis		
Soft-plumaged Petrel [1036]	Vulnerable	Species or species habitat may occur within area

<u>Sternula nereis nereis</u> Australian Fairy Tern [82950]

Vulnerable

Foraging, feeding or related behaviour known to occur within area

Thalassarche carteri

Indian Yellow-nosed Albatross [64464] Vulnerable

Species or species habitat likely to occur within area

Scientific Name	Threatened Category	Presence Text	
Thalassarche cauta			
Shy Albatross [89224]	Endangered	Foraging, feeding or related behaviour likely to occur within area	
Thalassarche impavida			
Campbell Albatross, Campbell Black- browed Albatross [64459]	Vulnerable	Species or species habitat may occur within area	
Thalassarche melanophris			
Black-browed Albatross [66472]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area	
Thalassarche steadi			
White-capped Albatross [64462]	Vulnerable	Species or species habitat may occur within area	
Tringa nebularia			
Common Greenshank, Greenshank [832]	Endangered	Species or species habitat known to occur within area	
Xenus cinereus			
Terek Sandpiper [59300]	Vulnerable	Roosting known to occur within area	
Zanda baudinii listed as Calvptorhvnchus	baudinii		
Baudin's Cockatoo, Baudin's Black- Cockatoo, Long-billed Black-cockatoo [87736]	Endangered	Breeding known to occur within area	
Zanda latirostris listed as Calvotorbynchus latirostris			
Carnaby's Black Cockatoo, Short-billed Black-cockatoo [87737]	Endangered	Breeding known to occur within area	
FISH			
Galaxias truttaceus (Western Australian	<u>population)</u>		
Western Trout Minnow [89857]	Endangered	Species or species habitat known to	

occur within area

Galaxiella munda

Western Dwarf Galaxias, Western Mud Vulnerable Minnow [79240] Species or species habitat known to occur within area

Galaxiella nigrostriata

Blackstriped Dwarf Galaxias, Blackstripe Minnow [88677]

Endangered

Species or species habitat likely to occur within area

Scientific Name	Threatened Category	Presence Text
<u>Nannatherina balstoni</u> Balston's Pygmy Perch [66698]	Vulnerable	Species or species
		occur within area
Nannoperca pygmaea Little Pygmy Perch [88315]	Endangered	Species or species
		occur within area
INSECT		
Trioza barrettae		
Banksia brownii plant louse [87805]	Endangered	Species or species habitat known to occur within area
MAMMAL		
Balaenoptera borealis		
Sei Whale [34]	Vulnerable	Species or species
		habitat may occur
		within area
Balaenoptera musculus		
Blue Whale [36]	Endangered	Species or species
	5	habitat likely to occur
		within area
Balaonoptora physalus		
Fin Whale [37]	Vulnerable	Species or species
	Vullerable	habitat may occur
		within area
Dasyurus geottroll Chuditah Wastern Quall [220]	Vulnarabla	Spacios or spacios
	vullelable	habitat known to
		occur within area
Eubalaena australis		
Southern Right Whale [40]	Endangered	Breeding known to
		occur within area
Myrmecobius fasciatus		
Numbat [294]	Endangered	Species or species
	-	habitat may occur

within area

Neophoca cinerea

Australian Sea-lion, Australian Sea Lion Endangered [22]

Parantechinus apicalis

Dibbler [313]

Endangered

Breeding known to occur within area

Species or species habitat known to occur within area

Scientific Name	Threatened Category	Presence Text	
Potorous gilbertii			
Gilbert's Potoroo, Ngilkat [66642]	Critically Endangered	Species or species habitat known to occur within area	
Pseudocheirus occidentalis			
Western Ringtail Possum, Ngwayir, Womp, Woder, Ngoor, Ngoolangit [25911]	Critically Endangered	Species or species habitat known to occur within area	
Setonix brachvurus			
Quokka [229]	Vulnerable	Species or species habitat known to occur within area	
OTHER			
Westralunio carteri			
Carter's Freshwater Mussel, Freshwater Mussel [86266]	Vulnerable	Species or species habitat known to occur within area	
PLANT			
Adenanthos pungens subsp. pungens			
Spiky Adenanthos [19429]	Vulnerable	Species or species habitat may occur within area	
Andersonia pinaster			
Two Peoples Bay Andersonia [67444]	Vulnerable	Species or species habitat known to occur within area	
Androcalva perlaria			
Pearl-like Androcalva [86388]	Endangered	Species or species habitat known to occur within area	
Apium prostratum subsp. Porongurup Range (G.J.Keighery 8631)			
Fine-leaved Apium, Porongurup Celery [82019]	Vulnerable	Species or species habitat likely to occur within area	
Banksia anatona			
Cactus Dryandra [82758]	Critically Endangered	Species or species	

occur within area

Banksia brownii

Brown's Banksia, Feather-leaved Banksia [8277]

Critically Endangered Species or species habitat known to occur within area

<u>Banksia goodii</u> Good's Banksia [16727]

Vulnerable

Species or species habitat known to occur within area

Scientific Name	Threatened Category	Presence Text
Banksia pseudoplumosa		
False Plumed-Banksia [82760]	Endangered	Species or species habitat likely to occur within area
Banksia rufa subsp. pumila		
[85008]	Endangered	Species or species habitat may occur within area
Banksia verticillata		
Granite Banksia, Albany Banksia, River Banksia [8333]	Vulnerable	Species or species habitat known to occur within area
Caladenia bryceana subsp. bryceana		
Dwarf Spider-orchid [64503]	Endangered	Species or species habitat known to occur within area
Caladenia christineae		
Christine's Spider Orchid [56716]	Vulnerable	Species or species habitat likely to occur within area
Caladenia granitora		
[65292]	Endangered	Species or species habitat known to occur within area
Caladenia harringtoniae		
Harrington's Spider-orchid, Pink Spider- orchid [56786]	Vulnerable	Species or species habitat known to occur within area
Calectasia cvanea		
Blue Tinsel Lily [7669]	Critically Endangered	Species or species habitat known to occur within area
Chordifex abortivus		
Manypeaks Rush [64868]	Endangered	Species or species habitat known to occur within area

<u>Conostylis misera</u> Grass Conostylis [21320]

Endangered

Species or species habitat known to occur within area

Darwinia oxylepis Gillam's Bell [13188]

Endangered

Scientific Name	Threatened Category	Presence Text
Daviesia glossosema Maroon-flowered Daviesia [65037]	Critically Endangered	Species or species habitat likely to occur
Daviesia obovata		within area
Paddle-leaf Daviesia [17311]	Endangered	Species or species habitat likely to occur within area
Daviesia ovata Broad-leaf Daviesia [21193]	Critically Endangered	Species or species habitat known to occur within area
Daviesia pseudaphylla Stirling Range Daviesia [56747]	Critically Endangered	Species or species habitat may occur within area
<u>Diuris drummondii</u> Tall Donkey Orchid [4365]	Vulnerable	Species or species habitat known to occur within area
Diuris micrantha		
Dwarf Bee-orchid [55082]	Vulnerable	Species or species habitat may occur within area
Drakaea micrantha Dwarf Hammer-orchid [56755]	Vulnerable	Species or species habitat known to occur within area
Gastrolobium humile [78418]	Endangered	Species or species habitat known to occur within area
Gastrolobium luteifolium Yellow-leafed Gastrolobium [78405]	Critically Endangered	Species or species habitat may occur within area



Maxwell's Grevillea [21745]

Endangered

Species or species habitat known to occur within area

Hibbertia wheelerae

Wheeler's Buttercup [90414]

Critically Endangered Species or species habitat may occur within area

Scientific Name	Threatened Category	Presence Text
Isopogon uncinatus Albany Cone Bush, Hook-leaf Isopogon	Endangered	Species or species
[20871]	Lindangered	habitat known to
		occur within area
<u>Kennedia glabrata</u> Northcliffe Kennedia [16452]	Vulnerable	Species or species
		habitat known to
Lowbortic fairellii		
Lambertia fairailli Fairall's Honeysuckle [4881]	Critically Endangered	Species or species
		habitat may occur within area
Lambertia orbifolia		
Roundleaf Honeysuckle [15725]	Endangered	Translocated
		occur within area
Leucopogon gnaphalioides		
Stirling Range Beard Heath [21609]	Critically Endangered	Species or species habitat may occur
		within area
Microtis globula South-Coast Mignopette Orchid [6780]	Vulnerable	Species or species
	Vullerable	habitat likely to occur
Jerramungup Myoporum [24223]	Vulnerable	Species or species
		habitat known to occur within area
Phaius australis		
Lesser Swamp-orchid [5872]	Endangered	Species or species
		within area
Ricinocarpos trichophorus		
Barrens Wedding Bush [19931]	Endangered	Species or species habitat may occur
		within area

Roycea pycnophylloides Saltmat [21161]

Endangered

Species or species habitat may occur within area

Scaevola macrophylla

Large-flowered Scaevola [11806]

Critically Endangered

Species or species habitat known to occur within area

Scientific Name	Threatened Category	Presence Text
Sphenotoma drummondii Mountain Paper-heath [21160]	Endangered	Species or species habitat known to occur within area
<u>Thelymitra psammophila</u> Sandplain Sun-orchid [4908]	Vulnerable	Species or species habitat may occur within area
Tribonanthes purpurea Granite Pink [16244]	Vulnerable	Species or species habitat known to occur within area
<u>Verticordia apecta</u> Hay River Featherflower, Scruffy Verticordia [65545]	Critically Endangered	Species or species habitat likely to occur within area
Verticordia carinata Stirling Range Featherflower [24342]	Vulnerable	Species or species habitat likely to occur within area
Verticordia fimbrilepis subsp. australis Southern Shy Featherflower [24630]	Vulnerable	Species or species habitat known to occur within area
Verticordia helichrysantha Coast Featherflower [8204]	Vulnerable	Species or species habitat likely to occur within area
REPTILE		
Caretta caretta Loggerhead Turtle [1763]	Endangered	Species or species habitat known to occur within area
<u>Chelonia mydas</u> Green Turtle [1765]	Vulnerable	Species or species habitat may occur

Dermochelys coriacea

Leatherback Turtle, Leathery Turtle, Luth Endangered [1768]

Breeding likely to occur within area

SHARK

Carcharias taurus (west coast population)

Grey Nurse Shark (west coast population) [68752]

Vulnerable

Species or species habitat likely to occur within area

Scientific Name	Threatened Category	Presence Text
Carcharodon carcharias		
White Shark, Great White Shark [64470]	Vulnerable	Foraging, feeding or related behaviour known to occur within area
Galeorhinus galeus		
School Shark, Eastern School Shark, Snapper Shark, Tope, Soupfin Shark [68453]	Conservation Dependent	Species or species habitat may occur within area
Rhincodon typus		
Whale Shark [66680]	Vulnerable	Species or species habitat may occur within area
Listed Migratory Species		[Resource Information]
Scientific Name	Threatened Category	Presence Text
Migratory Marine Birds		
Apus pacificus		
Fork-tailed Swift [678]		Species or species habitat likely to occur within area
Ardenna carneines		
Flesh-footed Shearwater, Fleshy-footed Shearwater [82404]		Breeding known to occur within area
Ardenna grisea		
Sooty Shearwater [82651]	Vulnerable	Species or species habitat may occur within area
Diomedea antipodensis		
Antipodean Albatross [64458]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
Diomedea dabbenena		
Tristan Albatross [66471]	Endangered	Species or species habitat may occur within area

Diomedea epomophora

Southern Royal Albatross [89221]

Vulnerable

Species or species habitat may occur within area

Diomedea exulans

Wandering Albatross [89223]

Vulnerable

Foraging, feeding or related behaviour likely to occur within area

Scientific Name	Threatened Category	Presence Text
Diomedea sanfordi		
Northern Royal Albatross [64456]	Endangered	Species or species habitat may occur within area
<u>Hydroprogne caspia</u>		
Caspian Tern [808]		Breeding known to occur within area
Macronectes giganteus		
Southern Giant-Petrel, Southern Giant Petrel [1060]	Endangered	Species or species habitat may occur within area
Macronectes halli		
Northern Giant Petrel [1061]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
Onvchonrion anaethetus		
Bridled Tern [82845]		Foraging, feeding or related behaviour likely to occur within area
Phoehetria fusca		
Sooty Albatross [1075]	Vulnerable	Species or species habitat likely to occur within area
Thalassarche carteri		
Indian Yellow-nosed Albatross [64464]	Vulnerable	Species or species habitat likely to occur within area
Thalassarche cauta		
Shy Albatross [89224]	Endangered	Foraging, feeding or related behaviour likely to occur within area
Thalassarche impavida		
Campbell Albatross, Campbell Black- browed Albatross [64459]	Vulnerable	Species or species habitat may occur

within area

<u>Thalassarche melanophris</u> Black-browed Albatross [66472]

Vulnerable

Foraging, feeding or related behaviour likely to occur within area

Thalassarche steadi

White-capped Albatross [64462]

Vulnerable

Scientific Name	Threatened Category	Presence Text
Migratory Marine Species		
Balaenoptera borealis Sei Whale [34]	Vulnerable	Species or species habitat may occur within area
Balaenoptera edeni Bryde's Whale [35]		Species or species habitat may occur within area
Balaenoptera musculus Blue Whale [36]	Endangered	Species or species habitat likely to occur within area
Balaenoptera physalus Fin Whale [37]	Vulnerable	Species or species habitat may occur within area
Caperea marginata Pygmy Right Whale [39]		Foraging, feeding or related behaviour may occur within area
Carcharhinus longimanus Oceanic Whitetip Shark [84108]		Species or species habitat may occur within area
<u>Carcharias taurus</u> Grey Nurse Shark [64469]		Species or species habitat likely to occur within area
Carcharodon carcharias White Shark, Great White Shark [64470]	Vulnerable	Foraging, feeding or related behaviour known to occur within area

Caretta caretta Loggerhead Turtle [1763]

Endangered

Species or species

habitat known to occur within area

Chelonia mydas Green Turtle [1765]

Vulnerable

Species or species habitat may occur within area

Dermochelys coriacea

Leatherback Turtle, Leathery Turtle, Luth Endangered [1768]

Breeding likely to occur within area

Scientific Name	Threatened Category	Presence Text
Eubalaena australis as Balaena glacialis	<u>australis</u>	
Southern Right Whale [40]	Endangered	Breeding known to

Lagenorhynchus obscurus Dusky Dolphin [43]

Lamna nasus Porbeagle, Mackerel Shark [83288]

Megaptera novaeangliae Humpback Whale [38]

Mobula alfredi as Manta alfredi

Reef Manta Ray, Coastal Manta Ray [90033]

Mobula birostris as Manta birostris Giant Manta Ray [90034]

Orcinus orca Killer Whale, Orca [46]

Physeter macrocephalus Sperm Whale [59]

Rhincodon typus Whale Shark [66680]

Vulnerable

occur within area

Species or species habitat may occur within area

Species or species habitat likely to occur within area

Species or species habitat known to occur within area

Species or species habitat known to occur within area

Species or species habitat known to occur within area

Species or species habitat may occur within area

Species or species habitat may occur within area

Species or species habitat may occur within area

Migratory Terrestrial Species

Motacilla cinerea

Grey Wagtail [642]

Species or species habitat may occur within area

Migratory Wetlands Species

Actitis hypoleucos

Common Sandpiper [59309]

Species or species habitat known to occur within area

Scientific Name	I hreatened Category	Presence Text
Ruddy Turnstone [872]	Vulnerable	Roosting known to occur within area
Calidris acuminata Sharp-tailed Sandpiper [874]	Vulnerable	Roosting known to occur within area
<u>Calidris alba</u> Sanderling [875]		Roosting known to occur within area
<u>Calidris canutus</u> Red Knot, Knot [855]	Vulnerable	Species or species habitat known to occur within area
<u>Calidris ferruginea</u> Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
<u>Calidris melanotos</u> Pectoral Sandpiper [858]		Species or species habitat known to occur within area
<u>Calidris ruficollis</u> Red-necked Stint [860]		Roosting known to occur within area
Calidris subminuta Long-toed Stint [861]		Roosting known to occur within area
Calidris tenuirostris Great Knot [862]	Vulnerable	Roosting known to occur within area
<u>Charadrius bicinctus</u> Double-banded Plover [895]		Roosting known to occur within area

Charadrius leschenaultii

Greater Sand Plover, Large Sand Plover Vulnerable Species or species [877] habitat known to occur within area

Charadrius mongolus

Lesser Sand Plover, Mongolian Plover Endangered [879]

Roosting known to occur within area

Gallinago megala Swinhoe's Snipe [864]

Roosting likely to occur within area

Scientific Name	Threatened Category	Presence Text
Gallinago stenura		
Pin-tailed Snipe [841]		Roosting known to occur within area
Glareola maldivarum		
Oriental Pratincole [840]		Roosting known to occur within area
Limosa lapponica		
Bar-tailed Godwit [844]		Species or species habitat known to occur within area
Limosa limosa		
Black-tailed Godwit [845]	Endangered	Roosting known to occur within area
Numenius madagascariensis		
Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat known to occur within area
Numenius minutus		
Little Curlew, Little Whimbrel [848]		Roosting likely to occur within area
Numenius phaeopus		
Whimbrel [849]		Roosting known to occur within area
Pandion haliaetus		
Osprey [952]		Breeding known to occur within area
Pluvialis fulva		
Pacific Golden Plover [25545]		Roosting known to occur within area
Pluvialis squatarola		
Grey Plover [865]	Vulnerable	Roosting known to occur within area
Thalasseus bergii		

Greater Crested Tern [83000]

Breeding known to

occur within area

Tringa brevipes Grey-tailed Tattler [851]

Tringa glareola Wood Sandpiper [829] Roosting known to occur within area

Roosting known to occur within area

Scientific Name	Threatened Category	Presence Text
Tringa nebularia		
Common Greenshank, Greenshank [832]	Endangered	Species or species habitat known to occur within area
<u>Tringa stagnatilis</u> Marsh Sandpiper, Little Greenshank [833]		Roosting known to occur within area
Xenus cinereus		
Terek Sandpiper [59300]	Vulnerable	Roosting known to occur within area

Other Matters Protected by the EPBC Act

Commonwealth Lands	[Resource Information]
The Commonwealth area listed below may indicate the presence of Co the unreliability of the data source, all proposals should be checked as Commonwealth area, before making a definitive decision. Contact the S department for further information.	mmonwealth land in this vicinity. Due to to whether it impacts on a State or Territory government land
Commonwealth Land Name	State
Defence	
Defence - ALBANY TRAINING DEPOT [50136]	WA
Defence - ALBANY TRAINING DEPOT [50137]	WA
Defence - ALBANY TRAINING DEPOT ; AIRTC ALBANY [50115]	WA
Defence - ALBANY TRAINING DEPOT ; AIRTC ALBANY [50116]	WA
Unknown	
Commonwealth Land - [51621]	WA
Commonwealth Land - [52155]	WA
Commonwealth Land - [52156]	WA
Commonwealth Land - [52167]	WA
Commonwealth Land - [52162]	WA

WA

WA

WA

WA

WA

WA

Commonwealth Land - [52168] Commonwealth Land - [52160] Commonwealth Land - [52147] Commonwealth Land - [51033] Commonwealth Land - [51038]

Commonwealth Land Name	State
Commonwealth Land - [51398]	WA
Commonwealth Land - [51030]	WA
Commonwealth Land - [51032]	WA
Commonwealth Land - [51035]	WA
Commonwealth Land - [51036]	WA
Commonwealth Land - [50308]	WA
Commonwealth Land - [51034]	WA
Commonwealth Land - [51399]	WA
Commonwealth Land - [51017]	WA
Commonwealth Land - [52226]	WA
Commonwealth Land - [50309]	WA
Commonwealth Land - [52170]	WA

Listed Marine Species		[Resource Information]
Scientific Name	Threatened Category	Presence Text
Bird		
Actitis hypoleucos		
Common Sandpiper [59309]		Species or species habitat known to occur within area
Apus pacificus		
Fork-tailed Swift [678]		Species or species habitat likely to occur within area overfly marine area
Ardenna carneipes as Puffinus carneipes		
Flesh-footed Shearwater, Fleshy-footed Shearwater [82404]		Breeding known to occur within area

Ardenna grisea as Puffinus griseus

Sooty Shearwater [82651]

Vulnerable

Species or species habitat may occur within area

Arenaria interpres

Ruddy Turnstone [872]

Vulnerable

Roosting known to occur within area

Scientific Name	Threatened Category	Presence Text
Bubulcus ibis as Ardea ibis		
Cattle Egret [66521]		Species or species habitat may occur within area overfly marine area
Calidris acuminata		
Sharp-tailed Sandpiper [874]	Vulnerable	Roosting known to occur within area
Calidris alba		
Sanderling [875]		Roosting known to occur within area
Calidris canutus		
Red Knot, Knot [855]	Vulnerable	Species or species habitat known to occur within area overfly marine area
Calidris ferruginea		
Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area overfly marine area
Calidris melanotos		
Pectoral Sandpiper [858]		Species or species habitat known to occur within area overfly marine area
Calidris ruficollis		
Red-necked Stint [860]		Roosting known to occur within area overfly marine area
Calidris subminuta		
Long-toed Stint [861]		Roosting known to occur within area overfly marine area
Calidris tenuirostris		
Great Knot [862]	Vulnerable	Roosting known to

occur within area overfly marine area

Cereopsis novaehollandiae grisea

Cape Barren Goose (south-western), Vulnerable Recherche Cape Barren Goose [25978]

Species or species habitat known to occur within area overfly marine area Scientific NameThreatened CategoryChalcites osculans as Chrysococcyx osculansBlack-eared Cuckoo [83425]

<u>Charadrius bicinctus</u> Double-banded Plover [895]

Charadrius leschenaultii

Greater Sand Plover, Large Sand Plover Vulnerable [877]

Charadrius mongolus

Lesser Sand Plover, Mongolian Plover Endangered [879]

Charadrius ruficapillus Red-capped Plover [881]

Chroicocephalus novaehollandiae as Larus novaehollandiae Silver Gull [82326]

Diomedea antipodensis Antipodean Albatross [64458]

Vulnerable

Presence Text

Species or species habitat likely to occur within area overfly marine area

Roosting known to occur within area overfly marine area

Species or species habitat known to occur within area

Roosting known to occur within area

Roosting known to occur within area overfly marine area

Breeding known to occur within area

Foraging, feeding or related behaviour likely to occur within area

Species or species habitat may occur within area

Diomedea epomophora

Diomedea dabbenena

Tristan Albatross [66471]

Southern Royal Albatross [89221]

Vulnerable

Endangered

Species or species habitat may occur within area

Diomedea exulans Wandering Albatross [89223]

Vulnerable

Foraging, feeding or related behaviour likely to occur within area

Diomedea sanfordi

Northern Royal Albatross [64456]

Endangered

Scientific Name

Little Penguin [1085]

Gallinago megala Swinhoe's Snipe [864]

Gallinago stenura Pin-tailed Snipe [841]

<u>Glareola maldivarum</u> Oriental Pratincole [840]

<u>Haliaeetus leucogaster</u> White-bellied Sea-Eagle [943]

Halobaena caerulea Blue Petrel [1059]

Vulnerable

Himantopus himantopus Pied Stilt, Black-winged Stilt [870]

<u>Hydroprogne caspia as Sterna caspia</u> Caspian Tern [808]

Larus pacificus Pacific Gull [811]

Limosa lapponica Bar-tailed Godwit [844] Threatened Category Presence Text

Breeding known to occur within area

Roosting likely to occur within area overfly marine area

Roosting known to occur within area overfly marine area

Roosting known to occur within area overfly marine area

Species or species habitat known to occur within area

Species or species habitat may occur within area

Roosting known to occur within area overfly marine area

Breeding known to occur within area

Breeding known to occur within area

Species or species habitat known to occur within area

Limosa limosa Black-tailed Godwit [845]

Endangered

Roosting known to occur within area overfly marine area

Macronectes giganteus

Southern Giant-Petrel, Southern Giant Endangered Petrel [1060]

Scientific Name	Threatened Category	Presence Text
Macronectes halli		
Northern Giant Petrel [1061]	Vulnerable	Foraging, feeding or related behaviour likely to occur within area
Merops ornatus		
Rainbow Bee-eater [670]		Species or species habitat may occur within area overfly marine area
Motacilla cinerea		
Grey Wagtail [642]		Species or species habitat may occur within area overfly marine area
Numenius madagascariensis		
Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat known to occur within area
Numenius minutus		
Little Curlew, Little Whimbrel [848]		Roosting likely to occur within area overfly marine area
Numenius phaeopus		
Whimbrel [849]		Roosting known to occur within area
Onvchoprion anaethetus as Sterna anae	thetus	
Bridled Tern [82845]		Foraging, feeding or related behaviour likely to occur within area
Pachyptila turtur		
Fairy Prion [1066]		Species or species habitat likely to occur within area
Pandion haliaetus		

Osprey [952]

Breeding known to

occur within area

Pelagodroma marina White-faced Storm-Petrel [1016]

Breeding known to occur within area

Phoebetria fusca Sooty Albatross [1075]

Vulnerable

Species or species habitat likely to occur within area

Scientific Name	Threatened Category	Presence Text
<u>Pluvialis fulva</u> Pacific Golden Plover [25545]		Roosting known to
Pluvialis squatarola		occur within area
Grey Plover [865]	Vulnerable	Roosting known to occur within area
		overfly marine area
<u>Pterodroma macroptera</u> Croat winged Patrol [1025]		Prooding known to
Great-winged Fetter [1055]		occur within area
Pterodroma mollis	. <i>.</i>	
Soft-plumaged Petrel [1036]	Vulnerable	Species or species habitat may occur within area
Duffinue eccimilie		
Little Shearwater [59363]		Breeding known to
		occur within area
Recurvirostra novaehollandiae		
Red-necked Avocet [8/1]		Roosting known to occur within area
		overfly marine area
Stercorarius antarcticus as Catharacta s	<u>kua</u>	
Brown Skua [85039]		Species or species babitat may occur
		within area
Thalassarche carteri		
Indian Yellow-nosed Albatross [64464]	Vulnerable	Species or species babitat likely to occur
		within area
Thalassarche cauta		
Shy Albatross [89224]	Endangered	Foraging, feeding or related behaviour
		likely to occur within area
Thelessarche imposide		
<u>Thalassarche Impaviua</u> Comphell Albetroep, Comphell Plack	Vulnarable	Species or aposios

browed Albatross [64459]

vuinerable

habitat may occur within area

Thalassarche melanophris

Black-browed Albatross [66472]

Vulnerable

Foraging, feeding or related behaviour likely to occur within area

Scientific Name	Threatened Category	Presence Text
Thalassarche steadi		
White-capped Albatross [64462]	Vulnerable	Species or species habitat may occur within area
<u>Thalasseus bergii as Sterna bergii</u>		
Greater Crested Tern [83000]		Breeding known to occur within area
Thinornis cucullatus as Thinornis rubrico	ollis	
Hooded Plover, Hooded Dotterel [87735	5]	Species or species habitat known to occur within area overfly marine area
Tringa brevipes as Heteroscelus brevipe	es	
Grey-tailed Tattler [851]		Roosting known to occur within area
Tringa glareola		
Wood Sandpiper [829]		Roosting known to occur within area overfly marine area
Tringa nebularia		
Common Greenshank, Greenshank [832]	Endangered	Species or species habitat known to occur within area overfly marine area
Tringa stagnatilis		
Marsh Sandpiper, Little Greenshank [833]		Roosting known to occur within area overfly marine area
Xenus cinereus		
Terek Sandpiper [59300]	Vulnerable	Roosting known to occur within area overfly marine area
Fish		
Acontropuro quetrolo		

<u>Acentronura australe</u> Southern Pygmy Pipehorse [66185]

Species or species habitat may occur within area

Campichthys galei Gale's Pipefish [66191]

Heraldia nocturna

Upside-down Pipefish, Eastern Upside-down Pipefish, Eastern Upside-down Pipefish [66227]

Species or species habitat may occur within area

Scientific Name

Threatened Category

Presence Text

<u>Hippocampus breviceps</u> Short-head Seahorse, Short-snouted Seahorse [66235]

<u>Histiogamphelus cristatus</u> Rhino Pipefish, Macleay's Crested Pipefish, Ring-back Pipefish [66243]

Leptoichthys fistularius Brushtail Pipefish [66248]

<u>Lissocampus caudalis</u> Australian Smooth Pipefish, Smooth Pipefish [66249]

<u>Lissocampus runa</u> Javelin Pipefish [66251]

Maroubra perserrata Sawtooth Pipefish [66252]

Nannocampus subosseus Bonyhead Pipefish, Bony-headed Pipefish [66264]

Notiocampus ruber Red Pipefish [66265]

Phycodurus eques Leafy Seadragon [66267] Species or species habitat may occur within area

Phyllopteryx taeniolatus

Common Seadragon, Weedy Seadragon [66268]

Pugnaso curtirostris

Pugnose Pipefish, Pug-nosed Pipefish [66269]

Species or species habitat may occur within area

Scientific Name

Solegnathus lettiensis Gunther's Pipehorse, Indonesian Pipefish [66273]

Stigmatopora argus Spotted Pipefish, Gulf Pipefish, Peacock Pipefish [66276]

Stigmatopora nigra Widebody Pipefish, Wide-bodied Pipefish, Black Pipefish [66277]

Urocampus carinirostris Hairy Pipefish [66282]

Vanacampus margaritifer Mother-of-pearl Pipefish [66283]

Vanacampus phillipi Port Phillip Pipefish [66284]

Vanacampus poecilolaemus

Longsnout Pipefish, Australian Longsnout Pipefish, Long-snouted Pipefish [66285]

Mammal

Arctocephalus forsteri Long-nosed Fur-seal, New Zealand Furseal [20]

Neophoca cinerea

Australian Sea-lion, Australian Sea Lion Endangered [22]

Threatened Category

Presence Text

Species or species habitat may occur within area

Breeding known to occur within area

Breeding known to occur within area

Reptile

Caretta caretta

Loggerhead Turtle [1763]

Endangered

Species or species habitat known to occur within area

Chelonia mydas Green Turtle [1765]

Vulnerable

Scientific Name	Threatened Category	Presence Text
Dermochelys coriacea		
Leatherback Turtle, Leathery Turtle, Luth [1768]	Endangered	Breeding likely to occur within area

Whales and Other Cetaceans		[Resource Information]
Current Scientific Name	Status	Type of Presence
Mammal		
Balaenoptera acutorostrata		
Minke Whale [33]		Species or species habitat may occur within area
Balaenoptera borealis		
Sei Whale [34]	Vulnerable	Species or species habitat may occur within area
Balaenoptera edeni		
Bryde's Whale [35]		Species or species habitat may occur within area
Balaenoptera musculus		
Blue Whale [36]	Endangered	Species or species habitat likely to occur within area
Balaenoptera physalus		
Fin Whale [37]	Vulnerable	Species or species habitat may occur within area
Berardius arnuxii		
Arnoux's Beaked Whale [70]		Species or species habitat may occur within area
Caperea marginata		
Pygmy Right Whale [39]		Foraging, feeding or related behaviour may occur within area

Delphinus delphis

Common Dolphin, Short-beaked Common Dolphin [60]

Species or species habitat may occur within area

Eubalaena australis Southern Right Whale [40]

Endangered

Breeding known to occur within area

Feresa attenuata

Pygmy Killer Whale [61]

Current Scientific Name Globicephala macrorhynchus Short-finned Pilot Whale [62]

<u>Globicephala melas</u> Long-finned Pilot Whale [59282]

Grampus griseus Risso's Dolphin, Grampus [64]

Kogia breviceps Pygmy Sperm Whale [57]

Kogia sima Dwarf Sperm Whale [85043]

Lagenorhynchus obscurus Dusky Dolphin [43]

<u>Lissodelphis peronii</u> Southern Right Whale Dolphin [44]

Megaptera novaeangliae Humpback Whale [38]

Mesoplodon bowdoini Andrew's Beaked Whale [73] Status

Type of Presence

Species or species habitat may occur within area

Species or species habitat known to occur within area

Species or species habitat may occur within area

Mesoplodon densirostris

Blainville's Beaked Whale, Densebeaked Whale [74]

Mesoplodon grayi

Gray's Beaked Whale, Scamperdown Whale [75]

Species or species habitat may occur within area

Current Scientific Name Mesoplodon hectori Hector's Beaked Whale [76]

Mesoplodon layardii

Strap-toothed Beaked Whale, Straptoothed Whale, Layard's Beaked Whale [25556]

Mesoplodon mirus True's Beaked Whale [54]

Orcinus orca Killer Whale, Orca [46]

Peponocephala electra Melon-headed Whale [47]

Physeter macrocephalus Sperm Whale [59]

<u>Stenella coeruleoalba</u> Striped Dolphin, Euphrosyne Dolphin [52]

<u>Tursiops aduncus</u> Indian Ocean Bottlenose Dolphin, Spotted Bottlenose Dolphin [68418]

Tursiops truncatus s. str. Bottlenose Dolphin [68417]

Status

Type of Presence

Species or species habitat may occur within area

Species or species habitat likely to occur within area

Species or species habitat may occur within area

Ziphius cavirostris

Cuvier's Beaked Whale, Goose-beaked Whale [56]

Extra Information

State and Territory Reserves			[Resource Information]
Protected Area Name	Reserve Type	State	
Arpenteur	Nature Reserve	WA	
Bakers Junction	Nature Reserve	WA	
Bald Island	Nature Reserve	WA	
Basil Road	Nature Reserve	WA	
Blue Gum Creek	Nature Reserve	WA	
Bon Accord Road	Nature Reserve	WA	
Breaksea Island	Nature Reserve	WA	
Cheyne Island	Nature Reserve	WA	
Cheyne Road	Nature Reserve	WA	
Down Road	Nature Reserve	WA	
Eclipse Island	Nature Reserve	WA	
Gledhow	Nature Reserve	WA	
Granite Hill	Nature Reserve	WA	
Green Island	Nature Reserve	WA	
Gull Rock	National Park	WA	
Hassell	National Park	WA	
Kojaneerup South	Nature Reserve	WA	
Lake Pleasant View	Nature Reserve	WA	
Lake Powell	Nature Reserve	WA	

Mailalup	Nature Reserve	WA
Marbelup	Nature Reserve	WA
Mettler Lake	Nature Reserve	WA
Michaelmas Island	Nature Reserve	WA
Mill Brook	Nature Reserve	WA
Mistaken Island	Nature Reserve	WA

Protected Area Name	Reserve Type	State
Mount Lindesay	National Park	WA
Mount Manypeaks	Nature Reserve	WA
Mount Mason	Nature Reserve	WA
Napier	Nature Reserve	WA
North Sister	Nature Reserve	WA
NTWA Bushland covenant (0005)	Conservation Covenant	WA
NTWA Bushland covenant (0010)	Conservation Covenant	WA
NTWA Bushland covenant (0137)	Conservation Covenant	WA
Pallinup	Nature Reserve	WA
Phillips Brook	Nature Reserve	WA
Seal Island (WA32199)	Nature Reserve	WA
Shelter Island	Nature Reserve	WA
Sleeman Creek	Nature Reserve	WA
South Sister	Nature Reserve	WA
South Stirling	Nature Reserve	WA
Stirling Range	National Park	WA
Takenup Road	Nature Reserve	WA
Tennessee North	Nature Reserve	WA
Tinkelelup	Nature Reserve	WA
Torndirrup	National Park	WA
Two Peoples Bay	Nature Reserve	WA

Unnamed WA01998	Nature Reserve	WA
Unnamed WA23088	Conservation Park	WA
Unnamed WA23850	Nature Reserve	WA
Unnamed WA23923	Nature Reserve	WA
Unnamed WA25705	Nature Reserve	WA
Unnamed WA30791	Nature Reserve	WA

Protected Area Name	Reserve Type	State
Unnamed WA32478	5(1)(h) Reserve	WA
Unnamed WA33308	5(1)(h) Reserve	WA
Unnamed WA44685	5(1)(h) Reserve	WA
Unnamed WA44690	5(1)(h) Reserve	WA
Unnamed WA50574	5(1)(h) Reserve	WA
Voyagers Park	5(1)(h) Reserve	WA
Waychinicup	National Park	WA
West Cape Howe	National Park	WA
West Mount Mason	Nature Reserve	WA
White Lake	Nature Reserve	WA

Regional Forest Agreements

Note that all areas with completed RFAs have been included. Please see the associated resource information for specific caveats and use limitations associated with RFA boundary information.

RFA Name	State
South West WA RFA	Western Australia
Nationally Important Wetlands	[Resource Information]
Wetland Name	State
Lake Pleasant View System	WA
Moates Lake System	WA
Oyster Harbour	WA

EPBC Act Referrals			[Resource Information]
Title of referral	Reference	Referral Outcome	Assessment Status

Albany Heritage Park Link Trail, WA 2019/8480

Post-Approval

[Resource Information]

Bayonet Head Residential Development, Albany, WA 2015/7624

Completed

Eradication of the European House Borer, Perth metropolitan area, WA

2009/5027

Completed

Sydney Street Subdivision

2023/09530

Completed

Title of referral	Reference	Referral Outcome	Assessment Status
Werillup Pipeline	2025/10121		Referral Decision
Controlled action			
<u>Albany Heritage Park Trail Network</u> <u>Concept Plan</u>	2017/7943	Controlled Action	Completed
Albany Port Authority dredging project	2006/2540	Controlled Action	Post-Approval
<u>Albany Ring Road Stages 2 and 3B,</u> <u>WA</u>	2020/8769	Controlled Action	Post-Approval
<u>Clearing vegetation, Lot 102 Mindijup</u> <u>Road for an extractive industry, NE</u> <u>Albany, WA</u>	2014/7262	Controlled Action	Completed
Emu Point Residential Area Project	2010/5479	Controlled Action	Completed
Plantagenet Location 1181, Cape Riche	2001/158	Controlled Action	Completed
<u>Silica Sand Mine, Mindijup, WA</u>	2012/6472	Controlled Action	Post-Approval
Southdown Magnetite Mine	2006/2544	Controlled Action	Completed
Southdown Magnetite Project	2011/6053	Controlled Action	Post-Approval
Not controlled action			
<u>4wd coastal track stabilisation &</u> <u>rehabilitation, Bettys Beach Reserve,</u> <u>WA</u>	2013/7087	Not Controlled Action	Completed
<u>9 lot 40.4407 ha rural residential</u> subdivision development 1181 Sandalwood Rd, Wellstead	2007/3451	Not Controlled Action	Completed
<u>Albany Motorsport Park, 20kms</u> Northwest Albany, WA	2021/8944	Not Controlled Action	Completed

<u>Albany Port Maintenance Dredging,</u> <u>Albany, WA</u>	2014/7246	Not Controlled Action	Completed
<u>Anzac Centre Develpment, Albany,</u> <u>WA</u>	2012/6571	Not Controlled Action	Completed
Anzac Interpretive Centre Development, Albany, WA	2013/6903	Not Controlled Action	Completed
Development of Grasmere Wind Farm	2008/4368	Not Controlled Action	Completed

Title of referral	Reference	Referral Outcome	Assessment Status
Not controlled action			
Engineered Strand Lumber Plant	2007/3421	Not Controlled Action	Completed
Firebreak Creation, Kalgan, WA	2020/8681	Not Controlled Action	Completed
Improving rabbit biocontrol: releasing another strain of RHDV, sthrn two thirds of Australia	2015/7522	Not Controlled Action	Completed
INDIGO Central Submarine Telecommunications Cable	2017/8127	Not Controlled Action	Completed
Mindijup Silica Sand Mining Project WA	2011/6098	Not Controlled Action	Completed
Mount Barker to Albany Water Supply Pipeline	2013/6720	Not Controlled Action	Completed
Prescribed burn of Cells 5, 6 & 8 of Crown Land Reserve 35381, Napier, WA	2013/6798	Not Controlled Action	Completed
Protected Harbour Development	2006/3091	Not Controlled Action	Completed
Scuttling of the HMAS Perth	2001/171	Not Controlled Action	Completed
Seismic Survey, Bremer Basin, Mentelle Basin and Zeewyck Sub- basin	2004/1700	Not Controlled Action	Completed
South Coast Highway Cheynes East Intersection upgrade and realignment, WA	2016/7777	Not Controlled Action	Completed
South Coast Highway Upgrade (33.5- 35 SLK), Manypeaks, WA	2012/6535	Not Controlled Action	Completed
South Coast Highway Widening 8.2- 14.16 SLK	2017/8009	Not Controlled Action	Completed
Sth Coast Hwy Road Widening,	2018/8279	Not Controlled	Completed



Action

Sth Coast Hwy upgrade (SLK 39.9 -	2013/6933	Not Controlled	Completed
44.5) Cheynes Section West, WA		Action	

Not controlled action (particular manne	er)		
Bremer Basin 2D Marine Seismic	2009/5013	Not Controlled	Post-Approval
<u>Survey, WA</u>		Action (Particular	
		Manner)	

INDIGO Marine Cable Route Survey 2017/7996 Not Controlled Post-Approval (INDIGO) Post-Approval

Title of referral	Reference	Referral Outcome	Assessment Status		
Not controlled action (particular manner)					
		Manner)			
Referral decision					
Albany Port Maintenance Dredging	2010/5527	Referral Decision	Completed		

Biologically Important Areas		[Resource Information]
Scientific Name	Behaviour	Presence
Seabirds		
Ardenna carneipes Flesh-footed Shearwater [82404]	Foraging (in high numbers)	Known to occur
Eudyptula minor Little Penguin [1085]	Foraging (provisioning young)	Known to occur
<u>Hydroprogne caspia</u> Caspian Tern [808]	Foraging (provisioning young)	Known to occur
Larus pacificus Pacific Gull [811]	Foraging (in high numbers)	Known to occur
Onychoprion anaethetus Bridled Tern [82845]	Foraging (in high numbers)	Known to occur
Puffinus assimilis tunneyi Little Shearwater [59363]	Foraging (in high numbers)	Known to occur
<u>Sternula nereis</u> Fairy Tern [82949]	Foraging (in high numbers)	Known to occur

Thalassarche chlororhynchos bassi Indian Yellow-nosed Albatross [85249]

Foraging (in Known to occur high numbers)



Scientific Name	Behaviour	Presence
Neophoca cinerea		
Australian Sea Lion [22]	Foraging (male and female)	Likely to occur
Sharks		
Carcharodon carcharias		
White Shark [64470]	Foraging	Known to occur
Whales		
Megaptera novaeangliae		
Humpback Whale [38]	Migration (north)	Known to occur

Caveat

1 PURPOSE

This report is designed to assist in identifying the location of matters of national environmental significance (MNES) and other matters protected by the Environment Protection and Biodiversity Conservation Act 1999 (Cth) (EPBC Act) which may be relevant in determining obligations and requirements under the EPBC Act.

The report contains the mapped locations of:

- World and National Heritage properties;
- Wetlands of International and National Importance;
- Commonwealth and State/Territory reserves;
- distribution of listed threatened, migratory and marine species;
- listed threatened ecological communities; and
- other information that may be useful as an indicator of potential habitat value.

2 DISCLAIMER

This report is not intended to be exhaustive and should only be relied upon as a general guide as mapped data is not available for all species or ecological communities listed under the EPBC Act (see below). Persons seeking to use the information contained in this report to inform the referral of a proposed action under the EPBC Act should consider the limitations noted below and whether additional information is required to determine the existence and location of MNES and other protected matters.

Where data is available to inform the mapping of protected species, the presence type (e.g. known, likely or may occur) that can be determined from the data is indicated in general terms. It is the responsibility of any person using or relying on the information in this report to ensure that it is suitable for the circumstances of any proposed use. The Commonwealth cannot accept responsibility for the consequences of any use of the report or any part thereof. To the maximum extent allowed under governing law, the Commonwealth will not be liable for any loss or damage that may be occasioned directly or indirectly through the use of, or reliance on the contents of this report.

3 DATA SOURCES

Threatened ecological communities

For threatened ecological communities where the distribution is well known, maps are generated based on information contained in recovery plans, State vegetation maps and remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

Threatened, migratory and marine species

Threatened, migratory and marine species distributions have been discerned through a variety of methods. Where distributions are well known and if time permits, distributions are inferred from either thematic spatial data (i.e. vegetation, soils, geology, elevation, aspect, terrain, etc.) together with point locations and described habitat; or modelled (MAXENT or BIOCLIM habitat modelling) using point locations and environmental data layers.

Where little information is available for a species or large number of maps are required in a short time-frame, maps are derived either from 0.04 or 0.02 decimal degree cells; by an automated process using polygon capture techniques (static two kilometre grid cells, alpha-hull and convex hull); or captured manually or by using topographic features (national park boundaries, islands, etc.).

In the early stages of the distribution mapping process (1999-early 2000s) distributions were defined by degree blocks, 100K or 250K map sheets to rapidly create distribution maps. More detailed distribution mapping methods are used to update these distributions when time permits.

4 LIMITATIONS

The following species and ecological communities have not been mapped and do not appear in this report:

- threatened species listed as extinct or considered vagrants;
- some recently listed species and ecological communities;
- some listed migratory and listed marine species, which are not listed as threatened species; and
- migratory species that are very widespread, vagrant, or only occur in Australia in small numbers.

The following groups have been mapped, but may not cover the complete distribution of the species:

• listed migratory and/or listed marine seabirds, which are not listed as threatened,

have only been mapped for recorded breeding sites; and

• seals which have only been mapped for breeding sites near the Australian continent

The breeding sites may be important for the protection of the Commonwealth Marine environment.

Refer to the metadata for the feature group (using the Resource Information link) for the currency of the information.

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

-Office of Environment and Heritage, New South Wales -Department of Environment and Primary Industries, Victoria -Department of Primary Industries, Parks, Water and Environment, Tasmania -Department of Environment, Water and Natural Resources, South Australia -Department of Land and Resource Management, Northern Territory -Department of Environmental and Heritage Protection, Queensland -Department of Parks and Wildlife, Western Australia -Environment and Planning Directorate, ACT -Birdlife Australia -Australian Bird and Bat Banding Scheme -Australian National Wildlife Collection -Natural history museums of Australia -Museum Victoria -Australian Museum -South Australian Museum -Queensland Museum -Online Zoological Collections of Australian Museums -Queensland Herbarium -National Herbarium of NSW -Royal Botanic Gardens and National Herbarium of Victoria -Tasmanian Herbarium -State Herbarium of South Australia -Northern Territory Herbarium -Western Australian Herbarium -Australian National Herbarium, Canberra -University of New England -Ocean Biogeographic Information System -Australian Government, Department of Defence Forestry Corporation, NSW -Geoscience Australia -CSIRO -Australian Tropical Herbarium, Cairns -eBird Australia -Australian Government – Australian Antarctic Data Centre -Museum and Art Gallery of the Northern Territory -Australian Government National Environmental Science Program

-Australian Institute of Marine Science

-Reef Life Survey Australia

-American Museum of Natural History

-Queen Victoria Museum and Art Gallery, Inveresk, Tasmania

-Tasmanian Museum and Art Gallery, Hobart, Tasmania

-Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.
Please feel free to provide feedback via the Contact us page.

© Commonwealth of Australia

Department of Climate Change, Energy, the Environment and Water GPO Box 3090 Canberra ACT 2601 Australia +61 2 6274 1111

APPENDIX J

Data Sets Provided for Biodiversity Analysis

DATA SETS AVAILABLE FOR ANALYSIS IN ALBANY LOCAL BIODIVERSITY STRATEGY

Output Name	Description	GIS Analysis
ARVS_LPS2_Enviro_Cons_exDBCA_extent	ARVS vegetation units in all other (than DBCA	Any areas that were zoned 'Environmental Conservation' or 'ENVIRONMENTAL CONSERVATION' in LPS2 were exported to their
	conservation estate) Crown reserves with	own layer. The ARVS vegetation units were clipped to the 2020 Native Vegetation Extent (DPIRD-005). TheARVS vegetation units
	conservation zoning	were then clipped to the Environmental Conservation zoned areas. Those areas that were DBCA-managed land were then clipped
		out. The resulting layer is called 'ARVS_LPS2_Enviro_Cons_exDBCA_extent'
ARVS_Veg_Units_Purpose_Current_Extent	ARVS vegetation units with reserve purpose and	ARVS vegetation units joined to the LGATE-227 Reserves layer and the LPS2 Zones and Reserves layer. Clipped to the Native
	LPS2 zone	Vegetation Extent (DPIRD-005)
ARVS_Vegetation_units_DBCA_current_extent	ARVS vegetation in DBCA conservation estate	ARVS vegetation clipped to Native Vegetation Extent (DPIRD-005). Then clipped to DBCA Legislated Lands and Waters (DBCA-
		011). Resulting layer is called 'ARVS_Vegetation_units_DBCA_current_extent'
AVU_0_percent_protected_current_extent	AVUs with 0% in protected areas	AVUs with 0% in protected areas: 18, 19, 20, 27, 30, 32, 40, 41, 42, 54, 60, 61, 62, 63, 67. Those with these veg units in
		MapCodeA were exported then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called
		'AVU_0_percent_protected_current_extent'
AVU_climate_refugial_coms_current_extent	ARVS units that contain climate refugial	AVUs containing climate refugial communities: 9. Those with these veg units in MapCodeA were exported to a layer called
	communities	'AVU_climate_refugial_coms'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called
		'AVU_climate_refugial_coms_current_extent'.
AVU_coastal_veg_current_extent	ARVS units associated with coastal dunes	AVUs containing coastal dune vegetation: 2, 3, 5, 8. Those with these veg units in MapCodeA were exported to a layer called
		'AVU_coastaLveg'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_coastal_veg_current_extent'
AVU_DBCA_ConsCovenants_Current_Extent	ARVS vegetation on properties with registered	ARVS Vegetation Units were clipped to the DBCA Conservation Covenant areas. This was then clipped to the Native Vegetation
	conservation covenants	Extent (DPIRD-005). Resulting layer is called AVU_DBCA_ConsCovenants_Current_Extent
AVU_dieback_susceptible_current_extent	ARVS units that are susceptible to dieback	AVUs susceptible to dieback: 4, 11, 12, 13, 14, 15, 16, 17, 18, 21, 24, 30, 31, 32, 37, 38, 39, 40, 44, 45, 46, 47, 51. Those with
		these veg units in MapCodeA were exported then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called
		'AVU_dieback_susceptible_current_extent'
AVU_estuarine_veg_current_extent	ARVS units associated with estuaries	AVUs containing estuarine vegetation: 60, 65, 66, 67. Those with these veg units in MapCodeA were exported to a layer called
		'AVU_estuarine_veg'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_estuarine_veg_current_extent'
AVU_fire_sensitive_current_extent	ARVS units that are fire sensitive	AVUs that are sensitive to fire: 5, 10, 12, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 31, 32, 34, 37, 38, 39, 40, 46, 47, 48, 49, 51,
		52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 63, 64, 65. Those with these veg units in MapCodeA were exported then clipped to the 2020
		Native Vegetation Extent (DPIRD-005) and called 'AVU_fire_sensitive_current_extent'
AVU_granite_outcrops_current_extent	ARVS units associated with granite outcrops	AVUs associated with granite outcrops: 24, 25, 26, 28. Those with these veg units in MapCodeA were exported to a layer called
		'AVU_granite_outcrops'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_granite_outcrops_current_extent'
AVU_nign_flora_ricn_current_extent	AVUS with highest average flora species richness	AVUS with highest average flora species richness: 13, 14, 15, 22, 29, 31, 40. Inose with these veg units in MapCodeA were
		exported to a tayer cated Avo_nign_tota_tot.
		This tayer was then cupped to the 2020 Native vegetation Extent (DPIRD-005) and catled AVO_high_itora_http://ora
Output Name	Description	GIS Analysis
AVU hydro change susceptible current extent	ARVS units that are susceptible to hydrological	AVUs susceptible to hydrological change; 58, 64. Those with these veg units in MapCodeA were exported then clipped to the
	change	2020 Native Vegetation Extent (DPIRD-005) and called 'AVU hydro change susceptible current extent'
AVU_low_reg_connect_score current extent	AVUs with low regional connectivity score	ARVS2 V_6 layer clipped to 2020 Native Vegetation Extent (DPIRD-005)

AVU_lt_1500_rem_current_extent	ARVS veg units with total current extent less than	Clipped the ARVS veg units to the 2020 Native Vegetation Extent (DPIRD-005). Then calculated how many hectares of each veg
	1500 ha	unit remaining. AVUs with <1500 ha extent (2020 extent): 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25,
		26, 27, 28, 29, 30, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63,
		64, 65, 66, 67. Then exported only the above vegetation units to a layer called 'AVUs_lt_1500_rem_current_extent'
AVU_lt_5_occurences_current_extent	ARVS units with 5 or less occurences in the ARVS	AVUs with 5 or less occurrences in ARVS area: 6, 16, 27, 43, 51, 60. Those with these veg units in MapCodeA were exported and
	area	then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_lt_5_occurences_current_extent'
AVU_lt17_percent_protected_current_extent	AVUs with <17% in protected areas	AVUs with <17% in protected areas: 9, 10,11, 12,15, 18, 19, 20, 23,24, 27, 30, 32,33, 34, 35, 36, 40, 41, 42, 45, 46, 47, 48,49, 50,
		53, 54, 55, 56, 57, 59, 60, 61, 62, 63, 65, 66, 67. Those with these veg units in MapCodeA were exported then clipped to the 2020
		Native Vegetation Extent (DPIRD-005) and called 'AVU_lt17_percent_protected_current_extent'
AVU_lt30_residual_cond_current_extent	Vegetation units with <30% of their extent in	Vegetation units with <30% of their extent in residual condition: 10, 41, 57. Those with these veg units in MapCodeA were
	residual condition	exported then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_lt30_residual_cond_current_extent'
AVU_macro_corridor_current_extent	Native vegetation associated with South Coast	Vegetation units that intersected with Strategic Zone A and B of the Macro-Corridor network were clipped to the 2020 Native
	Macro Corridors	Vegetation Extent (DPIRD-005) and called 'AVU_macro_corridor_current_extent'
AVU_morethan_3avus_current_extent	Native vegetation patches with more than 3	ARVS2 4_1 layer clipped to Native Vegetation Extent (DPIRD-005)
	AVUs	
AVU_national_wetlands_current_extent	AVUs associated with Wetlands of National	AVUs associated with Wetlands of National Significance: 35, 46, 47, 59, 64, 65, 66, 67. Those with these veg units in MapCodeA
	Significance	were exported to a layer called 'AVU_national_wetlands'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_national_wetlands_current_extent'
AVU_poten_restrict_current_extent	ARVS units potentially restricted to the ARVS	AVUs potentially restricted to ARVS area: 12, 13, 14, 15, 16, 17, 18, 19, 23, 30, 32, 34, 37, 39, 44, 51, 56, 60. Those with these veg
	area	units in MapCodeA were exported to a layer called 'AVU_potentially_restricted'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_poten_restrict_current_extent'
AVU_priority_fauna_current_extent	AVUs with Priority fauna records	AVUs that intersect with the priority fauna buffer layer were exported to a layer. This layer was then clipped to the Native
		Vegetation Extent (DPIRD-005). Resulting layer is called 'AVU_priority_fauna_current_extent'
AVU_priority_flora_current_extent	AVUs with Priority flora records	AVUs that intersect with the priority flora buffer layer were exported to a layer. This layer was then clipped to the Native
		Vegetation Extent (DPIRD-005). Resulting layer is called 'AVU_priority_flora_current_extent'
AVU_single_occurence_current_extent	ARVS units with a single occurrence	AVUs with single occurrence in ARVS area: 7, 19, 29, 42, 58, 61. Those with these veg units in MapCodeA were exported to a layer
		called 'AVU_single_occurence'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_single_occurrence_current_extent'
AVU_single_occurence_in_patch_current_extent	ARVS units with a single occurrence in a discrete	AVU with a single occurrence in a discrete patch: 7. Those with these veg units in MapCodeA were exported then clipped to the
	patch of vegetation	2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_single_occurence_in_patch_current_extent'
AVU_specially_protected_fauna_current_extent	AVUs with Specially protected fauna records	AVUs that intersect with the specially protected fauna buffer layer were exported to a layer. This layer was then clipped to the
		Native Vegetation Extent (DPIRD-005). Resulting layer is called 'AVU_specially_protected_fauna_current_extent'
AVU_TEC_PEC_current_extent	AVUs with TEC/PECs	AVUs that intersect with DBCA TEC/PEC buffer layer were clipped to the Native Vegetation Extent (DPIRD-005). Resulting layer is
		called 'AVU_TEC_PEC_current_extent'
AVU_threatened_fauna_current_extent	AVUs with Threatened fauna records	AVUs that intersect with the threatened fauna buffer layer were exported to a layer. This layer was then clipped to the Native
		Vegetation Extent (DPIRD-005). Resulting layer is called 'AVU_threatened_fauna_current_extent'
Output Name	Description	GIS Analysis
AVU_threatened_flora_current_extent	AVUs with Threatened flora records	AVUs that intersect with the threatened flora buffer layer were exported to a layer. This layer was then clipped to the Native
		Vegetation Extent (DPIRD-005). Resulting layer is called 'AVU_threatened_flora_current_extent'
AVU_waterways_current_extent	Native vegetation associated with waterways	Vegetation units that were within 20m of waterways (CoA Portal dataset) were clipped to the 2020 Native Vegetation Extent
		(DPIRD-005) and called 'AVU_waterways_current_extent'
AVU_wetland_veg_current_extent	ARVS units associated with wetlands	AVUs containing wetland vegetation: 10, 33,34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 52, 53 - 67. Those
		with these veg units in MapCodeA were exported to a layer called 'AVU_wetland_veg'.
		This layer was then clipped to the 2020 Native Vegetation Extent (DPIRD-005) and called 'AVU_wetland_veg_current_extent'

AVUs_lt_400_rem_current_extent	ARVS veg units with total current extent less than	Clipped the ARVS veg units to the 2020 Native Vegetation Extent (DPIRD-005). Then calculated how many hectares of each veg
	1% in ARVS area	unit remaining. AVUs with <400 ha extent (2020 extent): 1, 2, 6, 7, 8, 11, 15, 16, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 32,
		33, 34, 35, 36, 37, 38, 40, 41, 42, 43, 44, 45, 48, 50, 51, 52, 53, 54, 55, 56, 58, 60, 61, 62, 63, 64, 65, 66, 67. Then exported only
		the above vegetation units to a layer called 'AVUs_lt_400_rem_current_extent'
BEARD_IBRA_LGA_postclearing_stats	Pre-European and current extent of Beard	2020 Vegetation retention status in Local Government for Beard Associations by IBRA Sub-Regions (WALGA)
	Vegetation associations with IBRA subregion	
	boundaries	
BEARD_IBRA_postclearing_stats	Priority Beard vegetation associations according	2020 Vegetation retention status for Beard Associations and by IBRA Regions (WALGA)
	to 10% and 30% thresholds in IBRA subregions	
high_reg_connect_score_current_extent	Native vegetation patches with high regional	Used the Native vegetation patches with high regional connectivity score data from the ARVS2 study (P6_2) and clipped to the
	connectivity score	2020 Native Vegetation Extent (DPIRD-005)
low_frag_score_current_extent	Native vegetation patches with low	Used the Native vegetation patches with low fragmentation score data from the ARVS2 study (P5_7) and clipped to the 2020
	fragmentation score	Native Vegetation Extent (DPIRD-005)
Pre_Euro_DBCA_Convenants_exARVS_current_e	Pre-European vegetation on properties with	Pre-European vegetation (DPIRD-006) was clipped to the DBCA Conservation Covenant areas. This was then clipped to the
xtent	registered conservation covenants	Native Vegetation Extent (DPIRD-005). The conservation covenant areas that have ARVS units over them were removed from this
		dataset. Resulting layer is called Pre_Euro_DBCA_Covenants_exARVS_current_extent
Pre_Euro_DBCA_Current_Extent_exARVS	Pre-European vegetation in DBCA conservation	Pre-european vegetation (DPIRD-006) clipped to Native Vegetation Extent (DPIRD-005). Then clipped to DBCA Legislated Lands
	estate	and Waters (DBCA-011). Then the area that overlapped with the ARVS vegetation units was clipped out so that only those areas
		not captured by the ARVS areas within the City of Albany remain. Resulting layer is called
		Pre_EuroDBCA_Current_Extent_exARVS'
Pre_Euro_Enviro_Cons_exDBCA_exARVS_extent	Pre-European vegetation in all other (than DBCA	Any areas that were zoned 'Environmental Conservation' or 'ENVIRONMENTAL CONSERVATION' in LPS2 were exported to their
c	conservation estate) Crown reserves with	own layer. Pre-European Vegetation (DPIRD-006) was clipped to the 2020 Native Vegetation Extent (DPIRD-005). The Pre-
	conservation zoning	European Vegetation was then clipped to the Environmental Conservation zoned areas. Those areas that were DBCA-managed
		land were then clipped out. The areas that were covered by ARVS mapping was also clipped out. The resulting layer is called
		Pre_Euro_Enviro_Cons_exDBCA_exARVS_extent'
Priority_Fauna_Buffer	Priority fauna records	DBCA fauna records. Only those with a WA_Status of P1, P2, P3, P4 were included in this datset. A 50m buffer was created
		around each fauna point. Resulting layer is called 'Priority_Fauna_Buffer'
Priority_Flora_Buffer	Priority flora records	DBCA TPFL & WAHerb records. Only those with a ConsStatus of 1, 2, 3, or 4 were included in this datset. A 50m buffer was
		created around each flora point. Resulting layer is called 'Priority_Flora_Buffer'
scs_wetlands_evaluation_urban_current_extent	South Coast Significant Wetlands, Evaluation	Used the South Coast Significant Wetlands, Evaluation Wetlands Albany Urban, and Evaluation Wetlands data from the ARVS2
	Wetlands Albany Urban, and Evaluation	study (P5_1) and clipped to the 2020 Native Vegetation Extent (DPIRD-005)
	Wetlands	
Shorebird_bird_sites	Shorebird Areas and Significant Birding Sites	Used the Shorebird Areas and Significant Birding Sites data from the ARVS2 study (P3_6) and added the Lake Saide polygon from
		the South Coast Significant Wetlands (DBCA-018) dataset
Output Name	Description	GIS Analysis
Specially_Protected_Fauna_Buffer	Specially protected fauna records	DBCA fauna records. Only those with a WA_Status of CD, CD & MI, EX, MI, MI& P4, OS were included in this datset. A 50m buffer
		was created around each fauna point. Resulting layer is called 'Specially_Protected_Fauna_Buffer'
Threatened_Fauna_Buffer	Threatened fauna records	DBCA fauna records. Only those with a WA_Status of VU, EN, CR or EN or P4 were included in this datset. A 50m buffer was
		created around each fauna point. Resulting layer is called 'Threatened_Fauna_Buffer'
Threatened_Flora_Buffer	Threatened flora records	DBCA TPFL & WAHerb records. Only those with a ConsStatus of T were included in this datset. A 50m buffer was created around
		each flora point. Resulting layer is called 'Threatened_Flora_Buffer'
veg_pred_good_cond_current_extent	Native vegetation in predominantly good	Used the Native vegetation in predominantly good condition data from the ARVS2 study (P5_8) and clipped to the 2020 Native
	condition	Vegetation Extent (DPIRD-005)

APPENDIX K

ARVS Vegetation Units – Priority Areas

ARVS2 PRIORITY AREAS BASED ON ALBANY VEGETATION UNITS (AVU)

This priority list includes:

- 1. AVUs considered to be potentially restricted to the study area
- 2. AVUs with 0% of current extent protected
- 3. AVUs with <1500ha
- 4. Priority Ecological Communities
- 5. AVUs potentially threatened due to existing land use provisions
- 6. AVUs potentially threatened by climate change and threatening processes

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
ARVS2_LNA1 Youngs Siding, Kronkup, Bornholm and Lowlands	 Main focus: Includes several AVUs dependent on conservation efforts on private lands: AVU 1, 9, 10, 33, 41, 47, 50, 56, 57. Other conservation values: Other priority AVUs: 11, 33, 36. Protection of riparian vegetation. Protection of Priority 2 & 4 flora. Threatened fauna and Priority Ecological community (AVU56). Includes remnant vegetation with highest count of potential fauna habitat (14-15). Strengthening connectivity. Tennessee North Nature Reserve (TNNR). Part of coastal macro-corridor. High Connectivity reach and Regional Connectivity values (patches are part of a large network, contributing to landscape connectivity). 	 R16136 Class A Nature Reserve (DBCA). Tennessee North Nature Reserve – Conservation Purpose. DBCA Timber Reserve (Class C). R42854 Parklands and Recreation, CoA. R12012 Parklands and Recreation, CoA. Rural zone, Public Purposes, No zone. 	 DBCA to change purpose of Timber Reserve to Conservation Reserve (Class C, no reserve number) – 18ha AVU9, 1.4ha AVU10 and 0.5ha AVU11. City of Albany has designated Reserves R42854 (Purpose: Parklands and Recreation) to 'Environmental Conservation' under LPS2 to improve protection local status of AVU 46 and AVU 49 and R12012 (Purpose: Parklands and Recreation) and to improve protection status of AVU 9 (3.9ha). Manage threats in these reserves to maintain values. Seek opportunities to increase protection of vegetation on private lands adjoining the local reserves and to maximise connectivity within the coastal macro corridor. Maintain ecological linkages between the TNNR, the Timber Reserve and through retention/ management on private lands.
ARVS_LNA2, Youngs Siding	 Main focus: Includes 40% of AVU 54 (0% protected) which occurs in mosaic with AVUs 12, 53, 57 and 11. Other conservation values: Protection of Priority 4 flora, Priority 4 fauna and Priority ecological 	Major highways.Rural zoning.	 As most of the remaining vegetation is within a Major Road Reserve, future extension of South Coast Hwy and other connecting roads should be designed in a way to minimise impacts on this remaining vegetation, in particular AVU54. Consider using the yellow 'Significant flora' roadside markers to designate highest value areas to minimise impacts of potential future roadside maintenance. Provide assistance to landowners to retain a mosaic including AVU54 on Rural zoned lands adjoining the Major Road reserve.

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
	community.Identified as priority area for strengthening landscape connectivity .		
ARVS_LNA3, Torbay	 Main focus: A large patch of vegetation in good condition (residual) contains several priority AVUs: 12, 41, 50, 54 and 57. One of few examples of AVU57 in good condition as >70% of its mapped extent is considered modified. Other conservation values: Priority ecological community. Threatened and Priority 4 fauna. Protection of riparian vegetation. High regional connectivity values and low fragmentation. 	 Rural zone, Public. Purposes, No zone. 	 Explore opportunities to provide protection of vegetation on Rural zoned lands via Conservation Covenants or grant funding. Manage weeds and other threats within Water Corporation Drain reserve R24566. To improve connectivity in this part of the study area, restoration works should be supported on private properties between the large remnant patch in ARVS_LNA3 and the Conservation Reserve 1998 (DBCA managed).
ARVS_LNA4, Torbay, Kronkup	 Main focus: Includes the largest concentration of AVU46 (17% of mapped area) and poorly protected AVU56. Other conservation values: Riparian vegetation. Protection of Priority 2, 3 & 4 flora, Threatened and Priority 4 fauna, Priority ecological community. Part of coastal macro corridor (Strategic Zone A). 	 Rural zone. No zone around Railway Rd. 	 As most of the remaining vegetation adjoins Railway Road, future extensions should be designed to minimise impacts on the remaining vegetation. Improve the long term viability of AVU46, restoration of vegetation between remaining patches should be supported. Note that ARVS_LNA4 contains fragmented vegetation. Biodiversity values would be enhanced through protection from stock and weed management and including other areas to improve connectivity.
ARVS_LNA5, Torbay	 Main focus: Includes poorly protected AVUs: 9, 10, 11, 33, 50. Other conservation values: Protection of Priority 4 flora. Threatened and Priority 4 flora. Part of coastal macro corridor (Strategic Zone A). 	 Environmental Conservation, Civic and Cultural, Rural, No zone. R12599 Recreation, CoA. R26888 Recreation, CoA. 	 Some areas reserved under LPS2 for Environmental Conservation.
ARVS_LNA6,	Main focus:	Rural.	• Provide support for native vegetation protection, restoration and management on

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
Torbay	 Poorly protected AVUs: 9, 10 and 23 in good condition. <u>Other conservation values:</u> Includes records of Priority 1, 2 and 4 flora. Threatened and Priority 3, 4 and 5 fauna. Includes remnant vegetation with very high count of potential fauna habitat (12-13). Part of coastal macro corridor (Strategic Zone A). 		private lands.
ARVS_LNA7, Torbay and Kronkup	 Main focus: Poorly protected AVUs: 9, 34 (PEC), 41, 50, 56 (PEC), 57, 65. Other conservation values: Priority 4 flora, Priority 4 fauna, Priority ecological communities. Part of coastal macro corridor (Strategic Zone A). 	 R24514 – Camping and Recreation, CoA. R24548 – Camping and Recreation, CoA. R25556 – Drain, Water Corporation. R42256 – Recreation and Drain, CoA. Environmental Conservation, Rural, Public Purposes, No zone (along roads). 	 R24514 & R 24548 – Camping and Recreation (include the only example of AVU41 on reserved land), R42256 – Recreation and Drainage. These areas are designated Environmental Conservation under LPS2. Provide support to private landholders to manage biodiversity assets on private lands, providing buffers to protected areas.
ARVS_LNA8, Elleker	 Main focus: Poorly protected AVUs: 1, 9, 34 (PEC), 35, 57, 59 and 65. 36.5% of mapped extent of AVU35. occurs within ARVS_LNA8, all in good condition. AVU10 - <30% remaining & >70% considered modified, poorly protected. Other conservation values: Priority 2 and 3 flora. Threatened and Priority 4 fauna. Priority ecological community. Part of coastal macro corridor (Strategic 	 R20367 – Common for Use of Settlers, CoA reserve. R42256 – Recreation and Drainage, Water Corporation. Environmental Conservation, Rural, Public Purposes, No zone (along roads). 	 R20367 and R42256 - These areas are designated Environmental Conservation under LPS2. Reserve land shown as Environmental Conservation (adjoining R20367) and include Conservation purpose. Provide support to manage biodiversity values on privately owned land, explore opportunities to provide protection via Conservation Covenants.

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
	Zone A).		
ARVS_LNA9, Marbelup, Drome	 <u>Main focus:</u> Potentially restricted AVUs: 12, 13, 14 (PEC), 39. <u>Other conservation values:</u> Records of Priority 1-4 flora. Several Threatened, Priority 3, 4, 5 fauna recorded within 5km radius. Priority ecological communities. Includes remnant vegetation with very high count of potential fauna habitat (10-11). Adjoins National Park/Conservation Reserve. Large remnant patches in good condition, examples of various catenas Part of Marbellup Link (Strategic Zone A macro corridor). 	 R24000 Timber, firewood reserve, CoA. R24661 – Camping and recreation, CoA. Rural, Important Regional Roads, Public Purposes, No zone. 	 Reserves R24000 and R24661 - These areas are designated Environmental Conservation under LPS2. Provide support to manage biodiversity values on privately owned land, explore opportunities to provide protection via Conservation Covenants.
ARVS2_LNA10, Torndirrup and Little Grove	 <u>Main focus:</u> The only locality in the study area with AVU60, a PEC. All patches of AVU60 are within about 1km radius of each other in ARVS2_LNA10. <u>Other conservation values:</u> Records of Priority 2-4 flora, several Threatened and Priority 5 fauna recorded within 5km radius, Priority ecological communities. Area within 'Confirmed' roosting site buffer for Carnaby's black cockatoos AVU with 0% protected, and most approved for residential development (Little Grove Structure Plan) or zoned Residential, No Zone or reserved as Important Regional Road in the Local Planning Scheme (LPS). 	 R25551 Recreation, CoA. R22747 Fire Station, CoA. R22735 Waterway, Water Corporation. Residential, Environmental Conservation, No zone, Public Purposes. 	 R25551 CoA for Recreation - designated Environmental Conservation under LPS2. R37867 CoA Recreation reserve includes 0.9ha, additional nearly 1ha is on adjoining lands reserved for Environmental Conservation and with No Zone in LPS2. Consider adding the area reserved in the Scheme and those within lands marked as No Zone to R37867 and extend the purpose of the larger reserve to include conservation. Around 1ha is spread over the southern portion of R22735, Water Corporation reserve for Water purposes, R24747 CoA reserve for Fire Station and land to the south of R22735 that is reserved for Environmental Conservation in LPS2. Create a new reserve south of R22735 and provide for adequate management of AVU60 across all adjoining reserved areas. Additional 1ha AVU60 occurs within the northern extent of R22735 and R24747 and adjoining lands with no zoning or reserved for Important regional roads. Provide for adequate management of AVU60 across all adjoining reserved areas and retain AVU60 within adjoining lands when designing future land developments.

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
	• Part of Strategic Zone A macro corridor.		
ARVS2_LNA11, Big Grove	 Main focus: Poorly protected climatic refugia AVU 9 & AVU24 (restricted to granite outcrops). Other conservation values: Includes Priority flora records within the site, records of Threatened, Priority 2-4 flora. Several Threatened and Priority 4 and 5 fauna recorded within 5km radius. Adjoins Torndirrup National Park and the foreshore. Includes remnant vegetation with very high count of potential fauna habitat (10-13). Part of Strategic Zone A macro corridor. 	• Rural and Environmental Conservation.	 Seek to consolidate the foreshore reserve to provide for protection of the foreshore areas, including AVU9 and AVU24. Consider expanding the proposed Regional Open Space (as per the Local Planning Strategy) to increase the portion of AVU24 in the future reserve. Set the vesting purpose to include conservation. When considering future development within 'Future Residential' areas as identified in the Local Planning Strategy, consider retaining AVU9 in a large viable POS area strategically located to act as stepping stones between the foreshore areas and the National Park.
ARVS2_LNA12, Vancouver Peninsula	 <u>Main focus:</u> Poorly protected AVU 23 (one of the very few good opportunities to protect), 24, 28, 45 (examples elsewhere on private land are degraded) and also opportunity to improve protection levels of AVU 4, 10 and 11. <u>Other conservation values:</u> Records of Threatened, Priority 1-4 flora. Threatened and Priority 4 and 5 fauna, and PEC recorded within 5km radius. Area within 'Confirmed' roosting site buffer for Carnaby's black cockatoos. Coastal, wetland and foreshore areas. Part of Strategic Zone A macro corridor. 	 Environmental Conservation, No zone (road). R25295 –Recreation Reserve, CoA. 	Designated Environmental Conservation under LPS2.
ARVS_LNA13,	Main focus:	R15875 – Recreation	Designated Environmental Conservation under LPS2.
	 AVUS 14 (PEC), 56 (PEC) & 59 (poorly protected) 	Keserve, COA.	 Provide support to manage biodiversity values on privately owned land, evalues expectation via Concentration Concentration
Heights	Other conservation values:	Residential, Future Urban.	 Ensure retention and protection of AVU56 (PEC) on land adjoining R15875 and

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
ARVS2_LNA14,	 Adjoins Conservation reserve R6862. Records of Threatened, Priority 1, 3,4 flora, several Threatened and Priority 4 & 5 fauna, and PEC recorded within 5km radius. Area within 'Confirmed' roosting site buffer for Carnaby's black cockatoos. Part of Strategic Zone A macro corridor. <u>Main focus:</u> 	 Rural, Public Use, Environmental Conservation, No zone. Future Urban, Yakamia 	 reserved for Public Use in the LPS. The ARVS has highlighted the possible presence of threatened flora in vegetation
Yakamia	 Potentially restricted AVUs 12, & considered to have <30% remaining 13, 14 (PEC) and poorly protected AVU59. <u>Other conservation values:</u> Vegetation in very good condition, with examples of various catenas. Records of Threatened, Priority 1-4 flora, several Threatened and Priority 4 & 5 fauna, and PEC recorded within 5km radius. Includes vegetation potentially providing feeding habitat and within a buffer of a 'Confirmed' roosting site for the Carnaby's black cockatoo. Most vegetation types provide habitat to 6-9 fauna species (considered in this study). Wetlands mapped. Part of Strategic Zone B macro corridor. 	Creek, Rural.	 units 13, 14, 46 and 52. The vegetation in the proposed Yakamia structure plan area should be assessed for its suitability as habitat for threatened fauna. Proposals that may impact on habitat for species listed under the EPBC Act (e.g. Black Cockatoos and Western Ringtail Possums). The Yakamia structure plan aims to retain consolidated areas of native vegetation that contain a diversity of vegetation types (upland and wetland) in Excellent and Very Good condition and maintain connectivity.
ARVS2_LNA15, Lange, Walmsley and Bayonet Head	 <u>Main focus:</u> Potentially restricted AVUs 12, considered to have <30% remaining 13, 14 (PEC). <u>Other conservation values:</u> Threatened and P5 fauna. PEC. Threatened, Priority 1-4 flora, several Threatened and Priority 4 and 5 fauna, 	 R27179 – Tertiary Education Centre, Minister for Education; R23074 – Cemetery, Department of Regional Development; R50166 – Public recreation (Subject to 152), CoA. R31174 & R31175 Church 	 Within reserves R329, R27179, R23074, R50166, R31174 and R31175 - Designated Environmental Conservation under LPS2. Provide support to manage biodiversity values on privately owned land, explore opportunities to provide protection via Conservation Covenants. In future subdivisions retain vegetation within POS to form a stepping stone within the ecological linkage.

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
	 and PEC recorded within 5km radius Includes vegetation potentially providing feeding habitat and within a buffer of a 'Confirmed' roosting site for the Carnaby's black cockatoo. Part of Strategic Zone A & B macro corridor. 	 and children, Department of Regional Development. R329 Recreation, CoA. Rural, Residential, Public Purposes, Environmental Conservation Urban Development 	
ARVS_LNA16, Collingwood Park and Seppings	 Main focus: AVUs14 (PEC), poorly protected AVUs 50, 59 and 65. Other conservation values: Records of Threatened, P1-4 flora recorded within 5km radius, P5 fauna within selected area, Threatened, P1-4 fauna within 5km radius. Includes vegetation potentially providing feeding habitat and within a buffer of a 'Confirmed' roosting site for the Carnaby's black cockatoo. Part of Strategic Zone A & B macro corridor. 	 R32341 Recreation reserve, CoA. Environmental Conservation, Rural. 	 R32341 - Designated Environmental Conservation under LPS2. Retain and manage for conservation priority areas within lands reserved Environmental Conservation to protect wetlands, creecklines and maintain connectivity. Provide support to manage biodiversity values on privately owned land, explore opportunities to provide protection via Conservation Covenants.
ARVS_LNA17, King River, Kalgan, Lower King	 Main focus: Potentially restricted, considered to have <30% remaining AVUs 13, 14 (PEC), 15 (PEC), 49. Other conservation values: AVUS 65-67, estuarine vegetation. Records of Threatened and P4 flora, P5 fauna, Threatened, P3 &4 flora and Threatened, P4&5 fauna within 5 km radius. Includes vegetation potentially providing feeding habitat for Carnaby's black cockatoo. Wetlands. Part of Strategic Zone A & B macro corridor (link between Bakers Junction 	 R34934 – Parklands, CoA. R18779 – Government Requirement, CoA. R28686 – Recreation, CoA. R30469 – Conservation fauna & flora, DBCA. Environmental Conservation, Private Clubs and Institutions, Public Purposes, Special Rural, Rural, Residential. 	 R34934, R28686 - Designated Environmental Conservation under LPS2. Review management of R18779 through lease agreement to minimise potential impacts on vegetation. Designate Environmental Conservation under LPS2. Provide support to manage biodiversity values on privately owned land, explore opportunities to provide protection via Conservation Covenants. (on Special Rural lands to retain AVUs 65-67).

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
	Conservation Reserve (DBCA) and Oyster Harbour.		
ARVS_LNA18, Kalgan	 <u>Main focus:</u> Potentially restricted, with <30% remaining AVU 12, 13 & 39, 14 (PEC), the only other opportunity to conserve AVU43 in the study area. <u>Other conservation values:</u> Records of Threatened and P4 flora. Threatened, P4 and P5 fauna within 5 km radius. Includes vegetation potentially providing feeding habitat for Carnaby's black cockatoo. Wetlands. Part of Strategic Zone A & C macro corridors. 	 R15949 Sand and Gravel, CoA Environmental Conservation, Rural 	 R15949 - Designated Environmental Conservation under LPS2. Provide support to manage biodiversity values on privately owned land adjoining the reserve.
ARVS2_LNA19, Nanarup	 <u>Main focus:</u> AVU14 (PEC), poorly protected and with <30% remaining AVU47 and AVU57, which is also poorly protected and have >70% considered modified or transformed. <u>Other conservation values:</u> 	 R19539 – Conservation Reserve, CoA. Rural, Environmental Conservation. 	 Provide support to manage biodiversity values on privately owned land adjoining the conservation reserve R19539.
ARVS2_LNA20, Manypeaks, Kalgan	Main focus: • AVU10, 11, 12, 13, 14 (PEC), 15, 20, 38, 39, 63.	 R13802 Water supply, Catchment, Water Corporation 	 R2031 - Designated Environmental Conservation under LPS2. Advocate for Minister for Environment to include purpose of 'Environmental Conservation' to secure protection of eight AVUs within the study area, and

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
ARV\$2 LNA21	 AVUs that only occur in TA20: 18, 19, 27, 30, 32, 40, 61. Other conservation values: Very high diversity of flora and fauna habitat. Records of Threatened, P3-4 flora. Threatened and P5 fauna. PECs within the selected area. Further Threatened, P2 - 4 flora, Threatened, P4&5 fauna and PECs within 5km radius. Includes vegetation potentially providing feeding habitat for Carnaby's black cockatoo. Important bird area. Wetlands. Part of Strategic Zone A & C macro corridors. 	R2031 – Parkland, Recreation, CoA.	significantly improve the protection status of many other conservation priority AVUs.
Manypeaks	 Poorly protected AVU 9, 10, 12, 57. The only other opportunity to protect AVU20. Other conservation values: Records of Threatened and P3 and 4 flora. Threatened & P4&5 fauna within 5 km radius. PECs. Includes vegetation potentially providing feeding habitat for Carnaby's black cockatoo. Riparian vegetation. Part of Strategic Zone A & C macro corridors. 		opportunities to provide protection via Conservation Covenants.
ARVS2_LNA22, Cheynes	 <u>Main focus:</u> AVU13, with <30% remaining AVU10 and AVU57, which is also poorly 	• Rural.	 Provide support to manage biodiversity values on privately owned land, explore opportunities to provide protection via Conservation Covenants.

MAP ID	REASONS FOR SELECTION	LAND USE ZONING/RESERVE PURPOSE	ACHIEVEMENTS AND RECOMMENDATIONS
	 protected and have >70% considered modified or transformed. <u>Other conservation values:</u> Records of Threatened and P3 and 4 flora. Threatened and Priority 4 and5 fauna within 5 km radius. PECs. Includes vegetation potentially providing feeding habitat for Carnaby's black cockatoo. Riparian vegetation. Part of Strategic Zone A macro corridors. 		
ARVS2_LNA23, Mount Melville	Main focus: • AVUs 10, 23, 24, 25, 28.	 R2681 Parks, Telecommunications, CoA. R26204, Animal Welfare, DPLH Environmental Conservation 	• Area designated Environmental Conservation under LPS2.
ARVS2_LNA24, Rushy Point, Little Grove	Main focus: AVU66 (PEC) and 67 (PEC), 44 (PEC). 	 R35754 Recreation, CoA. Environmental Conservation, Residential Development, Residential. 	Reserve and foreshore designated Environmental Conservation under LPS2.