

PROVISIONS

The deemed-to-comply provisions of State Planning Policy 7.3 Volume 1: Residential Design Codes are varied within this LDP as follows:

- Clause 5.1.2 Street Setbacks:
 - 1.1. C2.1 i, C2.2 & C2.3 Buildings shall be set back from primary and secondary streets as shown on the LDP Map.
 - 1.2. Notwithstanding C2.1 ii-iv & C2.4, buildings shall not project into the Tree Protection Area, where applicable.
- Clause 5.2.1 C1.1: Garages shall be set back 0.5m behind the dwelling alignment.
- Clause 5.2.3: Dwellings on corner sites shall provide at least one major opening facing the secondary street or public open space adjacent to an area of permeable fencina.
- Clause 5.2.4: For corner sites, fencing to the secondary street or public open space shall be visually permeable above 1.2m for the first 5m behind the dwelling alignment.
- Clause 5.3.5 C5.1 & C5.3 Vehicular Access: Access to on site car parking spaces is to be provided from designated crossover locations, where shown, except that:
 - 5.1. The City may vary designated crossover locations where it is satisfied that tree protection outcomes can be achieved (i.e. through tree retention or revegetation) or if the crossover clashes with essential infrastructure (i.e. stormwater pits, street lights, and electrical poles).
- Clause 5.3.2 C2.2 Landscaping:
 - 6.1. In addition to i & ii, trees within the Tree Protection Area shall not be removed or modified without approval from
 - 6.2. The retention of one or more existing trees within a lot is taken to satisfy the requirements of C2.2i.

LEGEND Local Development Plan Area 1.5m street setback Residential R20 Designated crossover 5m street setback Tree protection area 4m street setback

APPROVED

Authorised Officer

This Local Development Plan has been approved by the City of Albany under clause 52(1)(a) of the deemed provisions of Local Planning Scheme No.1

> I DP13/...../

LDP Ref. No. Date





LOCAL DEVELOPMENT PLAN LOT 1 (#21) GROVE ST WEST LITTLE GROVE